

	Standard	Results
<b>PRODUCT DESCRIPTION</b>		
Monocomponent reactive glue for damp subfloors for Taraflex Sport Dry-Tex systems		
Article code		086C0083
<b>TECHNICAL CHARACTERISTICS</b>		
Colour		Light Brown
Density at 20°C	NFT 76 300	1.43 +/- 0.05
Working time		80 to 100 '
Peeling test (angle of 90°)	NF EN 1372	> 4 kg/cm
Shearing test	NF EN 1373	> 3 kg/cm <sup>2</sup>
Consumption		400 to 450 g/m <sup>2</sup>
Concrete temperature		≥ 10 °C
Applying temperature		12 to 30 °C
Relative humidity		≥ 25 %
Storage		18 months
<b>PACKAGING</b>		
Nature		plastic can
Total weight		16.3 kg
Quantity of Glue / Net weight		15 kg
Glue protection		With closed bag
<b>LABELLING</b>		
Characteristics		Xn - Harmful