

Building product declaration 2015

according to BPD associations' standardised format eBVD2015

TARAFLEX SPORT M PERFORMANCE

1. BASIC DATA

Document data

ld:

C-SE516402343301-28	1
Created:	Last saved:
2017-06-09 10:59:39	2019-11-03 13:02:29
Changes relates to:	
TARAFLEX SPORT M PERFORMANCE	
Article name:	
TARAFLEX SPORT M PERFORMANCE	
Article No/ID concept	
Article identity: VAT-NAME	
SE516402343301-Taraflex_Performance	
Product group/Product group classification	
	roduct group id
Product group system F	roduct group id
Product group system F BK04 0	
Product group system BK04 BSAB96 N	3104
Product group system BK04 BSAB96 Article description:	3104 FK
Product group system BK04 BSAB96 N	3104 FK
Product group system BK04 BSAB96 Article description: Taraflex Sport M Performance- Sportgolv för komfort och maximala använd Declarations of performance:	B104 FK aregenskaper Declaration of performance number:
Product group system BK04 BSAB96 Article description: Taraflex Sport M Performance- Sportgolv för komfort och maximala använd	B104 FK aregenskaper
Product group system BK04 BSAB96 Article description: Taraflex Sport M Performance- Sportgolv för komfort och maximala använd Declarations of performance:	B104 FK aregenskaper Declaration of performance number:
Product group system BK04 BSAB96 Article description: Taraflex Sport M Performance- Sportgolv för komfort och maximala använd Declarations of performance: Yes Other information:	B104 FK aregenskaper Declaration of performance number:
Product group system BK04 BSAB96 Article description: Taraflex Sport M Performance- Sportgolv för komfort och maximala använd Declarations of performance: Yes	B104 FK aregenskaper Declaration of performance number:
Product group system BK04 BSAB96 Article description: Taraflex Sport M Performance- Sportgolv för komfort och maximala använd Declarations of performance: Yes Other information:	B104 FK aregenskaper Declaration of performance number:
Product group system BK04 BSAB96 Article description: Taraflex Sport M Performance- Sportgolv för komfort och maximala använd Declarations of performance: Yes Other information: Gerflor Scandinavia AS	B104 FK aregenskaper Declaration of performance number: DOP-005-1016-A
Product group system BK04 DSAB96 Article description: Taraflex Sport M Performance- Sportgolv för komfort och maximala använd Declarations of performance: Yes Other information: Gerflor Scandinavia AS Company name:	FK aregenskaper Declaration of performance number: DOP-005-1016-A Organisation number:

Version:

	E-mail:	Telephone:				
	hakan.hoglind@gerflor.com	+46 0727 187700				
	VAT number:	Website:				
	SE516402343301	http://www.gerflor.se/				
	GLN:	DUNS:				
	Environmental certification system					
)	SUSTAINABILITY WORK	LEED version 4 Miljöbyggnad (Swedish certifica				
••	Company's certification					
	✓ ISO 9001 ✓ ISO 14001					
	Other:					
	ISO 50001					
	Policies and guidelines					
	The company has a code of conduct/policy/guidelines for dealing with state requirements	social responsibility in the supplier chain, including produces for ensuring				
	This is third-party audited					
	If yes, which if the following guidelines have you affiliated to or management system you have implemented					
	UN guiding principles for companies and human rights					
	ILO's eight core conventions					
	OECD Guidelines for Multinational Enterprises					
	UN Global Compact					
	ISO 26000					
	Other policy guidelines					
	Management system					
	If you have a management system for corporate social responsibility, what ou	t of the following is included in the work?				
	Mapping					
	Risk analysis					
	Action plan					
	Monitoring					
	Sustainability reporting quidelines:					

3. DECLARATION OF CONTENTS

Chemical content

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data	sheet for the article?		Is there classification of the article	e?	
Not applicable			Not applicable		
Enter which version of the candidate list has been used (Year, month, day)			For complex products, the concentration of included substances has been calculated at:		
2019-11-03			whole construction product		
The article is covered	d by the RoHS Directive:		Enter the weight of the article:		
No			5.4 kg/m2		
Enter how large a pro	oportion of the material content h	as been declared [%			
100					
If the article contains	nanomaterials deliberately adde	d to obtain a particular fu	nction, enter these here:		
Is the article registere	ed in Basta?		Enter the proportion of volatile or		[g/litre], applies only
•			to sealants, paints, varnishes and	d adhesives:	
No Other information:					
Other information:					
Article and/o	r sub-components				
Phase	Delivery				
riidse	Delivery				
Component	BINDMEDEL		Weight% of product	t	
Comment					
Material	Substance	Concentration	EG/CAS/Alternative	Candidate	Phasing-out
		interval (%)	designation	list	substance
	PVC	interval (%) 46 <x<50< td=""><td>designation 9002-86-2</td><td>list</td><td>substance</td></x<50<>	designation 9002-86-2	list	substance
		• •	9002-86-2		substance
Component	PVC	• •	_		substance
Component		• •	9002-86-2		substance
Comment	FYLLMEDEL	46 <x<50< td=""><td>9002-86-2 Weight% of product</td><td></td><td></td></x<50<>	9002-86-2 Weight% of product		
·		• •	9002-86-2		Phasing-out substance
Comment	FYLLMEDEL	46 <x<50 concentration<="" td=""><td>9002-86-2 Weight% of product EG/CAS/Alternative</td><td>t Candidate</td><td>Phasing-out</td></x<50>	9002-86-2 Weight% of product EG/CAS/Alternative	t Candidate	Phasing-out
Comment	FYLLMEDEL Substance	Concentration interval (%)	9002-86-2 Weight% of product EG/CAS/Alternative designation	t Candidate	Phasing-out
Comment	FYLLMEDEL Substance	Concentration interval (%)	9002-86-2 Weight% of product EG/CAS/Alternative designation	Candidate	Phasing-out
Comment Material	FYLLMEDEL Substance CALCIUM CRBONATE	Concentration interval (%)	9002-86-2 Weight% of product EG/CAS/Alternative designation 1317-65-3	Candidate	Phasing-out
Comment Material Component Comment	Substance CALCIUM CRBONATE MJUKGÖRARE	Concentration interval (%) 14 <x<18< td=""><td>9002-86-2 Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product</td><td>Candidate list</td><td>Phasing-out substance</td></x<18<>	9002-86-2 Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product	Candidate list	Phasing-out substance
Comment Material Component	FYLLMEDEL Substance CALCIUM CRBONATE	Concentration interval (%)	9002-86-2 Weight% of product EG/CAS/Alternative designation 1317-65-3	Candidate	Phasing-out
Comment Material Component Comment	Substance CALCIUM CRBONATE MJUKGÖRARE	Concentration interval (%) 14 <x<18 concentration<="" td=""><td>9002-86-2 Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product EG/CAS/Alternative</td><td>Candidate list</td><td>Phasing-out substance</td></x<18>	9002-86-2 Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product EG/CAS/Alternative	Candidate list	Phasing-out substance
Comment Material Component Comment Material	Substance CALCIUM CRBONATE MJUKGÖRARE Substance DINCH	Concentration interval (%) 14 <x<18 (%)<="" concentration="" interval="" td=""><td>Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product EG/CAS/Alternative designation 166412-78-8</td><td>Candidate list Candidate list</td><td>Phasing-out substance</td></x<18>	Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product EG/CAS/Alternative designation 166412-78-8	Candidate list Candidate list	Phasing-out substance
Comment Material Component Comment	Substance CALCIUM CRBONATE MJUKGÖRARE Substance	Concentration interval (%) 14 <x<18 (%)<="" concentration="" interval="" td=""><td>9002-86-2 Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product EG/CAS/Alternative designation</td><td>Candidate list Candidate list</td><td>Phasing-out substance</td></x<18>	9002-86-2 Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product EG/CAS/Alternative designation	Candidate list Candidate list	Phasing-out substance
Comment Material Component Comment Material	Substance CALCIUM CRBONATE MJUKGÖRARE Substance DINCH	Concentration interval (%) 14 <x<18 (%)<="" concentration="" interval="" td=""><td>Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product EG/CAS/Alternative designation 166412-78-8</td><td>Candidate list Candidate list</td><td>Phasing-out substance</td></x<18>	Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product EG/CAS/Alternative designation 166412-78-8	Candidate list Candidate list	Phasing-out substance
Comment Material Component Material Component	Substance CALCIUM CRBONATE MJUKGÖRARE Substance DINCH	Concentration interval (%) 14 <x<18 (%)<="" concentration="" interval="" td=""><td>Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product EG/CAS/Alternative designation 166412-78-8</td><td>Candidate list Candidate list</td><td>Phasing-out substance</td></x<18>	Weight% of product EG/CAS/Alternative designation 1317-65-3 Weight% of product EG/CAS/Alternative designation 166412-78-8	Candidate list Candidate list	Phasing-out substance

<1

13463-67-7

TITANDIOXID

Component	STABILISATOR		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-o
	CaZn	<2	beredning CAS nummer sak	kna 🔲	
Component	SUBSTRATE		Weight% of product	t	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-o
	GLASFIBER	<2	beredning CAS nummer sak	KN:	
Component	YTFÖRSTÄRKNING		Weight% of product	t<1	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-o
	PUR	<1	beredning CAS nummer sak		
Phase	Mounted				
Component	BINDMEDEL		Weight% of product	•	
	BINDWIEDEE		Weight // Of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-o substance
	PVC	46 <x<50< td=""><td>9002-86-2</td><td></td><td></td></x<50<>	9002-86-2		
Component	FYLLMEDEL		Weight% of product	t	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-o
	CALCIUM CRBONATE	14 <x<18< td=""><td>1317-65-3</td><td></td><td></td></x<18<>	1317-65-3		
Component	MJUKGÖRARE		Weight% of product	t	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-o
	DINCH	30 <x<34< td=""><td>166412-78-8</td><td></td><td></td></x<34<>	166412-78-8		
Component	PIGMENT		Weight% of product	t	

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	TITANDIOXID	<1	13463-67-7		
Component	STABILISATOR		Weight% of product	:	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	CaZn	<2	beredning CAS nummer sak	ini 📗	
Component	SUBSTRATE		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	GLASFIBER	<2	beredning CAS nummer sak	ini	
Component	YTFÖRSTÄRKNING		Weight% of product	:<1	
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	PUR	<1	beredning CAS nummer sak	ะเทล 🔃	
RAW MATERIALS Raw materials Total recycled material in the article Is recycled material included in the article?					
Material Eget produktionsspil					
Proportion afte	r the consumer stage	-	e consumer sta(Weight	/percent by w	eight
0 Comment		100	25 %		

шап	r proportion of renewable material in the article (short cycle 10 years):		Enter proportion of renewable material in the article (long cycle, mor 10 years):
	Included biobased raw material is tested according to AS	TM test meth	od D6866:
	ere supporting documentation for the raw materials for third cling processes or similar (for example BES 6001:2008, EN		d system for control of origin, raw material extraction, manufacturing USGBC Program)? If yes, enter system(s):
Wo	od raw materials		
	Wood raw materials are included		Included wood raw material is certified
How	large a proportion is certified [%]?		
What	t certification system has been used (for example FSC, CS	A, SFI with Co	oC, PEFC)?
Refe	rence number:		
	r logging country for the wood raw material and that followin		
Does not contain type of wood or origin in CITES appendix of er The timber has been logged legally and there is certification for			
	The timber has been logged legally and there is certificat	ion for this	red species
	The timber has been logged legally and there is certificat	ion for this	
	The timber has been logged legally and there is certificat	ion for this of the art	cicle, production phase module A1-A3 und
En∖	The timber has been logged legally and there is certificat IVIRONMENTAL IMPACT vironmental impact during life cycle	of the art	cicle, production phase module A1-A3 und
Env	The timber has been logged legally and there is certificat IVIRONMENTAL IMPACT vironmental impact during life cycle of the cycle of t	of the art	ticle, production phase module A1-A3 und
Env	The timber has been logged legally and there is certificat IVIRONMENTAL IMPACT vironmental impact during life cycle of the description of the cycle of the description of the cycle of th	of the art	ticle, production phase module A1-A3 und I 15804 or ISO 14025 for the article? gistration number / ID number for EPD:
These IBU F	The timber has been logged legally and there is certificated IVIRONMENTAL IMPACT vironmental impact during life cycle of the Has environmental product declaration been drawn up and the product-specific rules, known as PCR, have been applied PCRs PART A, PART B for flooring with UL addendums	of the art	ticle, production phase module A1-A3 und I 15804 or ISO 14025 for the article? gistration number / ID number for EPD: I6877674.106.1 one depletion (ODP) [kg CFC 11-eq]:
These IBU F	The timber has been logged legally and there is certificated IVIRONMENTAL IMPACT vironmental impact during life cycle of the Has environmental product declaration been drawn up and the product-specific rules, known as PCR, have been applied PCRs PART A, PART B for flooring with UL addendums	of the art coording to EN d: Rec 478 Ozo 41,	ticle, production phase module A1-A3 und I 15804 or ISO 14025 for the article? gistration number / ID number for EPD: I6877674.106.1 one depletion (ODP) [kg CFC 11-eq]:
These IBU F Clima	The timber has been logged legally and there is certificated IVIRONMENTAL IMPACT vironmental impact during life cycle of the Has environmental product declaration been drawn up and the product-specific rules, known as PCR, have been applied PCRs PART A, PART B for flooring with UL addendums are impact (GWP100) [kg CO2-eq]:	of the art coording to EN d: Rec 478 Ozo 41,	Eicle, production phase module A1-A3 und I 15804 or ISO 14025 for the article? gistration number / ID number for EPD: I6877674.106.1 Inne depletion (ODP) [kg CFC 11-eq]:
These IBU F Clima 220 Acidit 8,1	The timber has been logged legally and there is certificated IVIRONMENTAL IMPACT vironmental impact during life cycle of the Has environmental product declaration been drawn up and the product-specific rules, known as PCR, have been applied PCRs PART A, PART B for flooring with UL addendums are impact (GWP100) [kg CO2-eq]:	of the art coording to EN d: Res 478 Ozo 41, Gro 16,	Eicle, production phase module A1-A3 und I 15804 or ISO 14025 for the article? gistration number / ID number for EPD: I6877674.106.1 Inne depletion (ODP) [kg CFC 11-eq]:
These IBU F Clima 220 Acidit 8,1	The timber has been logged legally and there is certificat IVIRONMENTAL IMPACT vironmental impact during life cycle of the distribution of the cycle of the distribution of the cycle of	of the art coording to EN d: Res 478 Ozo 41, Gro 16,	Eicle, production phase module A1-A3 und I 15804 or ISO 14025 for the article? gistration number / ID number for EPD: I6877674.106.1 Inne depletion (ODP) [kg CFC 11-eq]:
These IBU F Clima 220 Acidiff 8,1 Eutro	The timber has been logged legally and there is certificat IVIRONMENTAL IMPACT vironmental impact during life cycle of the distribution of the cycle of the distribution of the cycle of	of the art coording to EN d: Rey 478 Ozo 41, Gro 16, Rei	Eicle, production phase module A1-A3 und I 15804 or ISO 14025 for the article? gistration number / ID number for EPD: I6877674.106.1 Inne depletion (ODP) [kg CFC 11-eq]:
These IBU F Clima 220 Acidit 8,1 Eutro 18,6 Non-I	The timber has been logged legally and there is certificated IVIRONMENTAL IMPACT vironmental impact during life cycle of the Has environmental product declaration been drawn up act the product-specific rules, known as PCR, have been applied PCRs PART A, PART B for flooring with UL addendums atte impact (GWP100) [kg CO2-eq]: Indication (AP) [kg SO2-eq]:	of the art coording to EN d: Rey 478 Ozo 41, Gro 16, Rei	cicle, production phase module A1-A3 und I 15804 or ISO 14025 for the article? Igistration number / ID number for EPD: I68877674.106.1 In the depletion (ODP) [kg CFC 11-eq]: In the depletion (ODP) [kg ethene-eq]: In the depletion (POCP) [kg ethene-eq]: In the depletion (POCP) [kg ethene-eq]: In the depletion (POCP) [kg ethene-eq]: If the depletion (POCP) [kg ethene-eq]:
Thesi IBU F Clima 20 Acidit 8,1 Eutro 18,6 Non-i	The timber has been logged legally and there is certificated IVIRONMENTAL IMPACT vironmental impact during life cycle of the Has environmental product declaration been drawn up and the product-specific rules, known as PCR, have been applied PCRs PART A, PART B for flooring with UL addendums are impact (GWP100) [kg CO2-eq]: Indication (AP) [kg SO2-eq]: Indication (EP) [kg (PO4)-3-eq]:	of the art coording to EN d: Rea 478 Ozo 41, Gro 16, Rei 70 If c	cicle, production phase module A1-A3 under 15804 or ISO 14025 for the article? gistration number / ID number for EPD: 16877674.106.1 pine depletion (ODP) [kg CFC 11-eq]: 12 pund-level ozone (POCP) [kg ethene-eq]: 14 newable energy [MJ]:

6. DISTRIBUTION

Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the Does the supplier use Retursystem Byggpall? article? Not applicable Not applicable Does the supplier take back packaging for the article? Is the supplier affiliated to a system for product responsibility for packaging? Not applicable Not applicable If yes, which packaging and which system? Other information: 7. CONSTRUCTION PHASE **Construction phase** Does the article make special requirements in storage? Specify Does the article make special requirements for surrounding building Yes Specify Golvlim Other information:

8. USE PHASE

Use phase

9.

Does the article make requirements for input materials for operation and maintenance?	
Yes	
Specify:	
Rengöringsmedel	
Does the article require supply of energy during operation?	
Not applicable	
Specify:	
Estimated technical service life for the article:	
25 years	
Comment:	
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?	If yes, enter labelling (G to A, A+, A++, A+++):
Not applicable	
Other information:	
DEMOLITION	
Demolition	
Is the article prepared for disassembly (dismantling)?	
Not applicable	
Specify:	
Does the article require special measures for protection of health and environment in demolition/disassembly?	
Not applicable	
Specify:	
Other information:	

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?
No
Is reuse possible for the whole or parts of the article when it becomes waste?
Not applicable
Specify:
Is material recovery possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
Möjlig att återvinna på AgpR-fabriken i Tyskland Golvspill från installation samlas in via Golvbranschen (www.golvbranschen.se)
Is energy recovery possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
Golvmaterialet kan förbrännas för energiutvinning
Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?
Not applicable
Specify:
Waste code for the delivered article when it becomes waste
20 - Hushållsavfall och liknande handels-, industri- och institutionsavfall (även separat insamlade fraktioner)
When the supplied article becomes waste, is it classified as hazardous waste?
No
Mounted article
Is the mounted article classified as hazardous waste?
No
Other information

11. INDOOR ENVIRONMENT

Indoor environment

The article is not intended for indoor use						
The article does not produce any emissions						
Emissions from the article not measured						
Does the article have a critical moisture state?						
No						
If yes, state what:						
Noise	Electrical field	Magnetic fields				
Can the article give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?				
Not applicable	Not applicable	Not applicable				
Value:	Value:	Value:				
Unit:	Unit:	Unit:				
Measuring method:	Measuring method:	Measuring method:				
Paints and varnishes						
The article is resistant to fungi and algae in	use in wet areas					
Emissions						

Emissions

The article produces the following emissions in intended use:

Measuring interval:	
28 days	
Measuring interval:	
	28 days

Other information

M1 certified Floorscore certified A+ in France