



evercare™
New collection

Mipolam® Ambiance Ultra

Gerflor®



Mipolam® Ambiance Ultra Terra



Timeless design



Our best seller



High value
for money



Top chemical and
stain resistance
on the market



Excellent surface treatment: Evercare™



Mipolam® Ambient Ultra Luna



Trendy design



Soft and low
contrast design



Fresh colors



The favorite choice
for architects




Excellent surface treatment: Evercare™

evercare™ SURFACE TREATMENT

EXCLUSIVE PATENTED TECHNOLOGY BY GERFLOR®

THE OUTSTANDING CHEMICAL STAIN RESISTANCE SURFACE TREATMENT

evercare™ BY GERFLOR: Treatment durability



Gerflor®:
Even thickness



100% non-porous surface
Water-repellent effect


Other treated floor covering



Competitor:
Missing treatment and uneven thickness




Non-treated product



100% HYGIENIC

► No contamination
& bacteria
development

EASY AND COST EFFECTIVE MAINTENANCE



► 80% less water
and detergent
use for cleaning

USER'S BENEFITS

| Easy & cost-effective maintenance

| Stain barrier


| No wax for life

| Chemical resistance

COMPLEMENTARY RANGES

WALL SOLUTIONS

- ① **100% SAFETY**
LINEA'TOUCH handrail
- ② **100% PROTECTION**
Mural Plus or wall protection DECOCHOC combined with LINEA'punch bumper
- ③ **100% WATERPROOF**
Perfect hot-welded joint between floor and wall to reduce bacterial activity
- ④ **100% HYGIENIC**
 - Skirting and coving solutions: no areas where particles or bacteria can stagnate
 - Easy to clean



MIPOLAM® AMBIANCE ULTRA

FEWER VOC'S, BETTER INDOOR AIR QUALITY



INDOOR AIR QUALITY

- TVOC emissions 100 times better than norm requirements (TVOC <math>< 10 \mu\text{g}/\text{m}^3</math> after 28 days)
- Floorscore certified
- Comply with AgBB protocol
- No formaldehyde emission



RECYCLABILITY

- 100 % recyclable product



LCA

- Eco-designed according to a product specific Life Cycle Analysis
- Manufactured in an Iso 14001
- Contribution to many Green Building Schemes (LEED, HQE, BREEAM...)
- Patented surface treatment Evercare™ to reduce drastically the use of chemical products and water and ensure the lowest environmental impact



COMPOSITION

100% REACH compliant

- FREE of formaldehyde
- FREE of heavy metals
- FREE of solvent



RECYCLED CONTENT

- 100 % REACH compliant recycled content



WELLNESS

Health

- Antibacterial activity (inhibits growth > 99%)

Comfort


- Walking comfort



Mipolam® Ambiance Ultra




34-43




Terra 0201 Ice Grey



Terra 0202 Pearl Grey



Terra 0203 Steam Grey




Luna 0104 Philosophic Ash




Luna 0102 Steel Grey







Terra 0205 Fossil Grey



Terra 0204 Dust Grey



Terra 0206 Carbon Grey




Luna 0103 Silver Grey



Luna 0106 Oat Grey



Luna 0105 Oyster Grey



Luna 0110 Marble Beige



Luna 0112 Antique




Luna 0101 Nature Grey



Terra 0221 Corn




Terra 0212 Almond



Terra 0211 Latte




Terra 0208 Candle



Luna 0109 Parchment



Luna 0111 Porcelain Beige



Luna 0107 Coral Beige

Mipolam® Ambiance Ultra



34-43




Terra 0224 Lavender




Terra 0209 Cream



Terra 0222 Sakura



Terra 0207 Clay



Terra 0210 Puech



Terra 0223 Sunset



Luna 0121 Buff Orange



Luna 0108 Camel Beige




Luna 0118 Apple Green



Luna 0123 Bubbegum



Luna 0122 Taffy



Luna 0126 Erythrine



Terra 0225 Pomelo



Terra 0219 Mint



Terra 0217 Sprout




Terra 0220 Algae



Terra 0218 Olive




Luna 0120 Lime Green



Luna 0125 Celeste




Luna 0117 Matcha Green




Luna 0119 Marsh Green



Terra 0215 Water Blue



Terra 0216 Sapphire




Terra 0213 Navy Blue



Terra 0214 Foggy Blue




Luna 0116 Bubble Blue



Luna 0114 Ice Blue



Luna 0113 Sierra Blue



Luna 0115 Capri Blue

Mipolam® Ambiance Ultra

DESCRIPTION

Total thickness	ISO 24346 (EN 428)	mm	2
Weight	ISO 23997 (EN 430)	g/m ²	2750
Width / Length of sheet	ISO 24341 (EN 426)	cm / lm	200 / 20

CLASSIFICATION

Norm / Product specification	-	-	ISO 10581(EN 649)
European classification	ISO 10874 (EN 685)	class	34 - 43
Fire rating	EN 13 501-1	class	Bfl-s1
Static electrical propensity	EN 1815	KV	<2
Electrical resistance	EN 1081	Ω	>10 ⁹
Slip resistance dry	EN 13893	-	≥0.3
Slip resistance wet	DIN EN 16165	class	R9


PERFORMANCES

Type binder content	ISO 10581	type	I
Dimensional stability	ISO 23999 (EN 434)	%	≤ 0.4
Castor chair test	ISO 4918 (EN 425)	-	OK
Thermal conductivity	ISO 10456 (EN 12524)	W/(m.K)	0.25
Colour fastness	ISO 105 - B02	degree	≥ 6
Chemical products resistance	ISO 26987 (EN 423)	-	OK
Surface treatment	-	-	Evercare™
Anti-bacterial activity (E. coli - S. aureus) ⁽¹⁾	ISO 22196	-	>99% Inhibits growth
Antiviral activity (human coronavirus 229E)	ISO 21702	-	99.7% after 2h
Color number	-	-	50

ENVIRONMENT / INDOOR AIR QUALITY

TVOC after 28 days	ISO 16000 - 6	µg/m ³	< 10
Certification	-	-	Floorscore®

CE MARKING

CE	EN 14041	-	
----	----------	---	---

⁽¹⁾ The implementation of an effective cleaning regime is the most important defence against infections.

MIPOLAM® AMBIANCE ULTRA is a vinyl flooring homogeneous calendared and pressed in 2m sheets, with a thickness of 2mm. The non-directional design with colour throughout the 2mm thickness.

This flooring is suitable for medium to high traffic areas, and facilitates floor-wall junctions, angles and welding treatments.

The flooring is equipped with Evercare™, patented Surface treatment obtained by UV laser cross-linking offering the best chemical resistance including alcohol, acid, alkali, surgical reagent resistance and disinfectant cleaner resistance.

According to ISO 21702, **Mipolam® Ambiance Ultra** has anti-viral activity against Human Coronaviruses : it reduces the number of virus by 99,7% after 2h.

TVOC emissions after 28 days (ISO 16000-6) are below detection levels with <10 µg / m³ and this product is classified A + (the best class).

Gerflor Don't forget our complementary ranges!



Handrails



Wall Coverings & Protections



Entrance mats



Skirtings & Profiles

Be connected!



#Gerflor



www.gerflor.com

we care / we act Our Commitments for a Sustainable future



CARBON FOOTPRINT*

-20 % kg CO₂ equivalent/m² between 2020 and 2025



BIOSOURCED CONTENT***

10 % by 2025



RECYCLED CONTENT

30 % by 2025



ADHESIVE FREE**

35 % by 2025



ANNUAL VOLUME RECYCLED

60 000 t by 2025

Gerflor®