



STREETWISE
STYLE

Gerflor[®]
theflooringgroup



STREETWISE STYLE

Colourways

STREETWISE STYLE

Streetwise Style is a textured loop pile carpet tile range featuring two designs; Trend and Flair. The range offers a choice of complementary colours that can be used alone or can be combined on the floor to create stylish and contemporary floor schemes. Streetwise Style is suitable for a wide range of environments including commercial office and education.

CREATE YOUR DESIGN SPACE

ZONING

Define spaces such as walkways and desk areas by combining different tones to create a gradual transition across the floor from one zone to another.

FEATURE AREAS

Combine contrasting tones to create a feature with a strong design statement in specific areas such as social spaces and breakout areas.

MODULAR DESIGN

Consider the versatility of tile and choose from a range of different installation methods. Mix complementary tones together on the floor to create a unique design.

CONTENTS

Colourways 1

Architects Studio Scheme 2-3
 Floor Plan 4-5


Social Hub Scheme 6-7
 Floor Plan 8-9

Commercial Office Scheme 10-11
 Floor Plan 12-13


TREND



Trend | Tempo 00546
LRV 11.40




Trend | Rhythm 00547
LRV 5.55



Trend | Focus 00573
LRV 8.37



Trend | Cypher 00575
LRV 6.63



Trend | Canon 00578
LRV 3.37


FLAIR




Flair | Tempo 06776
LRV 12.52




Flair | Rhythm 06778
LRV 5.56



Flair | Focus 06774
LRV 8.91



Flair | Cypher 06779
LRV 6.73



Flair | Canon 06770
LRV 3.52



Broadloom
Flair



Quarter Turn
Trend
Flair



Brick Bond
Trend
Flair




Zoning

Define spaces such as walkways and desk areas by combining different tones to create a gradual transition across the floor from one zone to another.

ARCHITECTS STUDIO FLOOR PLAN

Streetwise Style | Flair



Streetwise Style
Flair | Focus 06774
(Installed broadloom)

Streetwise Style
Flair | Cypher 06779
(Installed broadloom)

Streetwise Style
Flair | Canon 06770
(Installed broadloom)

Secondary
Barrier Matting
Boulevard 6000




Feature Areas

Combine contrasting tones to create a feature with a strong design statement in specific areas such as social spaces and breakout areas.

SOCIAL HUB FLOOR PLAN

Streetwise Style | Trend



-  Streetwise Style
Trend | Tempo 00546
(Installed quarter turn)
-  Streetwise Style
Trend | Rhythm 00547
(Installed quarter turn)
-  Secondary
Barrier Matting
Boulevard 6000




Modular Design

Consider the versatility of tile and choose from a range of different installation methods. Mix complementary tones together on the floor to create a unique design.

COMMERCIAL OFFICE FLOOR PLAN

Streetwise Style | Trend



Creation 55
Looselay LVT
Ranch 0456
(Installed 1/3 Drop)

Streetwise Style
Trend | Focus 00573
(Installed brick bond)

Unavailable
Streetwise Style
Trend | Cypher 00575
(Installed brick bond)

Streetwise Style
Trend | Canon 00578
(Installed brick bond)

Secondary
Barrier Matting
Boulevard 6000

Uniclass Pr_35_57_11_62
CI/SfB (43) Tn6

STREETWISE STYLE	
TREND	FLAIR

SPECIFICATION

Product Format	Tile	Tile
Product Dimensions	500mm x 500mm	500mm x 500mm
Product Construction	Tufted Loop Pile	Tufted Loop Pile
Surface Yarn	100% Solution Dyed Nylon	100% Solution Dyed Nylon
Total Carpet Weight	4614 g/m ²	4334 g/m ²
Tufted Pile Weight	500 g/m ²	520 g/m ²
Gauge	1/10" (39.4 per dm)	1/10" (39.4 per dm)
Stitches	52.2 per dm	45.2 per dm
Primary Backing	Non-woven	Non-woven
Secondary Backing	Bitumen (contains 75% recycled material)	
Total Carpet Thickness	6.3mm	6.1mm

PERFORMANCE SPECIFICATION

Classification BS EN 1307	Class 33	Class 33
Castor Chair BS EN 985 Test A	Pass	Pass
Static Electricity ISO 6356	<2kV	<2kV
Impact Sound Insulation EN ISO 10140-3	22dB	21dB

FLAMMABILITY

BS EN 13501-1	Class Bfl-s1	Class Bfl-s1
---------------	--------------	--------------

WARRANTIES

Wear Warranty	12 Year	12 Year
Anti-static Warranty	10 Year	10 Year

ADHESIVES

For recommended adhesives contact Technical Services.



The information contained in this document is valid from 1/4/2024 and is subject to change at any time without notice.

Contact us to order free samples

UNITED KINGDOM:
Gerflor Flooring UK Ltd
Park Green, Macclesfield,
Cheshire, SK11 7LZ
Tel: 01625 428922
E-mail: contractuk@gerflor.com
Visit: www.gerflor.co.uk

IRELAND:
Gerflor Ltd
Ballybay Road, Co. Monaghan,
A81 YD83, Republic of Ireland
Tel: +353 (0) 42 966 1431
E-mail: gerflorirl@gerflor.com
Visit: www.gerflor.ie

Gerflor[®]
theflooringgroup