

COREflex

Enhanced Hybrid Flooring

Transform your home with Kenbrock



 **kenbrock**

COREflex

Enhanced Hybrid Flooring

Waterproof Hybrid Flooring has proven itself to be the superior solution in countless applications throughout Australia. With the Coreflex range, we have taken a successful product to the next level by introducing an advanced multi-layered system.

Two additional LVT layers give Coreflex its superior flexibility, to better hug the subfloor and minimize footfall noise. The first LVT layer delivers a more authentic timber feel whilst the second LVT layer located underneath the core, provides additional stability and comfort.

Features and benefits include:

- Additional comfort due to the inclusion of 2 LVT layers
- Durable and easy to maintain with a 0.5mm wear layer, reinforced with a surface protection layer and perfect for the busy household.
- High resistance to scratching and indentation and therefore suitable for high traffic areas.
- Water resistant, can be installed in all areas of the home, creating a visually flawless impact.
- Acoustic backing, combined with the LVT comfort layer, reduces noise transfer, making the planks quieter to walk upon.
- Locking system that allows the planks to be quickly and easily installed without adhesive.
- Phthalate free; a safe choice for the whole family.
- Lifetime residential warranty.



1. Surface Protection Layer
2. 0.5mm Heavy Duty Wear Layer
3. High Definition Decor Layer
4. Design & Comfort LVT Layer
5. Solid Polymer & Limestone Core
6. 5G Locking System
7. Stability & Comfort LVT Layer
8. Odour Free IXPE Acoustic Backing

Featured on the front cover is Margaret River Marri



Bleached Blackbutt



Natural Oak



Limed Blackbutt



Atherton Spotted Gum



Cradle Mountain Sassafras



Keller Oak



Bleached Marri

KBH301



Limed Blackbutt

KBH302



Natural Oak

KBH303



Character Spotted Gum

KBH304



Atherton Spotted Gum

KBH305



Cradle Mountain Sassafras

KBH306



Keller Oak

KBH307



Margaret River Marri

KBH308

Character Spotted Gum

Product Specifications

Size: 228.6mm x 1524mm

Total thickness: 6.5mm

Wear layer: 0.50mm

Plank per carton: 6 planks

M² per carton: 2.09m²

Usage: Residential / Light Commercial

Warranty:



www.kenbrock.com.au