



80%
Biocontent,
Mineral &
Recycled

Premium

The Unrivalled Flooring Solution

Gerflor®

A range as powerful as ever

35 years of satisfied customers

“

With 600 000 passengers per year, plus their luggage and carts, this floor covering offers the advantage of standing up to heavy traffic while remaining easy to maintain.

Pau-Pyrénées Airport, France

For 20 years, this mass-coloured surface has always been satisfactory. We've had no problem with tears, scratches or wheel marks.

Hospital in Lons-le-Saunier, France

”

Summary

- 04. **New collection Premium**
- 05. **Premium in performances
35 years of satisfied customers**
- 06. **A unique construction
for unrivalled strength and durability**
- 08. **Nature, an infinite source of inspiration**
- 09. **Premium in harmonie
Floors, wall covering & wall protections**
- 10. Cocoon
- 11. Poesy
- 12. Neoterra
- 13. Indiana
- 14. Metallica
- 15. Osmoz
- 16. Brazilia
- 17. Neopolis
- 18. **Premium Collection**
- 20. **Gerflor products help you to age well**
- 22. **Technical data**

gerflor.com / follow us:




New collection Premium

More sustainable materials

80%

Biocontent, Mineral & Recycled

Premium contains 20% crop residues from responsible sources. We recycle discarded soy waste from the animal feed industry. The result: less fossil based material and less carbon.



Low carbon solution



Thanks to its improved composition, Premium emits 29%** less CO₂ than the previous range.

A good choice to decarbonise your projects.

100% recyclable



Premium range is compatible with Gerflor's Second Life programme that is available in selected countries.


* Vinyl is made of two main ingredients : ethylene and salt.
** Based on life cycle assessment certified by UL for an average heterogeneous product.



To go a step forwards Premium Zero

Towards a world with 0 fossil extraction

93% of biocircular, mineral & recycled content.
Available on demand.



Premium in Performances

35 years of satisfied customers




Unrivalled durability

- High density pressed wearlayer
- Pressed under 800 tons
- Immutables designs




High resistance to heavy loads

- Double reinforcement for excellent dimensional stability
- Easy rolling



Lower maintenance costs




Indoor air quality

- A+ / Floorscore / M1 certified
- Phthalate-free
- Anti-bacterial activity: ISO 22196



A unique construction

for unrivalled strength and durability



- Evercare™ surface treatment stain barrier, **easy maintenance** & hygiene
- High density **pressed wearlayer** pressed under 800 tons for an unrivalled durability
- Matt effect** for a modern look
- Double glass fiber grid** for the best dimensional stability (acoustic only)
- VHD foam** sound insulation (acoustic only)




High resistance to heavy loads

Tested with **TENTE** teams (specialists in wheels and castors, particularly in hospitals), Premium offers better rolling ease (dynamic indentation) than other products on the market.



No metallization required


= **WATER & DETERGENT SAVINGS**
10x fewer cleaning products are needed to maintain Gerflor floors compared to untreated floors




Matte surface, easy to maintain

The patented EVERCARE™ technology ensures high stain resistance (Betadine, eosin, marker, etc.) as well as easy maintenance. This significantly reduces maintenance costs and decreases environmental impact.

Stain shield



Stain test



Recognized Certifications

- ✓ **REACH** compliant raw materials and phthalate-free**
- ✓ **Indoor air quality:** < 10µg certified by Floorscore (after 28 days)
- ✓ **Carbon impact less than 11 kg eq CO₂/m²** (EPD available)
- ✓ **Certified ISO 21702:** Antiviral activity (Human Coronavirus)

* REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
 ** Excluding recycled content



Extreme durability

100% pure homogeneous wearlayer for superior abrasion and traffic resistance as well as long lasting colors.

100% pure vinyl pressed wearlayer

Premium

High density pressed wearlayer



- > 1 mm
- Pressed under 800 tons
- 100 % PVC
- No transparent wearlayer

(1) Identical scale, enlarged 200 times


Other flooring⁽¹⁾




Printed flooring with transparent wearlayer
 Air bubbles: dirt traps



Homogeneous flooring
 Fillers: fragile and subject to scratches



Coated flooring
 Irregular density: dirt traps



Rubber flooring
 Porous and elastic: lower wear resistance and difficult to maintain

Wear test

	Other floorcovering	Gerflor Premium
0 cycle / new product		
After 1000 cycles equivalent to very heavy traffic use after 5 years		
After 2000 cycles equivalent to very heavy traffic use after 10 year		

Nature,

an infinite source of inspiration

The endless inspiration of Nature contrasts with the fragility of its resources. This is why our range is evolving towards a **more responsible composition**, without altering the unique qualities that define Premium.

Durable and elegant, our new collection reveals **resolutely natural shades**: the subtle freshness of eucalyptus, the deep warmth of ochre, the shimmering serenity of aqua, and the luminous neutrality of sand. This timeless color palette perfectly embodies the **iconic durability** of Premium.



8 designs



Brazilia,
vibrant chromatics revisited granite

NEW Neoterra,
terrazzo inspiration with a touch of light

Metallica,
sophisticated, crystal-clear radiance

Poesy,
softness and delicacy with metallic sheen

Indiana,
vibrant, subtly contrasting faux smooth finish

Osmoz,
timeless, nuanced & blended shades

Neopolis,
rough and deep, to reveal an urban look

NEW Cocoon,
serene palette enhancing the beauty of recycled fibers



Premium in Harmony

Floors, wall covering & wall protections



Cocoon

Serene palette enhancing the beauty of recycled fibers




COCOON - 0032 Satin



COCOON - 0030 Crinolin



COCOON - 0027 Muslin




COCOON - 0028 Organza



COCOON - 0029 Flannel

Poesy


Softness and delicacy with metallic sheen




POESY - 2747 Ballade



POESY - 2151 Sonate



POESY - 8621 Ode




POESY - 2750 Ellipse



POESY - 2152 Octave



POESY - 8627 Allegorie



POESY - 2751 Slam



POESY - 2748 Refrain



POESY - 2501 Rhapsody



POESY - 2752 Litote



POESY - 2749 Lyrique



POESY - 8626 Rime



Neoterra

Terrazzo inspiration with a touch of light



NEOTERRA - 4207 Prato



NEOTERRA - 4206 Lazuli



NEOTERRA - 4205 Dorata



NEOTERRA - 4208 Soraya



Indiana


Vibrant, subtly contrasting faux smooth finish




INDIANA - 4052 Calero



INDIANA - 4001 Ofu



INDIANA - 4051 Maraca




INDIANA - 4343 Tokelau



INDIANA - 4009 Tufoa



INDIANA - 4050 Comores



INDIANA - 8150 Bali




INDIANA - 4002 Manua



INDIANA - 4049 Kilmia



INDIANA - 4053 Diwaran



INDIANA - 4047 Okuza



INDIANA - 4048 Malabo



INDIANA - 8226 Fidji




INDIANA - 4046 Cubagua



INDIANA - 4045 Dalupiri



INDIANA - 4003 Tao



INDIANA - 4476 Wattaru




INDIANA - 7517 Faroe



INDIANA - 8837 Songo

Metallica

Sophisticated, crystal-clear radiance



METALLICA - 0062 Beyla



METALLICA - 9753 Energy



METALLICA - 0064 Sudri



METALLICA - 0061 Eldir



METALLICA - 9745 Cosmic



METALLICA - 8257 Nyx



METALLICA - 0060 Dellig



METALLICA - 0063 Narfi




METALLICA - 2746 Ymir



Osmoz


Timeless, nuanced & blended shades



OSMOZ - 4378 Igloo




OSMOZ - 4349 Angora



OSMOZ - 4364 Ivory



OSMOZ - 4365 Alpaga



OSMOZ - 4379 Koudou



OSMOZ - 4384 Barbadine



OSMOZ - 3792 Storm Grey



OSMOZ - 4380 Awara



OSMOZ - 4383 Jasmin



OSMOZ - 3791 Slate Grey



OSMOZ - 4381 Rozelle



Osmoz - 4382 Cyclades



OSMOZ - 7737 Pepper Grey



OSMOZ - 4351 Greige



Brazilia

Vibrant chromatics revisited granite



Neopolis

Rough and deep, to reveal an urban look



NEOPOLIS - 2741 Brooklyn



NEOPOLIS - 2740 Harlem Soft



NEOPOLIS - 2742 Times Square



NEOPOLIS - 2744 Queens Soft



NEOPOLIS - 2743 Central Park



NEOPOLIS - 2745 Plaza

Premium Collection

Design	Colour	Code	Acoustic	LRV	NCS		
Brazilia		Alvorada	0051	●	51,5	2010-Y30R	
		Aracaju	0058		15,6	4040-B	
		Barueri	0054		29,9	0560-Y90R	
		Boa Vista	8386	●	63,7	1002-Y50R	
		Ceara	3709		30,4	4005-R80B	
		Limeira	0053		62,2	0560-Y	
		Maceio	4477		35,7	2030-B10G	
		Natal	0056		33,2	3030-G20Y	
		Olinda	0052		37	1060-Y40R	
		Paraiba	3707		10,1	7005-R80B	
Cocoon		Recife	8736	●	54,8	2005-R80B	
		Teresina	0055		13,4	3050-R	
		Crinolin	0030		35,8	4005-Y50R	
		Flannel	0029		31,1	4005-R80B	
		Muslin	0027	●	46,7	2500-N	
		Organza	0028		60,1	2002-Y	
		Satin	0032	●	43,5	3005-Y50R	
	Indiana		Bali	8150		39,2	3005-Y50R
			Calero	4052	●	37,3	3020-Y20R
			Comores	4050		28,9	3030-Y60R
		Cubagua	4046		39,5	2030-B60G	
		Dalupiri	4045		49,7	2010-G60Y	
	Diwaran	4053	●	20,2	6010-Y10R		

Design	Colour	Code	Acoustic	LRV	NCS	
Indiana		Faroe	7517		20,4	6010-G30Y
		Fidji	8226	●	35,6	3502-Y
		Kilmia	4049		31,3	2060-Y30R
		Malabo	4048		46,8	2040-Y20R
		Manua	4002	●	63	1502-B
		Maraca	4051		14	4040-Y80R
		Ofu	4001	●	88,7	0502-Y
		Okuza	4047	●	55,3	1515-R90B
		Songo	8837		7,3	8000-N
		Tao	4003		27,5	4502-B
Metallica		Tokelau	4343	●	46,7	2005-Y50R
		Tufoa	4009	●	66,3	1005-Y20R
		Wattaru	4476		12,4	5030-R90B
		Beyla	0062		21,3	5010-B90G
		Cosmic	9745		28,4	5502-B
		Dellig	0060		9	8010-R90B
		Eldir	0061		22	4020-B
		Energy	9753	●	56,3	2502-G
		Narfi	0063		21,2	6010-Y10R
		Nyx	8257		28	4030-Y20R
	Sudri	0064	●	51,2	2005-Y20R	
	Ymir	2746		23,9	5030-Y50R	

Design	Colour	Code	Acoustic	LRV	NCS		
Neopolis		Brooklyn	2741		14,9	7502-B	
		Central Park	2743	●	52,3	2005-Y30R	
		Harlem Soft	2740		30	4500-N	
		Plaza	2745		53,8	2002-B	
		Queens Soft	2744		29,4	4005-Y50R	
		Times Square	2742		14,9	7005-Y50R	
	Neoterra		Dorata	4205	●	73,8	0502-Y
			Lazuli	4206	●	77,3	0502-Y
			Prato	4207		76,4	0502-Y
	Osmoz		Soraya	4208		77	0502-Y
		Alpaga	4365	●	52,2	2002-Y	
		Angora	4349	●	42,2	3005-Y50R	
		Awara	4380		27,8	3020-Y60R	
		Barbadine	4384		51,1	2040-Y10R	
		Cyclades	4382	●	20,2	4030-B	
		Greige	4351		25,8	5005-Y50R	
		Igloo	4378		60	1502-B	
		Ivory	4364	●	61,1	1502-Y	
		Jasmin	4383		38,5	3020-G20Y	
	Koudou	4379		34,6	3010-Y30R		
	Pepper Grey	7737		9,4	8000-N		
	Rozelle	4381		17,1	4040-Y90R		
	Slate Grey	3791	●	21,7	5500-N		
	Storm Grey	3792		36,3	3502-B		

Design	Colour	Code	Acoustic	LRV	NCS	
Poesy		Allegorie	8627		24,8	3030-B10G
		Ballade	2747	●	43,8	2005-Y50R
		Ellipse	2750	●	45,1	2502-B
		Litote	2752	●	15	6502-B
		Lyrique	2749	●	16,6	6005-Y20R
		Octave	2152	●	30,8	3020-Y80R
		Ode	8621	●	50	1515-B50G
		Refrain	2748		28,8	4005-Y50R
		Rhapsody	2501	●	18,5	6010-B90G
		Rime	8626	●	20,3	5020-B
	Slam	2751		30,7	4500-N	
	Sonate	2151		32,9	3030-Y50R	

● Available as acoustic
All colours are available as compact

Gerflor products help you to age well

These days, ageing well is a social challenge. In this context, supporting people who have dementia is the focus of numerous discussions.

What is dementia? Dementia is a syndrome that occurs in numerous neurological diseases (one of the most well-known being Alzheimer's disease), caused by progressive degeneration of certain neurons. These pathologies affect the memory, thoughts, behaviour and the ability to perform daily activities.

Gerflor is committed to helping towards ageing comfortably by developing designs and colours to suit these medical conditions.

Below are some key points for choosing a suitable flooring



Contrasting colours

Sections of the same area (floors, walls, accessories) must be in contrasting colours in order to improve the three-dimensional perception of the different spaces and thus encourage movement. It is also important to take into account the light reflectance value (LRV*) of the different sections.


> **All the LRVs in Gerflor ranges are available on our website and our communication tools.**



'Soft' and almost plain patterns

Heavily patterned flooring or flooring with busy patterns should be avoided, as well as the colour black, which could lead to blocking reactions due to visual barriers. We therefore recommend choosing soft patterns.

> **Many designs and colours in Gerflor's ranges have semi-plain or almost plain patterns that are perfectly suitable.**



Matt flooring

In addition to the more realistic look, matt flooring is perceived as more secure. In fact, shiny floors can look wet, making people with dementia hesitant and increase the risk of falling.

> **The latest-generation surface treatments developed by Gerflor (Protecsol® 2, Evercare™ in particular) give the products a matt appearance.**



Acoustic comfort

You should opt for acoustic products that will reduce ambient noise and create a more calm and peaceful environment.

> **Many of the Gerflor collections provide sound insulation. For example, Premium offers sound insulation up to 17 dB (acoustic sheet) and 8 dB (compact sheet).**



Accredited Solutions

Gerflor sought to validate and accredit its solutions (notably Taralay Premium) through the DSDC, the **Dementia Services Development Centre**. This organization is an independent and internationally recognized center of knowledge and expertise, dedicated to improving the lives of people with dementia.

Desing	Colour	Code	DSDC
	Alvorada	0051	1b
	Aracaju	0058	1b
	Barueri	0054	1b
	Boa Vista	8386	2
	Ceara	3709	2
Brazilia	Limeira	0053	1b
	Maceio	4477	2
	Natal	0056	1b
	Olinda	0052	1b
	Paraiba	3707	2
	Recife	8736	2
	Teresina	0055	1b
Cocoon	Crinolin	0030	2
	Flannel	0029	2
	Muslin	0027	2
	Organza	0028	2
	Satin	0032	2
	Bali	8150	2
	Calero	4052	2
	Comores	4050	2
	Cubagua	4046	2
	Dalupiri	4045	2
	Diwaran	4053	2
Indiana	Faroe	7517	2
	Fidji	8226	2
	Kilmia	4049	2
	Malabo	4048	2
	Manua	4002	2
	Maraca	4051	2
	Ofu	4001	2
	Okuza	4047	2

Desing	Colour	Code	DSDC
	Tao	4003	2
Indiana	Tokelau	4343	2
	Tufoa	4009	2
	Wattaru	4476	2
	Alpaga	4365	1b
	Angora	4349	2
	Awara	4380	2
	Barbadine	4384	2
	Cyclades	4382	2
	Greige	4351	2
Osmoz	Igloo	4378	1b
	Ivory	4364	2
	Jasmin	4383	2
	Koudou	4379	2
	Pepper Grey	7737	2
	Rozelle	4381	2
	Slate Grey	3791	2
	Storm Grey	3792	1b



The DSDC Accredited product logo is awarded on the merit of the individual product and colourway. This accreditation does not merit the final application. Whilst every endeavor has been made to ensure the ratings are reflective of the product's suitability and applied use at the time of print, DSDC cannot be held responsible for the application of the final product, its performance or its interface with other products or finishes.

1a: plain use indiscriminately
1b: semi-plain use throughout
2: some pattern use with caution

Technical data

	PREMIUM COMPACT		PREMIUM ACOUSTIC	
	Brazília / Indiana / Cocoon / Neopolis / Osmoz / Poesy / Neoterra - Metallica		Brazília / Indiana / Cocoon / Neopolis / Osmoz / Poesy / Neoterra - Metallica	
Description				
Total thickness	EN ISO 24346	mm	2.00	3.00-3.30
	ASTM F386-02	inch	0.08	0.12 - 0.13
Wearlayer thickness	EN ISO 24340	mm	≥ 1.02	≥ 1.02
	ASTM F410-02	inch	≥ 0.039	≥ 0.039
Weight	EN ISO 23997	g/sq.m	2580 - 2620	≥ 2800
	-	lbs/sq.ft	0.53 - 0.57	0.58
Width / Length of sheet	EN ISO 24341	cm / lm	200 / 20	200 / 25
	-	feet - inch	6'6" / 66"	6'6" / 82"
Tile size	EN ISO 24342	mm	-	-
Phthalate free	-	-	OK	OK
Classification				
Norm / Product specification	-	-	EN ISO 10582	EN ISO 11638 (EN 651)
European classification	EN ISO 10874	class	34 -43	34 -42
Fire rating	EN 13 501-1	class	Bfl-s1	Cfl-s1
Static electrical propensity	EN 1815	kV	< 2	< 2
Slip resistance	EN 16165:2021 - Appendix B (DIN 51 130)	class	R10	R10
Performance				
Wear resistance	EN 660.2	mm ³	≤ 2.0	< 2.0
Wear group	NF 189	group	T	T
Type binder content	EN ISO 10582	type	I	-
Dimensional stability	EN ISO 23999	%	≤ 0.40	≤ 0.40
Residual indentation (requirement)	EN ISO 24343-1	mm	≤ 0.10	≤ 0.20
Residual indentation (measure)	-	mm	≈ 0.02	≈ 0.06
Impact sound insulation	EN ISO 717-2	dB	8	17 (Metallica : 16)
Castor chair test (type H)	ISO 4918	-	OK	OK
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6
Surface treatment	-	-	Evercare™	Evercare™
Chemical products resistance ⁽¹⁾	EN ISO 26987	-	OK ⁽¹⁾	OK ⁽¹⁾
Environment				
Recycled content (average)	-	%	43	25
Recyclability	-	%	100	100
EPD	-	-	Available	Available
Health				
Anti-bacterial activity ⁽²⁾	ISO 22196	-	> 99 % inhibits growth	> 99 % inhibits growth
Antiviral activity ⁽³⁾	ISO 21702	-	> 99,7% virucidal activity	> 99,7% virucidal activity
TVOC after 28 days	ISO 16000-6	microgram/m ³	<10	< 10
Certification	-	-	Floorscore®	Floorscore®
CE Marking				



EN 14041



(1) Regarding the resistance to chemicals, please download the corresponding leaflet from our website.


(2) E. coli - S. aureus - MRSA

(3) Antiviral activity (Human coronavirus) after 2h. The implementation of an effective cleaning regime is the most important defence against infection.

Installation and Maintenance Guidelines, Complementary ranges available on our Gerflor website.

⚠ Rubber leaves indelible stains on vinyl floorings: do not use mats with rubber backing and replace tubular furniture feet with those made of PVC or polyamide. Place mats of sufficient length at entrances to reduce outside sources of dirt.

IMPORTANT: The information contained in this document is valid from 01/03/2025 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.





Z0046299

we care / we act Our Commitments for a Sustainable future



CARBON FOOTPRINT*

-20 % kg CO₂ equivalent/m² between 2020 and 2025



BIOSOURCED CONTENT**

10 % by 2025



RECYCLED CONTENT

30 % by 2025



ADHESIVE FREE***

35 % by 2025



ANNUAL VOLUME RECYCLED

60 000 t by 2025



* Scopes 1 and 2 defined in the GHG protocol ** % of activity with biosourced materials *** % of activity - adhesive free solution