



80%

Biocontent,
Mineral &
Recycled

Premium


The Unrivalled Flooring Solution

Gerflor®

Premium in Sustainability

80%

Biocontent, Mineral & Recycled



Premium contains 20% crop residues from responsible sources. We recycle discarded soy waste from the animal feed industry.

The result: less fossil based material and less carbon.

A low carbon solution



Thanks to its improved composition, Premium emits 29%** less CO₂ than the previous range.

A good choice to decarbonise your projects.

100 % recyclable



Premium range is compatible with Gerflor's Second Life programme that is available in selected countries.

* Vinyl is made of two main ingredients : ethylen and salt.
** Based on life cycle assessment certified by UL for an average heterogeneous product.

To go a step forwards Premium Zero

Towards a world with 0 fossil extraction

93% of biocircular, mineral & recycled content.
Available on demand.



We care / we act

Premium in performances

35 years of satisfied customers




Unrivalled durability

- High density pressed wearlayer
- Pressed under 800 tons
- Immutables designs




High resistance to heavy loads

- Double reinforcement for excellent dimensional stability
- Easy rolling




Lower maintenance costs



Indoor air quality

- A+ / Floorscore / M1 certified
- Phthalate-free
- Anti-bacterial activity: ISO 22196




New collection Premium

More sustainable materials

80%

Biocontent, Mineral & Recycled

Premium contains 20% crop residues from responsible sources. We recycle discarded soy waste from the animal feed industry. The result: less fossil based material and less carbon.



Low carbon solution



Thanks to its improved composition, Premium emits 29%** less CO₂ than the previous range.

A good choice to decarbonise your projects.

100% recyclable



Premium range is compatible with Gerflor's **Second Life programme** that is available in selected countries.

* Vinyl is made of two main ingredients : ethylen and salt.
** Based on life cycle assessment certified by UL for an average heterogeneous product.



To go a step forwards Premium Zero

Towards a world with 0 fossil extraction

93% of biocircular, mineral & recycled content.
Available on demand.



A range as powerful as ever

35 years of satisfied customers



“With 600 000 passengers per year, plus their luggage and carts, this floor covering offers the advantage of standing up to heavy traffic while remaining easy to maintain.


Pau-Pyrénées Airport, France

“For 20 years, this mass-coloured surface has always been satisfactory. We've had no problem with tears, scratches or wheel marks.

Hospital in Lons-le-Saunier, France

A unique construction

for unrivalled strength and durability



Evercare™ surface treatment
stain barrier, **easy maintenance** & hygiene
High density pressed wearlayer pressed
under 800 tons for an unrivalled durability
Matt effect for a modern look
Double glass fiber grid for the best dimensional
stability (acoustic only)
VHD foam sound insulation
(acoustic only)



High resistance to heavy loads

Tested with **TENTE** teams (specialists in wheels and castors, particularly in hospitals), Premium offers better rolling ease (dynamic indentation) than other products on the market.



Matte surface, easy to maintain

The patented EVERCARE™ technology ensures high stain resistance (Betadine, eosin, marker, etc.) as well as easy maintenance. This significantly reduces maintenance costs and decreases environmental impact.

Stain shield



Gerflor floorcovering
with EVERCARE™


Other floorcovering



No metallization required

= WATER & DETERGENT SAVINGS

10x fewer cleaning products are needed to maintain Gerflor floors compared to untreated floors



Recognized Certifications

- ✓ REACH* compliant raw materials and phthalate-free**
- ✓ Indoor air quality: < 10µg certified by Floorscore (after 28 days)
- ✓ Carbon impact less than 11 kg eq CO₂/m² (EPD available)
- ✓ Certified ISO 21702: Antiviral activity (Human Coronavirus)

* REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
** Excluding recycled content



Extreme durability

100% pure homogeneous wearlayer for superior abrasion and traffic resistance as well as long lasting colors.

100% pure vinyl pressed wearlayer


Premium

High density pressed wearlayer




Cross-section


Other flooring⁽¹⁾



Printed flooring with transparent wearlayer
Air bubbles: dirt traps



Homogeneous flooring
Fillers: fragile and subject to scratches



Coated flooring
Irregular density: dirt traps



Rubber flooring
Porous and elastic: lower wear resistance and difficult to maintain

⁽¹⁾ Identical scale, enlarged 200 times

Wear test

0 cycle / new product

Other floorcovering

Gerflor Premium



After 1000 cycles equivalent to very heavy traffic use after 5 years



After 2000 cycles equivalent to very heavy traffic use after 10 year



Nature, an infinite source of inspiration

The endless inspiration of Nature contrasts with the fragility of its resources. This is why our range is evolving towards a **more responsible composition**, without altering the unique qualities that define Premium.

Durable and elegant, our new collection reveals **resolutely natural shades**: the subtle freshness of eucalyptus, the deep warmth of ochre, the shimmering serenity of aqua, and the luminous neutrality of sand. This timeless color palette perfectly embodies the **iconic durability** of Premium.



8 designs



Brazilia,
vibrant chromatics revisited granite

NEW Neoterra,
terrazzo inspiration with a touch of light

Metallica,
sophisticated, crystal-clear radiance

Poesy,
softness and delicacy with metallic sheen

Indiana,
vibrant, subtly contrasting faux smooth finish

Osmoz,
timeless, nuanced & blended shades

Neopolis,
rough and deep, to reveal an urban look

NEW Cocoon,
serene palette enhancing the beauty of recycled fibers


Premium in Harmony

Floors, wall covering & wall protections



Cocoon

Serene palette enhancing the beauty of recycled fibers




COCOON - 0032 Satin



COCOON - 0030 Crinolin



COCOON - 0027 Muslin



COCOON - 0028 Organza



COCOON - 0029 Flannel

Poesy

Softness and delicacy with metallic sheen



POESY - 2747 Ballade



POESY - 2151 Sonate



POESY - 8621 Ode



POESY - 2750 Ellipse



POESY - 2152 Octave



POESY - 8627 Allegorie



POESY - 2751 Slam



POESY - 2748 Refrain



POESY - 2501 Rhapsody



POESY - 2752 Litote



POESY - 2749 Lyrique



POESY - 8626 Rime



Neoterra

Terrazzo inspiration with a touch of light



NEOTERRA - 4207 Prato



NEOTERRA - 4206 Lazuli



NEOTERRA - 4205 Dorata



NEOTERRA - 4208 Soraya



Indiana


Vibrant, subtly contrasting faux smooth finish



INDIANA - 4052 Calero



INDIANA - 4001 Ofu




INDIANA - 4051 Maraca



INDIANA - 4343 Tokelau



INDIANA - 4009 Tufoa




INDIANA - 4050 Comores



INDIANA - 8150 Bali




INDIANA - 4002 Manua



INDIANA - 4049 Kilmia



INDIANA - 4053 Diwaran



INDIANA - 4047 Okuza



INDIANA - 4048 Malabo



INDIANA - 8226 Fidji



INDIANA - 4046 Cubagua



INDIANA - 4045 Dalupiri



INDIANA - 4003 Tao



INDIANA - 4476 Wattaru




INDIANA - 7517 Faroe




INDIANA - 8837 Songo

Metallica

Sophisticated, crystal-clear radiance



METALLICA - 0062 Beyla



METALLICA - 9753 Energy



METALLICA - 0064 Sudri



METALLICA - 0061 Eldir



METALLICA - 9745 Cosmic



METALLICA - 8257 Nyx




METALLICA - 0060 Dellig



METALLICA - 0063 Narfi



METALLICA - 2746 Ymir



Osmoz


Timeless, nuanced & blended shades



OSMOZ - 4378 Igloo




OSMOZ - 4349 Angora



OSMOZ - 4364 Ivory



OSMOZ - 4365 Alpaga



OSMOZ - 4379 Koudou



OSMOZ - 4384 Barbadine



OSMOZ - 3792 Storm Grey



OSMOZ - 4380 Awara



OSMOZ - 4383 Jasmin




OSMOZ - 3791 Slate Grey



OSMOZ - 4381 Rozelle



Osmoz - 4382 Cyclades



OSMOZ - 7737 Pepper Grey



OSMOZ - 4351 Greige



Brazilia

Vibrant chromatics revisited granite




BRAZILIA - 8386 Boa Vista



BRAZILIA - 0051 Alvorada



BRAZILIA - 0053 Limeira




BRAZILIA - 8736 Recife




BRAZILIA - 0056 Natal



BRAZILIA - 0052 Olinda




BRAZILIA - 3709 Ceara




BRAZILIA - 4477 Maceio



BRAZILIA - 0054 Barueri



BRAZILIA - 3707 Paraiba



BRAZILIA - 0058 Aracaju




BRAZILIA - 0055 Teresina

Neopolis

Rough and deep, to reveal an urban look



NEOPOLIS - 2741 Brooklyn



NEOPOLIS - 2740 Harlem Soft



NEOPOLIS - 2742 Times Square



NEOPOLIS - 2744 Queens Soft



NEOPOLIS - 2743 Central Park



NEOPOLIS - 2745 Plaza

Premium Collection

Design	Colour	Code	Acoustic	LRV	NCS
Brazilia	Alvorada	0051	●	51,5	2010-Y30R
	Aracaju	0058		15,6	4040-B
	Barueri	0054		29,9	0560-Y90R
	Boa Vista	8386	●	63,7	1002-Y50R
	Ceara	3709		30,4	4005-R80B
	Limeira	0053		62,2	0560-Y
	Maceio	4477		35,7	2030-B10G
	Natal	0056		33,2	3030-G20Y
	Olinda	0052		37	1060-Y40R
	Paraiba	3707		10,1	7005-R80B
	Recife	8736	●	54,8	2005-R80B
	Teresina	0055		13,4	3050-R
Cocoon	Crinolin	0030		35,8	4005-Y50R
	Flannel	0029		31,1	4005-R80B
	Muslin	0027	●	46,7	2500-N
	Organza	0028		60,1	2002-Y
	Satin	0032	●	43,5	3005-Y50R
Indiana	Bali	8150		39,2	3005-Y50R
	Calero	4052	●	37,3	3020-Y20R
	Comores	4050		28,9	3030-Y60R
	Cubagua	4046		39,5	2030-B60G
	Dalupiri	4045		49,7	2010-G60Y
	Diwaran	4053	●	20,2	6010-Y10R

● Available as acoustic
All colours are available as compact

Design	Colour	Code	Acoustic	LRV	NCS
Indiana	Faroe	7517		20,4	6010-G30Y
	Fidji	8226	●	35,6	3502-Y
	Kilmia	4049		31,3	2060-Y30R
	Malabo	4048		46,8	2040-Y20R
	Manua	4002	●	63	1502-B
	Maraca	4051		14	4040-Y80R
	Ofu	4001	●	88,7	0502-Y
	Okuza	4047	●	55,3	1515-R90B
	Songo	8837		7,3	8000-N
	Tao	4003		27,5	4502-B
	Tokelau	4343	●	46,7	2005-Y50R
	Tufoa	4009	●	66,3	1005-Y20R
Metallica	Wattaru	4476		12,4	5030-R90B
	Beyla	0062		21,3	5010-B90G
	Cosmic	9745		28,4	5502-B
	Dellig	0060		9	8010-R90B
	Eldir	0061		22	4020-B
	Energy	9753	●	56,3	2502-G
	Narfi	0063		21,2	6010-Y10R
	Nyx	8257		28	4030-Y20R
	Sudri	0064	●	51,2	2005-Y20R
	Ymir	2746		23,9	5030-Y50R

Design	Colour	Code	Acoustic	LRV	NCS
Neopolis	Brooklyn	2741		14,9	7502-B
	Central Park	2743	●	52,3	2005-Y30R
	Harlem Soft	2740		30	4500-N
	Plaza	2745		53,8	2002-B
	Queens Soft	2744		29,4	4005-Y50R
	Times Square	2742		14,9	7005-Y50R
	Dorata	4205	●	73,8	0502-Y
	Lazuli	4206	●	77,3	0502-Y
	Prato	4207		76,4	0502-Y
	Soraya	4208		77	0502-Y
	Alpaga	4365	●	52,2	2002-Y
	Angora	4349	●	42,2	3005-Y50R
Neoterra	Awara	4380		27,8	3020-Y60R
	Barbadine	4384		51,1	2040-Y10R
	Cyclades	4382	●	20,2	4030-B
	Greige	4351		25,8	5005-Y50R
	Igloo	4378		60	1502-B
	Ivory	4364	●	61,1	1502-Y
	Jasmin	4383		38,5	3020-G20Y
	Koudou	4379		34,6	3010-Y30R
	Pepper Grey	7737		9,4	8000-N
	Rozelle	4381		17,1	4040-Y90R
	Slate Grey	3791	●	21,7	5500-N
	Storm Grey	3792		36,3	3502-B

Design	Colour	Code	Acoustic	LRV	NCS
Poesy	Allegorie	8627		24,8	3030-B10G
	Ballade	2747	●	43,8	2005-Y50R
	Ellipse	2750	●	45,1	2502-B
	Litote	2752	●	15	6502-B
	Lyrique	2749	●	16,6	6005-Y20R
	Octave	2152	●	30,8	3020-Y80R
	Ode	8621	●	50	1515-B50G
	Refrain	2748		28,8	4005-Y50R
	Rhapsody	2501	●	18,5	6010-B90G
	Rime	8626	●	20,3	5020-B
	Slam	2751		30,7	4500-N
	Sonate	2151		32,9	3030-Y50R

Gerflor products help you to age well

These days, ageing well is a social challenge. In this context, supporting people who have dementia is the focus of numerous discussions.

What is dementia? Dementia is a syndrome that occurs in numerous neurological diseases (one of the most well-known being Alzheimer's disease), caused by progressive degeneration of certain neurons. These pathologies affect the memory, thoughts, behaviour and the ability to perform daily activities.

Gerflor is committed to helping towards ageing comfortably by developing designs and colours to suit these medical conditions.

Below are some key points for choosing a suitable flooring



Contrasting colours

Sections of the same area (floors, walls, accessories) must be in contrasting colours in order to improve the three-dimensional perception of the different spaces and thus encourage movement. It is also important to take into account the light reflectance value (LRV*) of the different sections.


> All the LRVs in Gerflor ranges are available on our website and our communication tools.



'Soft' and almost plain patterns

Heavily patterned flooring or flooring with busy patterns should be avoided, as well as the colour black, which could lead to blocking reactions due to visual barriers. We therefore recommend choosing soft patterns.

> Many designs and colours in Gerflor's ranges have semi-plain or almost plain patterns that are perfectly suitable.



Matt flooring

In addition to the more realistic look, matt flooring is perceived as more secure. In fact, shiny floors can look wet, making people with dementia hesitant and increase the risk of falling.

> The latest-generation surface treatments developed by Gerflor (Protecsol® 2, Evercare™ in particular) give the products a matt appearance.



Acoustic comfort

You should opt for acoustic products that will reduce ambient noise and create a more calm and peaceful environment.

> Many of the Gerflor collections provide sound insulation. For example, Premium offers sound insulation up to 17 dB (acoustic sheet) and 8 dB (compact sheet).



Accredited Solutions

Gerflor sought to validate and accredit its solutions (notably Taralay Premium) through the DSDC, the **Dementia Services Development Centre**. This organization is an independent and internationally recognized center of knowledge and expertise, dedicated to improving the lives of people with dementia.

Design	Colour	Code	DSDC
Brazilia	Alvorada	0051	1b
	Aracaju	0058	1b
	Barueri	0054	1b
	Boa Vista	8386	2
	Ceara	3709	2
	Limeira	0053	1b
	Maceio	4477	2
	Natal	0056	1b
	Olinda	0052	1b
	Paraiba	3707	2
Cocoon	Recife	8736	2
	Teresina	0055	1b
	Crinolin	0030	2
	Flannel	0029	2
	Muslin	0027	2
	Organza	0028	2
	Satin	0032	2
	Bali	8150	2
	Calero	4052	2
	Comores	4050	2
Indiana	Cubagua	4046	2
	Dalupiri	4045	2
	Diwaran	4053	2
	Faroe	7517	2
	Fidji	8226	2
	Kilmia	4049	2
	Malabo	4048	2
	Manua	4002	2
	Maraca	4051	2
	Ofu	4001	2
Osmoz	Okuza	4047	2
	Tao	4003	2
	Tokelau	4343	2
	Tufoa	4009	2
	Wattaru	4476	2
	Alpaga	4365	1b
	Angora	4349	2
	Awara	4380	2
	Barbadine	4384	2
	Cyclades	4382	2

Design	Colour	Code	DSDC
Indiana	Tao	4003	2
	Tokelau	4343	2
	Tufoa	4009	2
	Wattaru	4476	2
	Alpaga	4365	1b
	Angora	4349	2
	Awara	4380	2
	Barbadine	4384	2
	Cyclades	4382	2
	Greige	4351	2
Osmoz	Igloo	4378	1b
	Ivory	4364	2
	Jasmin	4383	2
	Koudou	4379	2
	Pepper Grey	7737	2
	Rozelle	4381	2
	Slate Grey	3791	2
	Storm Grey	3792	1b



The DSDC Accredited product logo is awarded on the merit of the individual product and colourway. This accreditation does not merit the final application. Whilst every endeavor has been made to ensure the ratings are reflective of the product's suitability and applied use at the time of print, DSDC cannot be held responsible for the application of the final product, its performance or its interface with other products or finishes.

*LRV: Light Reflectance Value

8 designs



Brazilia,

Vibrant chromatics revisited granite

NEW

Neoterra,

terrazzo inspiration with a touch of light

Metallica,

sophisticated, crystal-clear radiance

Poesy,

softness and delicacy with metallic sheen

Indiana,

vibrant, subtly contrasting faux smooth finish

Osmoz,

timeless, nuanced & blended shades

Neopolis,

rough and deep, to reveal an urban look

NEW

Cocoon,

serene palette enhancing the beauty of recycled fibers

Premium in Harmony

Floors, walls & wall protections



Mural Calypso
Arty Beige



Escort Duo (SPM)
Greige



Tarasafe
Badian



Premium
Cocoon Organza

Decochoc (SPM)
Schiste



Taralay Impression
Sycamore Light Brown

2 new designs

Neoterra

The timeless terrazzo that blends minerality and lightness, with primary colours for endless combinations



Cocoon

Serene range with recycled fibres for calm and natural look





POESY - 2749 Lyrique / METALLICA - 8257 Nyx



OSMOZ - 4379 Koudou / 4364 Ivory

Premium



BRAZILIA - 0053 Limeira



INDIANA - 4048 Malabo



OSMOZ - 4384 Barbadine



NEOTERRA - 4208 Soraya



POESY - 2151 Sonate




NEOTERRA - 4205 Dorata



BRAZILIA - 0052 Olinda



INDIANA - 4049 Kilmia



BRAZILIA - 0054 Barueri



POESY - 2152 Octave



OSMOZ - 4380 Awara



METALLICA - 8257 Nyx



BRAZILIA - 0055 Teresina




INDIANA - 4051 Maraca



OSMOZ - 4381 Rozelle



METALLICA - 2746 Ymir



INDIANA - 4050 Comores



INDIANA - 4052 Calero

Premium




INDIANA - 4009 Tufoa



BRAZILIA - 0051 Alvorada



METALLICA - 0064 Sudri




INDIANA - 4343 Tokelau



NEOPOLIS - 2743 Central Park



BRAZILIA - 8386 Boa Vista



COCOON - 0028 Organza



OSMOZ - 4379 Koudou



COCOON - 0032 Satin




POESY - 2747 Ballade



COCOON - 0030 Crinolin



NEOPOLIS - 2744 Queens Soft



INDIANA - 8150 Bali



OSMOZ - 4349 Angora




METALLICA - 0063 Narfi



INDIANA - 4053 Diwaran



POESY - 2749 Lyrique




POESY - 2748 Refrain



NEOPOLIS - 2742 Times Square




OSMOZ - 4351 Greige



OSMOZ - 3791 Slate Grey



Premium




OSMOZ - 4365 Alpaga



METALLICA - 9753 Energy



POESY - 2750 Ellipse



COCOON - 0027 Muslin




OSMOZ - 4364 Ivory



NEOPOLIS - 2745 Plaza



OSMOZ - 4378 Igloo




INDIANA - 8226 Fidji



NEOPOLIS - 2740 Harlem Soft



POESY - 2751 Slam



BRAZILIA - 3709 Ceara




OSMOZ - 3792 Storm Grey




BRAZILIA - 8736 Recife



METALLICA - 9745 Cosmic




OSMOZ - 7737 Pepper Grey




BRAZILIA - 3707 Paraiba



NEOPOLIS - 2741 Brooklyn



POESY - 2752 Litote



INDIANA - 8837 Songo




INDIANA - 4003 Tao




COCOON - 0029 Flannel


Premium



INDIANA - 4001 Ofu




NEOTERRA - 4206 Lazuli



INDIANA - 4047 Okusa



POESY - 8621 Ode




INDIANA - 4002 Manua




INDIANA - 4045 Dalupiri



NEOTERRA - 4207 Prato



POESY - 8626 Rime



BRAZILIA - 0058 Aracaju



METALLICA - 0061 Eldir




BRAZILIA - 4477 Maceio




INDIANA - 4046 Cubagua



OSMOZ - 4383 Jasmin



BRAZILIA - 0056 Natal



METALLICA - 0060 Dellig



INDIANA - 4476 Wattaru



Osmoz - 4382 Cyclades



POESY - 8627 Allegorie



METALLICA - 0062 Beyla



POESY - 2501 Rhapsody



INDIANA - 7517 Faroe

PREMIUM COMPACT

PREMIUM ACOUSTIC

Brazilia / Indiana / Cocoon / Neopolis /
Osmoz / Poesy / Neoterra - Metallica

Brazilia / Indiana / Cocoon / Neopolis /
Osmoz / Poesy / Neoterra - Metallica

Description

Total thickness	EN ISO 24346	mm	2.00	3.00-3.30
	ASTM F386-02	inch	0.08	0.12 - 0.13
Wearlayer thickness	EN ISO 24340	mm	≥ 1.02	≥ 1.02
	ASTM F410-02	inch	≥ 0.039	≥ 0.039
Weight	EN ISO 23997	g/sq.m	2580 - 2620	≥ 2800
	-	lbs/sq.ft	0.53 - 0.57	0.58
Width / Length of sheet	EN ISO 24341	cm / lm	200 / 20	200 / 25
	-	feet - inch	6'6" / 66'	6'6" / 82'
Tile size	EN ISO 24342	mm	-	-

Phthalate free

Phthalate free	-	-	OK	OK
----------------	---	---	----	----

Classification

Norm / Product specification	-	-	EN ISO 10582	EN ISO 11638 (EN 651)
European classification	EN ISO 10874	class	34 - 43	34 - 42
Fire rating	EN 13 501-1	class	Bfl-s1	Cfl-s1
Static electrical propensity	EN 1815	kV	< 2	< 2
Slip resistance	EN 16165:2021 - Appendix B (DIN 51 130)	class	R10	R10

Performance

Wear resistance	EN 660.2	mm ³	≤ 2.0	< 2.0
Wear group	NF 189	group	T	T
Type binder content	EN ISO 10582	type	I	-
Dimensional stability	EN ISO 23999	%	≤ 0.40	≤ 0.40
Residual indentation (requirement)	EN ISO 24343-1	mm	≤ 0.10	≤ 0.20
Residual indentation (measure)	-	mm	≈ 0.02	≈ 0.06
Impact sound insulation	EN ISO 717-2	dB	8	17 (Metallica : 16)
Castor chair test (type H)	ISO 4918	-	OK	OK
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6
Surface treatment	-	-	Evercare™	Evercare™
Chemical products resistance ⁽¹⁾	EN ISO 26987	-	OK ⁽¹⁾	OK ⁽¹⁾

Environment

Recycled content (average)	-	%	43	25
Recyclability	-	%	100	100
EPD	-	-	Available	Available

Health

Anti-bacterial activity ⁽²⁾	ISO 22196	-	> 99 % inhibits growth	> 99 % inhibits growth
Antiviral activity ⁽³⁾	ISO 21702	-	> 99,7% virucidal activity	> 99,7% virucidal activity
TVOC after 28 days	ISO 16000-6	microgram/m ³	<10	< 10
Certification	-	-	Floorscore®	Floorscore®

CE Marking



EN 14041



(1) Regarding the resistance to chemicals, please download the corresponding leaflet from our website.

(2) E. coli - S. aureus - MRSA

(3) Antiviral activity (Human coronavirus) after 2h. The implementation of an effective cleaning regime is the most important defence against infection.

Installation and Maintenance Guidelines, Complementary ranges available on our Gerflor website.

Rubber leaves indelible stains on vinyl floorings: do not use mats with rubber backing and replace tubular furniture feet with those made of PVC or polyamide. Place mats of sufficient length at entrances to reduce outside sources of dirt.

IMPORTANT: The information contained in this document is valid from 01/03/2025 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.

RC Lyon B 726 580 152 - jpe - 03/2025 - Z0014439 - Indicative documentation cost: 15€

Cover: INDANA - 4001 Ortu / INDANA - 4053 Diwanar

We care / We act Our Commitments for a Sustainable future



CARBON FOOTPRINT*

-20 % kg
CO₂ equivalent/m²
between 2020 and 2025



BIOSOURCED CONTENT**

10 % by 2025



RECYCLED CONTENT

30 % by 2025



ADHESIVE FREE***

35 % by 2025



ANNUAL VOLUME RECYCLED

60 000 t by 2025

Gerflor®