2025 STOCKED PRODUCTS | gerflor.au

Valid from February 2025





SAFETY sheet

Tarasafe Super

Tarasafe Super features enhanced slip performance and no carborundum, making it easier to handle and cut. This safety floor is designed with a dense concentration of deep inlaid antislip particles throughout the wear layer, providing a P5 and R12 anti-slip resistance, ideal for commercial kitchens. It is 100% recyclable. Tarasafe Super has a Best Environmental Practice PVC certificate by Global GreenTag.





7767 Dove Grey

7801 Noir

Tarasafe Super 7767 Dove Grey

Tarasafe Standard

8 R10, P4

Tarasafe Standard offers enhanced durability and easy maintenance for wet environments. Made with inlaid mineral crystals and coloured chips, it provides a P4, R10 slip resistance. Tarasafe Standard features SparClean® treatment for improved stain resistance and maintenance. It contains 29% recycled content and is 100% recyclable. Tarasafe Standard has a Best Environmental Practice PVC certificate by Global GreenTag.





7386 Savana

7767 Dove Grey





7773 Storm

7801 Noir



8102 Paprika

Tarasafe H2O

R11, P5, Barefoot B

Tarasafe H2O is a slip-resistant safety floor designed for both wet and dry conditions, making it suitable for barefoot and shod applications. It is equipped with SparClean® surface treatment and offers R11, P5, Barefoot B. It is environmentally friendly, containing 29% recycled content and is 100% recyclable. Additionally, it is a Dementia Design Accredited Product, ensuring it meets specific safety and design standards.






Gary Smorgon House, VIC. Tarasafe Ultra Opal

Tarasafe Ultra

Tarasafe Ultra offers a vast array of colours, and is ideal for wet environments. Made with inlaid mineral crystals and coloured chips, it provides a P4, R10 slip resistance. Tarasafe Ultra features SparClean® treatment stain resistance and maintenance. It contains 29% recycled content and is 100% recyclable. Tarasafe Ultra has a GreenRate Level A by Global GreenTag and a Best Environmental Practice PVC certificate.






HOMOGENEOUS sheet

Mipolam Concept

<u>8</u> R10, P4


Mipolam Concept features a non-directional design and is equipped with EVERCARE® surface treatment providing not only excelent resistance to chemicals, scuffing, scratches, and stains but also antibacterial and antiviral properties ideal for healthcare. Concept offers a slip resistance of R10, P4. It is 100% recyclable and has a GreenRate Level A by Global GreenTag and a Best Environmental Practice PVC certificate.





Mipolam Ambiance Ultra

Mipolam Ambiance Ultra in the newest Luna and Terra collections, features a non-directional design and is equipped with EVERCARE® surface treatment providing not only excellent resistance to chemicals, scuffing, scratches, and stains but also antibacterial and antiviral properties ideal for healthcare. Ambiance Ultra offers a slip resistance of R10, P4. It is 100% recyclable and has a GreenRate Level A by Global GreenTag and a Best Environmental Practice PVC certificate.





HETEROGENEOUS sheet

Taralay Impression Compact



Taralay Impression is a multi-layered floor designed for high-traffic areas in healthcare and education. It features printed designs and Protecsol@2 surface treatment, which offers excellent chemical resistance and easy maintenance. Impression offers a slip resistance of R10, P4. It is 100% recyclable and has a GreenRate Level A by Global GreenTag and a Best Environmental Practice PVC certificate.

0522 Habana Trinidad



Nerawood Cognac Pearl

Nerawood

Nerawood is designed for heavy traffic use in commercial applications. It is available in eight modern timber designs with a matte effect for a realistic look, providing durability and resistance to wear and tear. Nerawood's slip resistance is R10, P2 and is 100% recyclable.



0476 Noma Miel



0492 Cabana Oak Brown



0542 Whitewashed Oak 1451 Noma Kola





2006 Cognac Pearl



2012 Sherwood Clear



2015 Sherwood Brown



2017 Sherwood Grey



Clayton Church Homes, SA. Texline HQR Castle Blond

Texline HQR

<u>g</u> R10, P2

Texline HQR can be used in both domestic and professional settings, featuring a patented Gerflor Fiber technology backing for better resistance to residual indentation and flexibility insulation. Texline HQR offers a slip resistance of R10, P2. Texline HQR is also eco-friendly, with the **textile backing made from recycled plastic bottles** and 100% recyclable.



1802 Castle Blond



1819 Timber Honey



1846 Castle Brown



1984 Walden Brown



1985 Walden Blond



2168 Boutic Medium



2171 Boutic Naturel



2208 Sisal Black



2212 Sisal Natural



2218 Rough Taupe



2225 Rough Light Grey

LVT planks

Creation Premium

Creation Premium modular planks are designed for both commercial and residential use, featuring contemporary designs and ultra realistic Australian timber looks. These 230mm x 1500mm planks are durable and easy to maintain.



Nino Childcare Adventures, VIC. Creation Premium Blackbutt





Virtuo Classic 55 XL Daintree Brown

Virtuo Classic XL

Virtuo Classic XL planks are durable, waterproof, and feature ultra-realistic designs in large formats and Australian timbers. They combine low maintenance practicality with designer elegance, making them suitable for all settings. These 230mm x 1500mm planks are durable and easy to maintain.



1010 Daintree Brown



1011 Empire Blond



2012 Empire Clear



2013 Empire Grey



2015 Empire Sand



2016 Land Oak Gold



2017 Land Oak Grey



3001 Elemental Blackbutt



3002 Eucalyptus Blackbutt



3003 Astir Spotted Gum



Smartdrop Ultimate

Kenbrock's Smartdrop Ultimate modular planks are designed for both commercial and residential use, featuring ultra realistic Australian timbers, as well as Oak timber looks. These 230mm x 1500mm planks are durable and provide comfort underfoot.



SDU10420 Provincial Oak



SDU10424 Ornate Blackbutt



SDU10425 Wine Barrel Oak



SDU10426 Tassie Sassafras



SDU10433 Eduring Blackbutt



SDU10434 Native Spotted Gum



SDU10440 Warm Honey Oak



SDU10441 White Washed Oak



SDU10442 Cracked Limed Oak



SDU10443 Feature Walnut



SDU10444 Crosscut Blackwood



SDU10445 Iridium Oak







Duraplank Royal Oak

Kenbrock

Duraplank

Kenbrock's Duraplank range is a cost effective solution for heavy traffic areas in both residential and commercial applications. These 183mm x 1219mm planks are available in 12 colours to suit any interior style.



DP1301 Bleached Oak



DP1304 Limed Silver Birch



DP1307 Ghost Gum



DP1310 Pitch Cypress



DP1312 Royal Oak



DP1315 Taupe Oak



DP1318 Outback Station



DP1320 Aurbor



DP1323 Oak de Rone



DP1324 Rainforest Spotted Gum



SDU10444 Celler Wood



DP1326 Western Spotted Gum



Duraplank XL

<u>{}</u> R10, P3

Kenbrock's Duraplank XL range is equipped with Alox Shield, a UVreinforced aluminium-oxide topcoat that protects the planks from scratches. It is ideal for residential and commercial applications. These 230mm x 1500mm planks are available in Natural Oak and Australian Timber designs.



Duraplank XL Clove Spotted Gum



DPX11310 Coconut Oak



DPX11311 Porcini Oak



DPX11312 Oatmeal Oak



DPX11313 Ginger Oak



DPX11314 Honey Oak



DPX11315 Cacao Oak



DPX11316 Lemon Spotted Gum



DPX11317 Citron Blackbutt



DPX11318 Cinnamon Redgum



DPX11319 Clove Spotted Gum



Cushionwood XL Hunter Rose Gum



Cushionwood XL

№ R10, P3

Kenbrock's Cushionwood XL range showcases the essence of **Australian wood species** from its coastline to the countryside. With a combination of long plank design, micro bevel edge and matte finish, this range is durable and requires minimal maintenance. These planes are available in **228.6mm x 1524mm** and a total **thickness of 4.5mm**.



CNW1-1650 Jervis Oak



CNW1-1651 Fraser Oak



CNW1-1652 Otway Oak



CNW1-1653 Rottnest Oak



CNW1-1654 Stokes Oak



CNW1-1655 Tassie Mountain Gum



CNW1-1656 New England Blackbutt



CNW1-1657 Deep Creek Stringybark



CNW1-1658 Hunter Rose Gum



CNW1-1659 Murray Spotted Gum

LVT tiles


Virtuo Stone 55 Granito Grey

Virtuo Stone 55

Virtuo Stone 55 tiles include 8 stone and terrazzo designs ideal for supermarkets, offering a modern and versatile solution to retail refurbishments and restorations. These $610 \text{mm} \times 610 \text{mm}$ tiles are durable, waterproof and ideal for heavy traffic and rolling loads. Virtuo Stone 55 has a slip test rating of R10, P3.



2421 Curton Charcoal



2422 Granito Grey




2423 Concrete Grey



2424 Aquitaine Ash




2425 Curton Stone



2426 Granito Smoke



2427 Aquitaine Pearl



2428 Aquitaine Bister

Kenbrock

Cushionstone

Kenbrock's Cushionstone tiles include stone and terrazzo designs ideal for supermarkets, offering a modern and versatile solution to retail refurbishments and restorations. These 500mm x 500mm tiles are durable, waterproof and ideal for heavy traffic and rolling loads. Cushionstone has a slip test rating of R10, P2.



CST11601 Bianco Carrara



CST11602 Natural Concrete



CST11603 Venetian Terrazzo



CST11604 Bluestone Concrete



CST11605 Avorio Limestone



CST11606 Basalt



CST11607 Peperino Concrete



CST11608 Argento Limestone



Cushionstone Basalt

ESD flooring

Mipolam Affinity EL7

♀ R10, P2



Mipolam Affinity EL7 is known for its static-dissipative properties, with an electric resistance between 10^8 and 10^8 ohms, making it suitable for **dissipating electrostat**ic charges and protecting sensitive equipment. Mipolam Affinity EL7 is equipped with Evercare surface treatment with antiviral and antibacterial properties and is 100% recvclable.


4120 Silver Grey




INTERLOCKING tiles

GTI Max Connect

GTI Max Connect is designed for heavy-duty traffic areas. It is an **interlocking**, **easy-care tile** that installs with minimal floor preparation, **reducing disruption and downtime**. The tiles feature a PUR+ polyurethane surface treatment, which increases stain and scratch resistance and makes maintenance easier. The tiles are available in 635mm x 635mm.







0249 Carbon

IGA Sunbury, VIC. GTI Max Connect Carbon

WALL coverings

Mural Plus 2mm

M Group Assessment 1

Mural Plus is a homogeneous PVC sheet with a thickness of 2mm. Mural Plus is durable and suitable for **healthcare environments** as it is easy to clean and maintain. It has a **Fire Category Group Assessment** 1, making it compliant to safety standards





3001 White

3002 Mushroom

SPORTS flooring

Taraflex Evolution



P1 Shock absorption (25% - 35%)

Taraflex Evolution is a sports floor known for its high **shock absorption**, with a **P1 category rating of 25% to 35%**. It is constructed with CXP-HD foam for optimal performance and safety and D-max construction for high durability and outstanding dimensional stability. Taraflex is made of **62% biocontent, mineral and recycled content** and is **100% recyclable**.



5742 Wood Oak



5763 Maple Sun



6830 Black



Isolsport

Isolsport is a double-sided, non-woven glass fiber vinyl **isolating membrane** designed for sports flooring applications. Isolsport features a backing design made up of 3-branch star foam pads. This design allows for loose laying on difficult subfloors, such as those with humidity issues or coated surfaces. It is ideal for fast-track projects, heritage projects where removal of the existing floor is not possible, and temporary coverings where floors need to be returned to their original state.



0002 Black & White

CARPET tiles




Perspectives

Perspectives Carpet Tiles are designed for commercial use and are known for their durability and performance in high-traffic areas. They come in a standard tile size of $500mm \times 500mm$ and have a tufted weight of $650g/m^2$. The tiles are made from 100% dyed nylon solution and feature a loop pile construction, which provides excellent wear resistance.




PF104 Pewter



PF105 Pacific Dust



PF106 Anthracite



PP210 Silhouette



PP211 Shadow



PP212 Taupe Grey



Stocked ranges technical sheet

Range	Category	Wear layer/Overall Thickness	Characeteristics	Slip Tests	Fire Result	Sustainability	Stocked colours
Tarasafe Super	Safety floor	1.12mm / 2.20mm	2m x 20m roll	P5, R12	8.7 kW/M² 167 smoke %/min	BEP PVC	2
Tarasafe Standard	Safety floor	0.85mm / 2mm	2m x 20m roll	P4, R10	8.4 kW/M² 199 smoke %/min	BEP PVC	5
Tarasafe H2O	Safety floor	0.85mm / 2mm	2m x 20m roll	P5, R11 Barefoot B	8.9 kW/M² 132 smoke %/min	BEP PVC	4
Tarasafe Ultra	Safety floor	0.85mm / 2mm	2m x 20m roll	P4, R10	8.3 kW/M² 134 smoke %/min	GreenRate Level A BEP PVC	12
Mipolam Concept	Homogeneous sheet	2mm	2m x 20m roll	P4, R10	10.9 kW/M² 157 smoke %/min	GreenRate Level A BEP PVC	12
Mipolam Ambiance Ultra	Homogeneous sheet	2mm	2m x 20m roll	P4, R10	10.4 kW/M² 90 smoke %/min	GreenRate Level A BEP PVC	12
Taralay Impression Compact	Heterogeneous sheet	2mm	2m x 25m roll	P4, R10	8.4 kW/M² 165 smoke %/min	GreenRate Level A BEP PVC	1
Nerawood	Heterogeneous sheet	2mm	2m x 20m roll	P2, R10	5.1 kW/M ² 274 smoke %/min	-	8
Texline HQR	Heterogeneous sheet	3.10mm	3m x 25m roll	P2,R10	8.4 kW/M² 165 smoke %/min	-	11
Creation Premium	LVT	0.55mm / 5mm	230mm x 1500mm plank	P3, R10	29 kW/M² 126 smoke %/min	-	10
Virtuo Classic XL	LVT	2.50mm / 0.55mm	230mm x 1500mm plank	P3, R10	2 kW/M ² 89 smoke %/min		10
Kenbrock Smartdrop Ultimate	LVT	0.55mm / 5mm	230mm x 1500mm plank	P3, R10	8.7 kW/M² 122 smoke %/min	-	12
Kenbrock Duraplank	LVT	0.55mm / 2.5m	183mm x 1219mm plank	P2, R10	6.4 kW/M² 89 smoke %/min	-	12
Kenbrock Duraplank XL	LVT	0.55mm / 2.5mm	228.6mm x 1524mm plank	P3, R10	2 kW/M² 89 smoke %/min	-	10
Kenbrock Cushionwood XL	LVT	0.55mm / 4.5mm	228.6mm x 1524mm plank	P3, R10	9.9 kW/M² 171 smoke %/min	-	10
Virtuo Stone 55	LVT	0.55mm / 2.5mm	610mm x 610mm tile	P3, R10	29 kW/M² 126 smoke %/min	-	8
Kenbrock Cushionstone	LVT	0.55mm / 5mm	500mm x 500mm tile	P2, R10	9.1 kW/M² 124 smoke %/min	-	8
Taraflex Evolution	Sports floor	7.50mm	1.5m x 20.5m roll	NA	TBD	BEP PVC	2
Taraflex Multi-Use	Sports floor	6.20mm	1.5m x 20.5m roll	NA	TBD	BEP PVC	1
Taraflex Surface	Sports floor	2mm	1.5m x 20.5m roll	NA	TBD	-	1
Isolsport	Sports accesories	NA	NA	NA	10.1 kW/M² 45 smoke %/min	-	1
GTI Max Connect	Technical Tiles	2mm / 6mm	635mm x 635mm		9.3 kW/M² 384 smoke %/min	-	1
Mipolam Affinity EL7	ESD floor	2mm	2m x 20m roll	P2, R10	10.5 kW/M² 57 smoke %/min	BEP PVC	1
Mural Plus	Wall covering	2mm	2m x 30m roll	NA	33.5 kW/M² 108.5 smoke %/min	-	2
Perspectives	Carpet Tiles	6.50mm	500mm x 500mm	NA		-	6

CALL GERFLOR AUSTRALASIA 1800 060 785

GERFLOR.AU



Gerflor stocked product range, technical and price information is subject to change without notice.

