



Gerflor[®]
theflooringgroup


TIMES SQUARE

Introducing Times Square, a vibrant collection of tufted loop pile carpet tiles that channels the dynamic energy and structured rhythm of New York City's subway lines. Featuring two versatile base colours, the range offers a selection of muted tones inspired by the natural calm of Central Park, alongside bold accent colours that reflect the bright lights and urban vibrancy of the city.



Thoughtfully designed with inclusivity in mind, Times Square's adaptable palette and impressive 32dB Impact Noise Rating make it ideal for creating both quiet and stimulating environments in educational and commercial office settings. With six unique tile designs per colourway, each tile is laid randomly to ensure a distinctive and personalised floor scheme every time.



Times Square
Prospect Park 07703 | LRV 10.8



Creation 70 Looselay
1570 Marble Dark | LRV 13.9



Floor Plan Design Service







Our FREE floor plan design service offers a bespoke design scheme tailored to your specific budget and requirements.


Our in-house Creative Design Team utilises your CAD drawings to create a coordinated floor scheme using a combination of products from Gerflor & Gradus’ portfolio, including carpets, LVT, resilient flooring, safety flooring, barrier matting and stair edgings.

The service aims to provide solutions that are not only aesthetically pleasing but also meet the latest guidance on performance and durability.

Contact our Technical Support Team to find out more on 01625 428922.




	Times Square Franklin Ave 07701		Times Square Grand St 07702
	Times Square Rockaway 07705		Times Square Astor Place 07709
	Esplanade 5000 Cuckoo		Boulevard 5000 Cuckoo




Times Square

Light Colourways


A light grey base tile available plain or with a selection of subtle accent colours. Mix and match colours and light grey base tiles for a clean, understated look or to create engaging floor schemes with gentle colour variation.




Franklin Ave 07701 | LRV 8.0




Broadway 07704 | LRV 10.8



Rockaway 07705 | LRV 10.8



Prospect Park 07703 | LRV 10.8




Hudson Yards 07706 | LRV 9.3

Dark Colourways

A dark grey base tile available plain or with a selection of vibrant accent colours. These can be used on their own for bold impact or mixed to form dynamic floor designs with stronger colour contrast.



Grand St 07702 | LRV 4.2



Astor Place 07709 | LRV 5.5



Woodhaven Blvd 07710 | LRV 7.1



Queensbridge 07708 | LRV 4.7




Harlem St 07707 | LRV 5.9

Times Square features 6 unique designs in each colourway.






Times Square
Franklin Ave 07701 | LRV 8.0





Creation 55 Looselay
1559 Tamo Light | LRV 36.6



Times Square
Hudson Yards 07706 | LRV 9.3




Times Square
Franklin Ave 07701 | LRV 8.0







Times Square
Grand St 07702 | LRV 4.2




Creation 55 Looselay
1560 Tamo Dainty | LRV 24



Times Square
Woodhaven Blvd 07710 | LRV 7.1



Creation 55 Looselay
0347 Ballerina | LRV 28.4



TIMES SQUARE

gerflor.co.uk
gerflor.ie
gradus.com

Uniclass Pr_35_57_11_62
CI/SfB (43) Tn6

TIMES SQUARE

SPECIFICATION

Product Format	Tile
Product Dimensions	500mm x 500mm
Product Construction	Tufted Loop Pile
Surface Yarn	100% ECONYL® Regenerated SDN
Total Carpet Weight	3800 g/m²
Tufted Pile Weight	410 g/m²
Gauge	1/10" (39.4 per dm)
Stitches	65/10cm
Primary Backing	Non-woven
Secondary Backing	WELLBAC Comfort 90% recycled open cell polyurethane cushion
Total Recycled Content	Total 71%
Pile Height	3.4mm
Total Carpet Thickness	8.6mm

PERFORMANCE SPECIFICATION

Classification BS EN 1307	Class 33 Heavy Commercial Use
Castor Chair BS EN 985 TEST A:2001	Class A - Intensive Use (r value ≥ 2.4)
Static Electricity ISO 6356	Pass ≤ 2.0 kV Permanent Conductive Fibre
Impact Noise Rating BS EN ISO 10140-3	32dB
Sound Absorption BSEN ISO 354:2003	0.30 Class D

FLAMMABILITY

BS EN 13501-1	Class Bfl-s1
---------------	--------------

ADDITIONAL INFORMATION

StainSmart® for soil release

WARRANTIES

Wear Warranty	12 Year
Anti-static Warranty	Lifetime

ADHESIVES

For recommended adhesives contact Technical Services.



The information contained in this document is valid from 1/9/2025 and is subject to change at any time without notice.

Contact us to order free samples

UNITED KINGDOM:

Gerflor Flooring UK Ltd
Park Green, Macclesfield,
Cheshire, SK11 7LZ
Tel: 01625 428922
E-mail: contractuk@gerflor.com
Visit: www.gerflor.co.uk

IRELAND:

Gerflor Ltd
Ballybay Road, Co. Monaghan,
A81 YD83, Republic of Ireland
Tel: +353 (0) 42 966 1431
E-mail: gerflorirl@gerflor.com
Visit: www.gerflor.ie

