

FRENCH REGULATION ON VOC EMISSIONS COMPLIANCE CERTIFICATE

DECREE n° 2011-321 on March 23rd 2011 and DETAILS on April 19th 2011 regarding mandatory labelling of construction products installed indoors, floor and wall coverings, paints and lacquers

Emissions classes based on emission testing
From A+ (low level of emissions) to C (high level of emissions)



We confirm that
all GERFLOR products
comply with A+ class

Emissions measured after 28 days, in $\mu\text{g}/\text{m}^3$, according to ISO 16000 series

	A+ Class Limit values in $\mu\text{g}/\text{m}^3$	Compliance
Formaldehyde	<10	GERFLOR
Acetaldehyde	<200	
Toluene	<300	GERFLOR
Tetrachloroethylene	<250	
Xylene	<200	
1,2,4-Trimethylbenzene	<1000	
1,4-Dichlorobenzene	<60	
Éthylbenzene	<750	
2-Butoxyethanol	<1000	
Styrene	<250	
TVOC	<1000	

Saint Paul Trois Châteaux, September 17th 2025

Philippe MAGRO
Technical Product Manager

Gerflor

Z.I. du Bois des Lacs - B.P. 6
28131 SAINT-PAUL-TROIS-CHATEAUX
S.A. à capital de 1 932 386 €
RCS Lyon 726 056 152