



Vinyl Rolls
Collection
2026 Collection

Gerflor®



Table of contents

- 4. Gerflor Group
- 9. Interior Designer
- 10. Gerflor Decoration Trends

GFT backing rolls

Looselay

- 16. Gerflor Fibre Technology
- 18. Make the right choice!
- 20. HQR Nature **NEW**
- 28. Texline Nature
- 40. HQR
- 50. Nerok Tex
- 56. Texline
- 68. Loftex
- 74. Primetex

Vinyl backing rolls

Fully adhered

- 86. Vinyl backing rolls solutions
- 88. Nerok
- 98. Booster
- 108. Start

Index

Maintenance

- 115. Index
- 119. Cleaning instructions

Find us on social media:



Gerflor Group


80 years of expertise for your projects

Gerflor Group has been designing, manufacturing and marketing innovative, decorative solutions with a focus on environmental and social responsibility.

Gerflor supports professionals and individuals on a daily basis at every stage of their project, from product selection to end-of-life management by offering recycling solutions.

Gerflor's solutions are used in commercial, educational, hospital, sports and residential buildings.

Sales growth



€1.520 billion
turnover


5200
employees

24
factories

30
subsidiaries



Distribution of our manufacturing sites and business subsidiaries



Produce locally for each market

Europe is our main production area and our largest market. Our head office is located in France.

More than 50% of the products sold are manufactured locally, on every continent.

Our products and markets

Experts in solutions for floors and their surroundings, we offer a wide range of technical and decorative solutions, specific to each application market.

A diversified product portfolio

Our range offers a wide choice of materials and formats for floors and walls, as well as accessories for integrated application solutions.




10 market applications

Our approach is spread over 10 markets which makes our business model both robust and balanced.



Sales mainly driven by renovation



4,000 exclusive designs, developed by our Artistic Direction team



Gerflor Group

Inventor innovation for the home



Et Hop ! Here we go again !

Gerflor represents 40 years of innovation, engagement and Made in France pride.

In 1985, Gerflor revolutionised flooring installation with a big innovation: easy installation, accessible to all.

Today, 50% of our products can be installed without glue, concrete proof of our long-term engagement.

To celebrate this anniversary, we have chosen to revive an iconic campaign, an opportunity to show our renewed engagement.



Committed to people and the planet

Faced with the climate emergency, the Gerflor Group has set sustainable development as a strategic priority and is acting daily on 4 axes



Carbon footprint

25 years: this is the average lifespan of Gerflor floors.

Innovate to facilitate and optimize the cleaning of our floors (create high-performance surface treatments to reduce the carbon footprint of the product over its life cycle by limiting consumption of water, energy and cleaning agents).

>70%

Gerflor floor components are of biosourced, mineral or recycled origin

OUR MAIN ECO-DESIGN CRITERIA:

- Material safety (REACH)
- Durability
- Recyclability
- Product lightening
- Recycled content
- Ease of maintenance
- Disassemblability
- Biosourced content



Indoor air quality

Low VOC emissions

- All our products conform to **Floorscore, AgBB, A+ (France) and M1 (Finlande)** standards.
- TVOC emissions after 28 days **< 100 µg/m³**.
- Gerflor looselay solutions (GFT rolls, tiles and snap-together planks): no glue required.



► VOC Free system



Recycled Content

Our PVC floors contain an average of 22% recycled material (production waste, installation waste, end-of-life products).


All our recycled content is controlled and compliant with the European REACH regulation. The integration of recycled materials does not degrade the quality or performance of the products.



Gerflor is a French company with heart of production in France and Belgium

82% of products sold in France are made in France

By working as much as possible locally, we reduce our carbon impact linked to transport.



Before

After



2307 - Azay Gold

Interior designer



Simulate your renovation project with Gerflor




Thanks to our real-time simulation tools, you can integrate our floors directly into the photo of your home and choose the ideal color. Let your creativity speak and visualize the result before even starting the renovation work.






Gerflor Decoration trends





BIO LIVING




TERRA NOVA




Gerflor Decoration trends



MODERN RUSTIC



NEO CLASSIC






GFT backing Looselay

- 16. Gerflor Fibre Technology
- 18. Make the right choice!
- 20. **HQR Nature** NEW
- 28. **Texline Nature**
- 40. **HQR**
- 50. **Nerok Tex**
- 56. **Texline**
- 68. **Loftex**
- 74. **Primetex**

Floor-covering with exclusive properties thanks to patented Gerflor Fibre Technology



Features



Benefits

- Traffic resistance
Protection against scuff marks and scratches
- Solvent free ink
Realistic printed design
- Dimensional stability
during temperature changes
- Installs with no or with minimum subfloor preparation
- Resistant to indentation
Acoustic comfort and sound reduction

Incredibly comfortable


Acoustics > Ideal for apartments and for covering hard floors that do not absorb noise
Warmer and flexible > comfortable to walk on

All uses

Watertight
Residential products: 2 to 3,1mm thick
Guaranteed 12 to 15 years

Highly resistant

Scratch-resistant varnish that protects and resists stains
Resistant fibres that protect against dents



Spring-like effect of fibres


Green

TVOC < 100 µg/m³
Textile backing incorporating fibres from recycled plastic bottles
Laying without glue
100% recyclable




Ready to install

No adhesive
No subfloor preparation
Economical, quick and easy!



Existing subfloor Concrete



Existing subfloor Tiles










GFT fibres smooths out unevenness of the existing floor.



GFT textile backing vinyl rolls solutions

Gerflor 2026

Make the right choice!

		Looselay			Looselay			
		HQR NATURE	TEXLINE NATURE	HQR	NEROK TEX	TEXLINE	LOFTEX	PRIMETEX
Subfloor preparation		Without subfloor preparation			Without subfloor preparation		With subfloor preparation	
	Renovation	✓			✓			
	Thickness (mm)	2.7	2.5	3.1	2.7	2.9	2.5	2.0
	Traffic resistance	++++	+++	++++	++++	+++	+++	++
	Wear layer thickness (mm)	0.50	0.35	0.50	0.50	0.35	0.30	0.25
	European classification	33 / 42	23 / 32	32 / 41	33 / 42	23 / 31	23 / 31	23 / 31
	Sound insulation (dB)	16	15	16	14	16	15	15
	Comfort	++++	+++	++++	+++	+++	+++	++
	Price	€€€	€€	€€€	€€	€€	€	€
	Tools needed	Utility knife + carpet cutter			Utility knife + carpet cutter			
	Underfloor heating compatibility (reversible floor and heated floor with T<28°C)	✓			✓			
	Pets compatibility	✓			✓			
	Domestic use guarantee*	15 years	12 years	15 years	15 years	12 years	12 years	12 years
		Page 20	Page 28	Page 40	Page 50	Page 56	Page 68	Page 74

* For more details on guarantee, see www.gerflor.com

INNOVATION




- 
55%* natural, bio-circular or recycled
 - 
Laying without glue can be re-used
 - 
Intensive/ High traffic
 - 
Direct laying on ceramic
(if joints < 3mm width and 1mm depth)
 - 
100% recyclable
- *25% chalk, 12% salt, 10% biosourced PVC**, 8% recycled PET textilerecycled.
**Bio-circular works like green electricity. It involves a quantity of raw material of biosourced origin, attributed to a finished product according to the principle of mass balance certified by the International Sustainability and Carbon Certification (ISCC).

  Scan and discover
INTERIOR DESIGNER

HQR nature

Wood

NEW



1



2

1-Azay Cream

2 m: Code: 2435 2346 - EAN: 3475710661143
4 m: Code: 1207 2346 - EAN: 3475710651946

2-Azay Honey

2 m: Code: 2435 2416 - EAN: 3475710661136
4 m: Code: 1207 2416 - EAN: 3475710651953



2346 - Azay Cream



2426 - Cottage Brown

1-Cottage Blond

2 m: Code: 2435 2413 - EAN: 3475710667107
4 m: Code: 1207 2413 - EAN: 3475710651915

2-Cottage Brown

2 m: Code: 2435 2426 - EAN: 3475710690587
4 m: Code: 1207 2426 - EAN: 3475710652127

3-Cottage Clear

2 m: Code: 2435 2415 - EAN: 3475710690570
4 m: Code: 1207 2415 - EAN: 3475710651939

4-Cottage Golden

2 m: Code: 2435 2414 - EAN: 3475710690525
4 m: Code: 1207 2414 - EAN: 3475710651922

5-Cottage Honey

2 m: Code: 2435 2427 - EAN: 3475710667114
4 m: Code: 1207 2427 - EAN: 3475710652059



1



2



3



4



5



2412 - Hera Honey





- 1-Hera Honey**
2 m: Code: 2435 2412 - EAN: 3475710667091
4 m: Code: 1207 2412 - EAN: 3475710651908
- 2-Otelo Nutmeg**
2 m: Code: 2435 2464 - EAN: 3475710690549
4 m: Code: 1207 2464 - EAN: 3475710690426
- 3-Hera Light**
2 m: Code: 2435 2411 - EAN: 3475710690563
4 m: Code: 1207 2411 - EAN: 3475710651892
- 4-Otelo Honey**
2 m: Code: 2435 2466 - EAN: 3475710690501
4 m: Code: 1207 2466 - EAN: 3475710690389
- 5-Otelo Brown**
2 m: Code: 2435 2465 - EAN: 3475710690532
4 m: Code: 1207 2465 - EAN: 3475710690433



2418 - Berry Blue



2417 - Bari Cream



- 1-Berry Blue**
2 m: Code: 2435 2418 - EAN: 3475710661174
4 m: Code: 1207 2418 - EAN: 3475710651984
- 2-Bari Cream**
2 m: Code: 2435 2417 - EAN: 3475710661150
4 m: Code: 1207 2417 - EAN: 3475710651960



1



2



3



4

- 1-Patina Dark**
2 m: Code: 2435 2420 - EAN: 3475710661198
4 m: Code: 1207 2420 - EAN: 3475710652080
- 2-Patina Grey**
2 m: Code: 2435 2419 - EAN: 3475710661181
4 m: Code: 1207 2419 - EAN: 3475710652073
- 3-Patina Cream**
2 m: Code: 2435 2401 - EAN: 3475710661129
4 m: Code: 1207 2401 - EAN: 3475710651991
- 4-Victoria Natural**
2 m: Code: 2435 2388 - EAN: 3475710661167
4 m: Code: 1207 2388 - EAN: 3475710651977



Technical Characteristics

Description			
Total thickness	EN ISO 24346	mm	2.70
Wearlayer thickness	EN ISO 24340	mm	0.50
Weight / Mass per unit area	EN ISO 23997	g/sqm	2000
Width of sheet	EN ISO 24381	m	2 / 4
Length of sheet	EN ISO 24341	ml	≈ 30

Classification			
Norm / Product specification	-	-	EN ISO 26986
Sound insulation	EN ISO 717/2	dB	16
Fire rating - Classification	EN 13501-1	class	C _{ff} -s1
Static electrical propensity	EN 1815	kV	< 2
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10

Performances			
Wear group	-	group	T
Dimensional stability (requirement)	EN ISO 23999	%	≤ 0.40
Dimensional stability (average measured value)	-	%	0.05
Residual indentation	EN ISO 24343-1	mm	≤ 0.20
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	≥ 6
Surface treatment	-	-	Pureclean
Chemical products resistance	EN ISO 26987	class	OK
Guarantee residential use	-	year	15
Guarantee commercial use	-	year	5

Environment			
TVOC rate 28 days	EN ISO 16000-6	µg/m³	< 100
French norm	-	-	A+

Marking CE			
CE	EN 14041	   	

Areas of use: domestic use & semi-commercial



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation




INNOVATION




**55%* natural,
bio-circular or recycled**


**Laying without glue
can be re-used**


Heavy traffic


Direct laying on ceramic
(if joints < 3mm width
and 1mm depth)


100% recyclable

*25% chalk, 12% salt, 10% biosourced PVC**, 8% recycled PET textilerecycled.
**Bio-circular works like green electricity. It involves a quantity of raw material of biosourced origin, attributed to a finished product according to the principle of mass balance certified by the International Sustainability and Carbon Certification (ISCC).

 Scan and discover
**INTERIOR
DESIGNER**

texline
nature

55%
of natural, bio-circular
or recycled raw materials



*Including 4% ISCC -certified bio-circular ethylene, based on the mass balance principle, and 6% salt. This helps to reduce the amount of fossil-based plastic, replacing it with bio-based materials.

Wood



1-Sherwood Bloom
2 m: Code: 1823 2395 - EAN: 3475710628498
4 m: Code: 1894 2395 - EAN: 3475710628344

2-Sherwood Cream
2 m: Code: 1823 2279 - EAN: 3475710628474
4 m: Code: 1894 2279 - EAN: 3475710628320


3-Sherwood Nut
2 m: Code: 1823 2276 - EAN: 3475710628467
4 m: Code: 1894 2276 - EAN: 3475710628313

4-Forest Cream
2 m: Code: 1823 2394 - EAN: 3475710628481
4 m: Code: 1894 2394 - EAN: 3475710628337

5-Forest Gold
2 m: Code: 1823 2383 - EAN: 3475710624841
3 m: Code: 1904 2383 - EAN: 3475710624230
4 m: Code: 1894 2383 - EAN: 3475710623653

6-Forest Panga
2 m: Code: 1823 2386 - EAN: 3475710624872
3 m: Code: 1904 2386 - EAN: 3475710624261
4 m: Code: 1894 2386 - EAN: 3475710623691

7-Forest Birch
2 m: Code: 1823 2384 - EAN: 3475710624858
3 m: Code: 1904 2384 - EAN: 3475710624247
4 m: Code: 1894 2384 - EAN: 3475710623660




8-Forest Honey
2 m: Code: 1823 2385 - EAN: 3475710624865
3 m: Code: 1904 2385 - EAN: 3475710624254
4 m: Code: 1894 2385 - EAN: 3475710623677



2383 - Forest Gold

texline nature

Wood



1



2




3



4



5



6

1-Noma Blanc

2 m: Code: 1823 0515 - EAN: 3475710652561
3 m: Code: 1904 0515 - EAN: 3475710652530
4 m: Code: 1894 0515 - EAN: 3475710652486

2-Noma Clear

2 m: Code: 1823 1727 - EAN: 3475710652578
3 m: Code: 1904 1727 - EAN: 3475710652547
4 m: Code: 1894 1727 - EAN: 3475710652493

3-Lodge Almond

2 m: Code: 1823 2371 - EAN: 3475710623882
3 m: Code: 1904 2371 - EAN: 3475710623868
4 m: Code: 1894 2371 - EAN: 3475710623516

4-Woodring Clear

2 m: Code: 1823 2387 - EAN: 3475710624889
3 m: Code: 1904 2387 - EAN: 3475710624278
4 m: Code: 1894 2387 - EAN: 3475710623707

5-Woodring Honey

2 m: Code: 1823 2388 - EAN: 3475710624896
3 m: Code: 1904 2388 - EAN: 3475710624285
4 m: Code: 1894 2388 - EAN: 3475710623714

6-Lodge Wenge

2 m: Code: 1823 2372 - EAN: 3475710624711
3 m: Code: 1904 2372 - EAN: 3475710624117
4 m: Code: 1894 2372 - EAN: 3475710623523



2371 - Lodge Almond



Mineral



1



2

1-Hexa Cream

2 m: Code: 1823 2381 - EAN: 3475710624827
 3 m: Code: 1904 2381 - EAN: 3475710624216
 4 m: Code: 1894 2381 - EAN: 3475710623639

2-Etna Light

2 m: Code: 1823 2396 - EAN: 3475710628504
 4 m: Code: 1894 2396 - EAN: 3475710628351

3-Confetti Beige

2 m: Code: 1823 2144 - EAN: 3475710652554
 3 m: Code: 1904 2144 - EAN: 3475710652523
 4 m: Code: 1894 2144 - EAN: 3475710652509




2381 - Hexa Cream

All Over



2245 - Konkret Melt



1



2

1-Konkret Melt


2 m: Code: 1823 2245 - EAN: 3475710624780
 3 m: Code: 1904 2245 - EAN: 3475710624179
 4 m: Code: 1894 2245 - EAN: 3475710623592

2-Konkret Dove


2 m: Code: 1823 2389 - EAN: 3475710624773
 3 m: Code: 1904 2389 - EAN: 3475710624162
 4 m: Code: 1894 2389 - EAN: 3475710623585

3-Madras Storm


2 m: Code: 1823 1734 - EAN: 3475710653964
 3 m: Code: 1904 1734 - EAN: 3475710653247
 4 m: Code: 1894 1734 - EAN: 3475710653230



2144 - Confetti Beige



3



3




1734 - Madras Storm




texline nature

All Over



1



2




3



2378 - Leone Desert



4



5

- 1-Leone Charcoal**
2 m: Code: 1823 2380 - EAN: 3475710624810
3 m: Code: 1904 2380 - EAN: 3475710624209
4 m: Code: 1894 2380 - EAN: 3475710623622
- 2-Leone Greystone**
2 m: Code: 1823 2379 - EAN: 3475710624803
3 m: Code: 1904 2379 - EAN: 3475710624193
4 m: Code: 1894 2379 - EAN: 3475710623615
- 3-Leone Desert**
2 m: Code: 1823 2378 - EAN: 3475710624797
3 m: Code: 1904 2378 - EAN: 3475710624186
4 m: Code: 1894 2378 - EAN: 3475710623608
- 4-Shade Light Grey**
2 m: Code: 1823 2151 - EAN: 3475710663222
3 m: Code: 1904 2151 - EAN: 3475710663116
4 m: Code: 1894 2151 - EAN: 3475710662928
- 5-Osb Natural**
2 m: Code: 1823 2373 - EAN: 3475710624728
3 m: Code: 1904 2373 - EAN: 3475710624124
4 m: Code: 1894 2373 - EAN: 3475710623530



1-Smooth Tierra

2 m: Code: 1823 2376 - EAN: 3475710624759
3 m: Code: 1904 2376 - EAN: 3475710625633
4 m: Code: 1894 2376 - EAN: 3475710623561

2-Smooth Tearose





2 m: Code: 1823 2375 - EAN: 3475710624742
3 m: Code: 1904 2375 - EAN: 3475710624148
4 m: Code: 1894 2375 - EAN: 3475710623554

3-Smooth Eucalypto

2 m: Code: 1823 2374 - EAN: 3475710624735
3 m: Code: 1904 2374 - EAN: 3475710624131
4 m: Code: 1894 2374 - EAN: 3475710623547

4-Smooth Sand

2 m: Code: 1823 2377 - EAN: 3475710624766
3 m: Code: 1904 2377 - EAN: 3475710624155
4 m: Code: 1894 2377 - EAN: 3475710623578



Technical Characteristics

Description

Total thickness	EN ISO 24346	mm	2.50
Wearlayer thickness	EN ISO 24340	mm	0.35
Weight / Mass per unit area	EN ISO 23997	g/sqm	1675
Width of sheet	EN ISO 24381	m	2/3/4
Length of sheet	EN ISO 24341	ml	± 30

Classification

Norm / Product specification	-	-	EN ISO 26986
Sound insulation	EN ISO 717/2	dB	15
Room impact noise	NFS 31 074	class	A
Fire rating - Classification	EN 13501-1	class	C _{ff} -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10

Performances

Wear group	EN 660-2	group	T
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05
Residual indentation (requirement)	EN ISO 24343-2	mm	≤ 0.35
Residual indentation (average value measured)	-	mm	0.20
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	≥ 6
Surface treatment	-	-	Pureclean
Guarantee residential use	-	year	12

Environment

TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+
Floorscore (US norm)	-	-	OK

CE Marking

CE	EN 14041	   
----	----------	---

Areas of use: domestic use



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





Easy to lay

Product ready to lay, no preparation of the floor and no adhesive required: GFT takes up the unevenness of the existing floor



Direct laying on ceramic

(if joints < 5mm width and 1mm depth)



Intensive/ High traffic

3.10 mm thick and 0.50 mm wearlayer hardwearing, suitable for domestic and semi commercial use



Ultra comfortable

Acoustic and thermal insulation
Comfortable to walk on: its pliable fibres make it feel springy




Scan and discover
**INTERIOR
DESIGNER**

HQR



Wood




1986 - Elegant White




- 1-Boutic Clear**
2 m: Code: 1373 2170 - EAN: 3475710464089
4 m: Code: 1393 2170 - EAN: 3475710463396
- 2-Lodge Milk**
2 m: Code: 1373 1439 - EAN: 3475710320996
3 m: Code: 1383 1439 - EAN: 3475710337192
4 m: Code: 1393 1439 - EAN: 3475710318221
- 3-Macchiato Pearl**
2 m: Code: 1373 2002 - EAN: 3475710371653
4 m: Code: 1393 2002 - EAN: 3475710371622
- 4-Boutic Light Grey**
2 m: Code: 1373 2169 - EAN: 3475710464072
4 m: Code: 1393 2169 - EAN: 3475710463389
- 5-Elegant White**
2 m: Code: 1373 1986 - EAN: 3475710369513
4 m: Code: 1393 1986 - EAN: 3475710369643



- 1-Elegant Grey**
2 m: Code: 1373 2005 - EAN: 3475710369964
4 m: Code: 1393 2005 - EAN: 3475710369957



- 2-Macchiato Brown**
2 m: Code: 1373 2004 - EAN: 3475710371677
4 m: Code: 1393 2004 - EAN: 3475710371646



- 3-Noma Pecan**
2 m: Code: 1373 1442 - EAN: 3475710321047
3 m: Code: 1383 1442 - EAN: 3475710337796
4 m: Code: 1393 1442 - EAN: 3475710318122



2004 - Macchiato Brown

HQR


Wood



1



2



3



4



5


- 1-Boutic Medium**
2 m: Code: 1373 2168 - EAN: 3475710464065
4 m: Code: 1393 2168 - EAN: 3475710463372
- 2-Castle Brown**
2 m: Code: 1373 1846 - EAN: 3475710466601
4 m: Code: 1393 1846 - EAN: 3475710329746
- 3-Walden Brown**
2 m: Code: 1373 1984 - EAN: 3475710369483
4 m: Code: 1393 1984 - EAN: 3475710369612
- 4-Noma Nature**
2 m: Code: 1373 1778 - EAN: 3475710321030
3 m: Code: 1383 1778 - EAN: 3475710337154
4 m: Code: 1393 1778 - EAN: 3475710318146
- 5-Walden Blond**
2 m: Code: 1373 1985 - EAN: 3475710369490
4 m: Code: 1393 1985 - EAN: 3475710369629



2003 - Macchiato Naturel



2168 - Boutic Medium



1



2




3

- 1-Noma Kola**
2 m: Code: 1373 1451 - EAN: 3475710321023
3 m: Code: 1383 1451 - EAN: 3475710337147
4 m: Code: 1393 1451 - EAN: 3475710318139
- 2-Boutic Naturel**
2 m: Code: 1373 2171 - EAN: 3475710464096
4 m: Code: 1393 2171 - EAN: 3475710463402
- 3-Macchiato Naturel**
2 m: Code: 1373 2003 - EAN: 3475710371660
4 m: Code: 1393 2003 - EAN: 3475710371639
- 4-Castle Blond**
2 m: Code: 1373 1802 - EAN: 3475710369940
4 m: Code: 1393 1802 - EAN: 3475710329739
- 5-Timber Clear**
2 m: Code: 1373 0720 - EAN: 3475710329784
3 m: Code: 1383 0720 - EAN: 3475710331152
4 m: Code: 1393 0720 - EAN: 3475710329760



4



5

HQR

Design & Concrete



1



2



3

- 1-Rough Light Grey**
 2 m: Code: 1373 2225 - EAN: 3475710463464
 4 m: Code: 1393 2225 - EAN: 3475710461422
- 2-Rough Taupe**
 2 m: Code: 1373 2218 - EAN: 3475710463570
 4 m: Code: 1393 2218 - EAN: 3475710461330
- 3-Rough Chocolate**
 2 m: Code: 1373 2219 - EAN: 3475710463587
 4 m: Code: 1393 2219 - EAN: 3475710461347




2225 - Rough Light Grey




1876 - Harlem Fer




1



2



3




4

- 1-Harlem Clear**
 2 m: Code: 1373 1808 - EAN: 3475710320910
 3 m: Code: 1383 1808 - EAN: 3475710337185
 4 m: Code: 1393 1808 - EAN: 3475710320088
- 2-Harlem Light Grey**
 2 m: Code: 1373 1788 - EAN: 3475710320934
 4 m: Code: 1393 1788 - EAN: 3475710318542
- 3-Harlem Fer**
 2 m: Code: 1373 1876 - EAN: 3475710466595
 4 m: Code: 1393 1876 - EAN: 3475710464867
- 4-Harlem Dark**
 2 m: Code: 1373 1787 - EAN: 3475710320927
 4 m: Code: 1393 1787 - EAN: 3475710318535



2211 - Sisal Cream



1

1-Sisal Cream
2 m: Code: 1373 2211 - EAN: 3475710463501
4 m: Code: 1393 2211 - EAN: 3475710461262

Technical Characteristics

Description

Total thickness	EN ISO 24346	mm	3.10
Wearlayer thickness	EN ISO 24340	mm	0.50
Weight / Mass per unit area	EN ISO 23997	g/sqm	2300
Width of sheet	EN ISO 24381	m	2 / 3 / 4
Length of sheet	EN ISO 24341	ml	± 25

Classification

Norm / Product specification	-	-	EN ISO 26986
Sound insulation	EN ISO 717/2	dB	16
Room impact noise	NF S 31074	class	A
Fire rating - Classification	EN 13501-1	class	C _{fl} -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10

Performances

Wear group	EN 660-2	group	T
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05
Residual indentation (average value measured)	EN ISO 24343-1	mm	0.20
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	≥ 6
Surface treatment	-	-	Pureclean
Guarantee residential use		year	15
Guarantee commercial use		year	5

Environment

TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+

CE Marking

	EN 14041				
--	----------	--	--	--	--

Areas of use: domestic use & semi-commercial



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





Installation
without glue



Good resistance
to indentation



Renovation
installation



Scan and
discover
INTERIOR
DESIGNER

Wood



1-Azay Clear
4 m: Code: 2798 2369 - EAN: 3475710617874

2-Azay Light Brown
4 m: Code: 2798 2370 - EAN: 3475710617898






2370 - Azay Light Brown

3-Elegant Chestnut
4 m: Code: 2798 2274 - EAN: 3475710527197

4-Elegant Tartufo
4 m: Code: 2798 2269 - EAN: 3475710527142



2298 - Sherwood Maple



1-Sherwood Cappuccino
4 m: Code: 2798 2277 - EAN: 3475710527227

2-Sherwood Maple
4 m: Code: 2798 2298 - EAN: 3475710529894

3-Sherwood Cream
4 m: Code: 2798 2279 - EAN: 3475710527241

4-Sherwood Fog
4 m: Code: 2798 2275 - EAN: 3475710527203

5-Sherwood Nut
4 m: Code: 2798 2276 - EAN: 3475710527210




1



2



2368 - Harlem Blanched Almond



3




4


- 1-Harlem Blanched Almond**
4 m: Code: 2798 2368 - EAN: 3475710617867
- 2-Harlem Powder**
4 m: Code: 2798 2287 - EAN: 3475710527326
- 3-Harlem Tin**
4 m: Code: 2798 2286 - EAN: 3475710527319
- 4-Harlem Colombe**
4 m: Code: 2798 2284 - EAN: 3475710527296
- 5-Harlem Mink**
4 m: Code: 2798 2285 - EAN: 3475710527302
- 6-Harlem Mercury**
4 m: Code: 2798 2283 - EAN: 3475710527289
- 7-Harlem Slate**
4 m: Code: 2798 2282 - EAN: 3475710527272



5



6



7

Technical Characteristics

Description

Total thickness	EN ISO 24346	mm	2.70
Wearlayer thickness	EN ISO 24340	mm	0.50
Weight / Mass per unit area	EN ISO 23997	g/sqm	2000
Width of sheet	EN ISO 24381	m	4
Length of sheet	EN ISO 24341	ml	± 30

Classification

Norm / Product specification	-	-	EN 651
Sound insulation	EN ISO 717/2	dB	14
Room impact noise	NF S 31074	class	A
Fire rating - Classification	EN 13501-1	class	C _{fl} -s1
Static electrical propensity	EN 1815	kV	< 2
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10

Performances

Wear group	EN 660-2	group	T
Dimensional stability (requirement)	EN ISO 23999	%	≤ 0.40
Dimensional stability (average measured value)	-	%	0.05
Residual indentation	EN ISO 24343-1	mm	≤ 0.20
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	≥ 6
Surface treatment	-	-	Pureclean
Chemical products resistance	EN ISO 26987	class	OK
Guarantee residential use		year	15
Guarantee commercial use		year	5

Environment

TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+

CE Marking

	EN 14041			
--	----------	--	--	--

Areas of use: domestic use & semi-commercial



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation



**Quick and easy
to lay**

No subfloor preparation /
No glue



**Direct laying
on ceramic**

(if joints < 5mm width
and 1mm depth)




Comfortable underfoot

Sound insulated, warmth
underfoot



Scan and
discover
INTERIOR
DESIGNER




2013 - Sherwood Blond





2306 - Otelo Beige

- 1-Otelo Light Grey**
2 m: Code: 1349 2303 - EAN: 3475710547867
3 m: Code: 1619 2303 - EAN: 3475710548031
4 m: Code: 1519 2303 - EAN: 3475710547706
- 2-Otelo Natural**
2 m: Code: 1349 2304 - EAN: 3475710547874
3 m: Code: 1619 2304 - EAN: 3475710548048
4 m: Code: 1519 2304 - EAN: 3475710547713
- 3-Otelo White**
2 m: Code: 1349 2302 - EAN: 3475710547850
3 m: Code: 1619 2302 - EAN: 3475710548024
4 m: Code: 1519 2302 - EAN: 3475710547690
- 4-Otelo Beige**
2 m: Code: 1349 2306 - EAN: 3475710547898
3 m: Code: 1619 2306 - EAN: 3475710548062
4 m: Code: 1519 2306 - EAN: 3475710547737
- 5-Otelo Golden**
2 m: Code: 1349 2305 - EAN: 3475710547881
3 m: Code: 1619 2305 - EAN: 3475710548055
4 m: Code: 1519 2305 - EAN: 3475710547720
- 6-Sherwood Blond**
2 m: Code: 1349 2013 - EAN: 3475710375644
3 m: Code: 1619 2013 - EAN: 3475710392528
4 m: Code: 1519 2013 - EAN: 3475710375545
- 7-Noma Blond**
2 m: Code: 1349 1731 - EAN: 3475710306372
3 m: Code: 1619 1731 - EAN: 3475710311826
4 m: Code: 1519 1731 - EAN: 3475710306365
- 8-Sherwood Brown**
2 m: Code: 1349 2015 - EAN: 3475710375668
4 m: Code: 1519 2015 - EAN: 3475710375569
- 9-Noma Miel**
2 m: Code: 1349 0476 - EAN: 3475710217838
3 m: Code: 1619 0476 - EAN: 3475710221118
4 m: Code: 1519 0476 - EAN: 3475710215766





- 1-Azay Beige**
2 m: Code: 1349 2309 - EAN: 3475710547928
3 m: Code: 1619 2309 - EAN: 3475710548093
4 m: Code: 1519 2309 - EAN: 3475710547768
- 2-Azay Gold**
2 m: Code: 1349 2307 - EAN: 3475710547904
3 m: Code: 1619 2307 - EAN: 3475710548079
4 m: Code: 1519 2307 - EAN: 3475710547744
- 3-Azay Light Grey**
2 m: Code: 1349 2308 - EAN: 3475710547911
3 m: Code: 1619 2308 - EAN: 3475710548086
4 m: Code: 1519 2308 - EAN: 3475710547751
- 4-Noma Blanc**
2 m: Code: 1349 0515 - EAN: 3475710221231
3 m: Code: 1619 0515 - EAN: 3475710262821
4 m: Code: 1519 0515 - EAN: 3475710216381
- 5-Hudson White**
2 m: Code: 1349 1879 - EAN: 3475710337864
3 m: Code: 1619 1879 - EAN: 3475710359668
4 m: Code: 1519 1879 - EAN: 3475710335921
- 6-Sherwood White**
4 m: Code: 1519 2137 - EAN: 3475710425943




- 1-Noma Clear**
2 m: Code: 1349 1727 - EAN: 3475710316203
3 m: Code: 1619 1727 - EAN: 3475710311833
4 m: Code: 1519 1727 - EAN: 3475710306181
- 2-Timber Classic**
2 m: Code: 1349 1736 - EAN: 3475710311147
3 m: Code: 1619 1736 - EAN: 3475710311116
4 m: Code: 1519 1736 - EAN: 3475710311086
- 3-Timber Naturel**
2 m: Code: 1349 1740 - EAN: 3475710316234
3 m: Code: 1619 1740 - EAN: 3475710313110
4 m: Code: 1519 1740 - EAN: 3475710313004
- 4-Timber Light**
2 m: Code: 1349 1749 - EAN: 3475710316227
3 m: Code: 1619 1749 - EAN: 3475710313080
4 m: Code: 1519 1749 - EAN: 3475710312977
- 5-Sherwood Clear**
2 m: Code: 1349 2012 - EAN: 3475710375637
3 m: Code: 1619 2012 - EAN: 3475710414961
4 m: Code: 1519 2012 - EAN: 3475710375538
- 6-Hudson Blond**
2 m: Code: 1349 1887 - EAN: 3475710337925
3 m: Code: 1619 1887 - EAN: 3475710359699
4 m: Code: 1519 1887 - EAN: 3475710336027

Wood




- 1-Sherwood Dark**
2 m: Code: 1349 2014 - EAN: 3475710375651
4 m: Code: 1519 2014 - EAN: 3475710375552
- 2-Sherwood Grey**
2 m: Code: 1349 2017 - EAN: 3475710376580
4 m: Code: 1519 2017 - EAN: 3475710375613
- 3-Hudson Pearl**
2 m: Code: 1349 1880 - EAN: 3475710337871
3 m: Code: 1619 1880 - EAN: 3475710362361
4 m: Code: 1519 1880 - EAN: 3475710335938
- 4-Harbor Pearl**
2 m: Code: 1349 1901 - EAN: 3475710337918
3 m: Code: 1619 1901 - EAN: 3475710359712
4 m: Code: 1519 1901 - EAN: 3475710337529
- 5-Harbor Nature**
2 m: Code: 1349 1900 - EAN: 3475710337901
3 m: Code: 1619 1900 - EAN: 3475710359705
4 m: Code: 1519 1900 - EAN: 3475710337512



Mineral




- 1-Gastown Mineral**
2 m: Code: 1349 2311 - EAN: 3475710547942
3 m: Code: 1619 2311 - EAN: 3475710548116
4 m: Code: 1519 2311 - EAN: 3475710547782
- 2-Alma Grey**
2 m: Code: 1349 2300 - EAN: 3475710547836
3 m: Code: 1619 2300 - EAN: 3475710547997
4 m: Code: 1519 2300 - EAN: 3475710547669
- 3-Provence Creme**
2 m: Code: 1349 1955 - EAN: 3475710359279
3 m: Code: 1619 1955 - EAN: 3475710359781
4 m: Code: 1519 1955 - EAN: 3475710357183
- 4-Provence Black & White**
2 m: Code: 1349 1981 - EAN: 3475710374517
4 m: Code: 1519 1981 - EAN: 3475710369278



texline

Mineral & Concrete




- 1-Fjord Light Grey**
 2 m: Code: 1349 1949 - EAN: 3475710355691
 3 m: Code: 1619 1949 - EAN: 3475710359736
 4 m: Code: 1519 1949 - EAN: 3475710355578
- 2-Fjord Black**
 2 m: Code: 1349 2011 - EAN: 3475710375620
 3 m: Code: 1619 2011 - EAN: 3475710392511
 4 m: Code: 1519 2011 - EAN: 3475710375521
- 3-Comete Light Grey**
 2 m: Code: 1349 2314 - EAN: 3475710547973
 4 m: Code: 1519 2314 - EAN: 3475710547812
- 4-Comete Medium Grey**
 2 m: Code: 1349 2315 - EAN: 3475710547980
 4 m: Code: 1519 2315 - EAN: 3475710547829

Design




2144 - Confetti Beige



- 1-Confetti Beige**
 2 m: Code: 1349 2144 - EAN: 3475710426612
 3 m: Code: 1619 2144 - EAN: 3475710427015
 4 m: Code: 1519 2144 - EAN: 3475710426018
- 2-Terrazino Mineral**
 2 m: Code: 1349 2235 - EAN: 3475710464690
 4 m: Code: 1519 2235 - EAN: 3475710463341



2314 - Comete Light Grey



2



2235 - Terrazino Mineral



1



2

1-Shade White
2 m: Code: 1349 2150 - EAN: 3475710426674
3 m: Code: 1619 2150 - EAN: 3475710427077
4 m: Code: 1519 2150 - EAN: 3475710426070


2-Madras Grey
2 m: Code: 1349 1051 - EAN: 3475710217302
3 m: Code: 1619 1051 - EAN: 3475710221163
4 m: Code: 1519 1051 - EAN: 3475710217296

3-Shade Light Grey
2 m: Code: 1349 2151 - EAN: 3475710426698
3 m: Code: 1619 2151 - EAN: 3475710427084
4 m: Code: 1519 2151 - EAN: 3475710426087

4-Madras Storm
2 m: Code: 1349 1734 - EAN: 3475710311123
3 m: Code: 1619 1734 - EAN: 3475710311093
4 m: Code: 1519 1734 - EAN: 3475710311062

5-Shade Grey
2 m: Code: 1349 2152 - EAN: 3475710426704
3 m: Code: 1619 2152 - EAN: 3475710427091
4 m: Code: 1519 2152 - EAN: 3475710426094


6-Shade Anthracite
2 m: Code: 1349 2153 - EAN: 3475710426711
3 m: Code: 1619 2153 - EAN: 3475710427107
4 m: Code: 1519 2153 - EAN: 3475710426100




3



4



5



6



1734 - Madras Storm

Technical Characteristics

Description

Total thickness	EN ISO 24346	mm	2.90
Wearlayer thickness	EN ISO 24340	mm	0.35
Weight / Mass per unit area	EN ISO 23997	g/sqm	2000
Width of sheet	EN ISO 24381	m	2 / 3 / 4
Length of sheet	EN ISO 24341	ml	± 25

Classification

Norm / Product specification	-	-	EN ISO 26986
Sound insulation	EN ISO 717/2	dB	16
Room impact noise	NF S 31074	class	A
Fire rating - Classification - Wood support loose laying	EN 13501-1	class	C _{ff} -s1
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	C _{ff} -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10

Performances

Wear group	EN 660-2	group	T
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05
Residual indentation (requirement)	EN ISO 24343-1	mm	< 0.35
Residual indentation (average value measured)	EN ISO 24343-1	mm	0.20
Residual indentation (requirement)	EN ISO 24343-2	mm	< 0.35
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	≥ 6
Surface treatment	-	-	Pureclean
Guarantee residential use		year	12

Environment

TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+
Floorscore (US norm)	-	-	OK
Agbb (German norm)	-	-	OK

CE Marking

CE	EN 14041				
----	----------	--	--	--	--

Areas of use: domestic use



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





Easy to lay




Optimal comfort



High resistant




Scan and discover
INTERIOR
DESIGNER



1



2



3

- 1-Boutic Clear**
2 m: Code: 1023 2170 - EAN: 3475710436789
4 m: Code: 2494 2170 - EAN: 3475710431760
- 2-Boutic Light Grey**
2 m: Code: 1023 2169 - EAN: 3475710436772
4 m: Code: 2494 2169 - EAN: 3475710431753
- 3-Canopy Sesame**
2 m: Code: 1023 2290 - EAN: 3475710528750
4 m: Code: 2494 2290 - EAN: 3475710528477
- 4-Canopy Nutmeg**
2 m: Code: 1023 2291 - EAN: 3475710528767
4 m: Code: 2494 2291 - EAN: 3475710528484
- 5-Canopy Hazelnut**
2 m: Code: 1023 2289 - EAN: 3475710528743
4 m: Code: 2494 2289 - EAN: 3475710528460



2291 - Canopy Nutmeg



4




5



1



2



3



4





5

- 1-Lux Natural**
4 m: Code: 2494 2166 - EAN: 3475710431722
- 2-Boutic Medium**
2 m: Code: 1023 2168 - EAN: 3475710436765
4 m: Code: 2494 2168 - EAN: 3475710431746
- 3-Boutic Golden**
2 m: Code: 1023 2397 - EAN: 3475710631139
4 m: Code: 2494 2397 - EAN: 3475710631092
- 4-Lux Blond**
2 m: Code: 1023 2167 - EAN: 3475710436918
3 m: Code: 2994 2167 - EAN: 3475710528590
4 m: Code: 2494 2167 - EAN: 3475710431739
- 5-Boutic Naturel**
2 m: Code: 1023 2171 - EAN: 3475710436796
4 m: Code: 2494 2171 - EAN: 3475710431777



2167 - Lux Blond




1-Leone Uranus
2 m: Code: 1023 2294 - EAN: 3475710528798
4 m: Code: 2494 2294 - EAN: 3475710528514

2-Leone Metal
2 m: Code: 1023 2132 - EAN: 3475710436840
4 m: Code: 2494 2132 - EAN: 3475710431821

3-Nevada Light Grey
2 m: Code: 1023 2164 - EAN: 3475710436888
4 m: Code: 2494 2164 - EAN: 3475710431708

4-Nevada Cream
2 m: Code: 1023 2163 - EAN: 3475710436871
4 m: Code: 2494 2163 - EAN: 3475710431692

5-Leone Cream
2 m: Code: 1023 2135 - EAN: 3475710436857
4 m: Code: 2494 2135 - EAN: 3475710431838



Technical Characteristics

Description

Total thickness	EN ISO 24346	mm	2.50
Wearlayer thickness	EN ISO 24340	mm	0.30
Weight / Mass per unit area	EN ISO 23997	g/sqm	1675
Width of sheet	EN ISO 24381	m	2 / 4
Length of sheet	EN ISO 24341	ml	± 30

Classification

Norm / Product specification	-	-	EN ISO 26986
Sound insulation	EN ISO 717/2	dB	15
Room impact noise	NF S 31074	class	A
Fire rating - Classification - Wood support loose laying	EN 13501-1	class	C _{ff} -s1
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	C _{ff} -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10

Performances

Wear group	EN 660-2	group	T
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05
Residual indentation (requirement)	EN ISO 24343-2	mm	< 0.35
Residual indentation (average value measured)	EN ISO 24343-2	mm	0.20
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	> 6
Surface treatment	-	-	Pureclean
Guarantee residential use		year	12

Environment

TVOC rate 28 days	EN ISO 16000-6	µg/m³	< 100
French norm	-	-	A+
Floorscore	-	-	OK

CE Marking

CE	EN 14041	   
----	----------	---

Areas of use: domestic use



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation



primetex



No glue & non-tear!

MADE IN FRANCE

GFT backing rolls
Looselay



Quick and easy to lay



Economical
Saves extra costs





Scan and discover
INTERIOR DESIGNER



- 1-Azay Beige**
2 m: Code: 1368 2309 - EAN: 3475710570117
3 m: Code: 1648 2309 - EAN: 3475710570070
4 m: Code: 1548 2309 - EAN: 3475710570025
- 2-Hera Honey**
2 m: Code: 1368 2412 - EAN: 3475710690501
4 m: Code: 1548 2412 - EAN: 3475710690389
- 3-Cottage Sun**
2 m: Code: 1368 2462 - EAN: 3475710690518
4 m: Code: 1548 2462 - EAN: 3475710690365
- 4-Azay Cream**
2 m: Code: 1368 2346 - EAN: 3475710608186
4 m: Code: 1548 2346 - EAN: 3475710607608
- 5-Cognac Scandi Oak**
2 m: Code: 1368 2350 - EAN: 3475710608223
4 m: Code: 1548 2350 - EAN: 3475710607660
- 6-Timber Golden**
2 m: Code: 1368 2351 - EAN: 3475710608230
4 m: Code: 1548 2351 - EAN: 3475710607677
- 7-Azay Brown**
2 m: Code: 1368 2347 - EAN: 3475710608193
4 m: Code: 1548 2347 - EAN: 3475710607622
- 8-Cottage Natural**
2 m: Code: 1368 2433 - EAN: 3475710659492
4 m: Code: 1548 2433 - EAN: 3475710659478



2007 - Cognac Blond



- 1-Timber Clear**
2 m: Code: 1368 0720 - EAN: 3475710250637
3 m: Code: 1648 0720 - EAN: 3475710250699
4 m: Code: 1548 0720 - EAN: 3475710250521
- 2-Timber Medium**
2 m: Code: 1368 0721 - EAN: 3475710250644
4 m: Code: 1548 0721 - EAN: 3475710250538

- 3-Cognac Blond**
2 m: Code: 1368 2007 - EAN: 3475710372575
3 m: Code: 1648 2007 - EAN: 3475710395949
4 m: Code: 1548 2007 - EAN: 3475710374449
- 4-Cajou Honey**
2 m: Code: 1368 1236 - EAN: 3475710250583
4 m: Code: 1548 1236 - EAN: 3475710250477

- 5-Cognac Pearl**
2 m: Code: 1368 2006 - EAN: 3475710372568
3 m: Code: 1648 2006 - EAN: 3475710395932
4 m: Code: 1548 2006 - EAN: 3475710374432
- 6-Factory Pecan**
2 m: Code: 1368 1533 - EAN: 3475710249891
3 m: Code: 1648 1533 - EAN: 3475710324772
4 m: Code: 1548 1533 - EAN: 3475710249839






1-Newport Ivory
 2 m: Code: 1368 2320 - EAN: 3475710557347
 4 m: Code: 1548 2320 - EAN: 3475710557231

2-Lodge Milk
 2 m: Code: 1368 1439 - EAN: 3475710557361
 4 m: Code: 1548 1439 - EAN: 3475710557255

3-Newport Vinales
 2 m: Code: 1368 2321 - EAN: 3475710557354
 3 m: Code: 1648 2321 - EAN: 3475710557309
 4 m: Code: 1548 2321 - EAN: 3475710557248

4-Cognac Blanc
 2 m: Code: 1368 2068 - EAN: 3475710392115
 4 m: Code: 1548 2068 - EAN: 3475710391026



5-Empire Light
 2 m: Code: 1368 2390 - EAN: 3475710628252
 3 m: Code: 1648 2390 - EAN: 3475710628214
 4 m: Code: 1548 2390 - EAN: 3475710628177

6-Newport White
 2 m: Code: 1368 1528 - EAN: 3475710249860
 3 m: Code: 1648 1528 - EAN: 3475710317651
 4 m: Code: 1548 1528 - EAN: 3475710249808

7-Elegant Golden
 4 m: Code: 1548 2391 - EAN: 3475710628184



2321 - Newport Vinales



1151 - Cajou Grey


1-Cajou Grey
 2 m: Code: 1368 1151 - EAN: 3475710306433
 4 m: Code: 1548 1151 - EAN: 3475710306174

2-Factory Anthracite
 2 m: Code: 1368 1532 - EAN: 3475710248221
 4 m: Code: 1548 1532 - EAN: 3475710248214

3-Cognac Grey
 2 m: Code: 1368 2016 - EAN: 3475710373237
 3 m: Code: 1648 2016 - EAN: 3475710395826
 4 m: Code: 1548 2016 - EAN: 3475710375576

4-Fisherman Ocean
 2 m: Code: 1368 1667 - EAN: 3475710300431
 3 m: Code: 1648 1667 - EAN: 3475710374524
 4 m: Code: 1548 1667 - EAN: 3475710300424

5-Fisherman Washed
 2 m: Code: 1368 1728 - EAN: 3475710306334
 3 m: Code: 1648 1728 - EAN: 3475710317644
 4 m: Code: 1548 1728 - EAN: 3475710306143




1728 - Fisherman Washed

primetex

Mineral & All Over



1



2

1-Basal Haze

2 m: Code: 1368 2392 - EAN: 3475710628276
 3 m: Code: 1648 2392 - EAN: 3475710628238
 4 m: Code: 1548 2392 - EAN: 3475710628191

2-Damier Black & White

2 m: Code: 1368 0015 - EAN: 3475710557323
 4 m: Code: 1548 0015 - EAN: 3475710557217

3-Confetti Emerald


2 m: Code: 1368 2393 - EAN: 3475710628283
 3 m: Code: 1648 2393 - EAN: 3475710628245
 4 m: Code: 1548 2393 - EAN: 3475710628207

4-Cork Naturel


2 m: Code: 1368 0027 - EAN: 3475710660924
 3 m: Code: 1648 0027 - EAN: 3475710661051
 4 m: Code: 1548 0027 - EAN: 3475710660818

5-Bari Clear


2 m: Code: 1368 2407 - EAN: 3475710657221
 4 m: Code: 1548 2407 - EAN: 3475710649370




3




4



5



1



2

1-Leone Clear

2 m: Code: 1368 2064 - EAN: 3475710392108
 3 m: Code: 1648 2064 - EAN: 3475710600289
 4 m: Code: 1548 2064 - EAN: 3475710389306

2-Leone Anthracite

2 m: Code: 1368 2133 - EAN: 3475710466632
 3 m: Code: 1648 2133 - EAN: 3475710528330
 4 m: Code: 1548 2133 - EAN: 3475710464874

3-Leone Powder

2 m: Code: 1368 2345 - EAN: 3475710608179
 4 m: Code: 1548 2345 - EAN: 3475710607592

4-Dune Grey

2 m: Code: 1368 1589 - EAN: 3475710660917
 3 m: Code: 1648 1589 - EAN: 3475710661044
 4 m: Code: 1548 1589 - EAN: 3475710660856

5-Dune White


2 m: Code: 1368 1588 - EAN: 3475710660900
 4 m: Code: 1548 1588 - EAN: 3475710660849



3



4



5



2345 - Leone Powder



0711 - Gravel Beige



1



2

1-Gravel Beige
2 m: Code: 1368 0711 - EAN: 3475710660887
3 m: Code: 1648 0711 - EAN: 3475710661013
4 m: Code: 1548 0711 - EAN: 3475710660825

2-Gravel Grey
2 m: Code: 1368 0712 - EAN: 3475710660894
3 m: Code: 1648 0712 - EAN: 3475710661020
4 m: Code: 1548 0712 - EAN: 3475710660832

Technical Characteristics

Description

Total thickness	EN ISO 24346	mm	2.0
Wearlayer thickness	EN ISO 24340	mm	0.25
Weight / Mass per unit area	EN ISO 23997	g/sqm	1390
Width of sheet	EN ISO 24381	m	2 / 3 / 4
Length of sheet	EN ISO 24341	ml	± 30

Classification

Norm / Product specification	-	-	EN ISO 26986
Sound insulation	EN ISO 717/2	dB	15
Room impact noise	NF S 31074	class	A
Fire rating - Classification - Wood support loose laying	EN 13501-1	class	C _{ff} -s1
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	C _{ff} -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10

Performances

Wear group	EN 660-2	group	T
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05
Residual indentation (requirement)	EN ISO 24343-1	mm	< 0.35
Residual indentation (average value measured)	EN ISO 24343-1	mm	0.20
Residual indentation (requirement)	EN ISO 24343-2	mm	< 0.35
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	≥ 6
Surface treatment	-	-	Pureclean
Guarantee residential use		year	12

Environment

TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+
Floorscore (US norm)	-	-	OK
Agbb (German norm)	-	-	OK

CE Marking

CE	EN 14041	
----	----------	--

Areas of use: domestic use



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation





Vinyl backing Fully adhered

86. Vinyl backing rolls solutions

88. **Nerok**

98. **Booster**

108. **Start**

Vinyl backing rolls
Fully adhered


Vinyl backing rolls solutions

Gerflor 2026

Make the right choice!

		Fully adhered		
		NEROK	BOOSTER	START
Subfloor preparation		With subfloor preparation		
	Thickness (mm)	2.0	2.6	1.2
	Traffic resistance	+++	++++	++
	Wear layer thickness (mm)	0.55	0.70	0.25
	European classification	33 / 42	34 / 43	22
	Comfort	+	++	+
	Price	€€	€	€
	Tools needed	Utility knife + carpet cutter + glue		
	Sound insulation (dB)	6	19	10
	Underfloor heating compatibility	✓	✓	✓
	Domestic use guarantee*	15 years	10 years	5 years
	Pets compatibility	✓	✓	✓
		Page 88	Page 98	Page 108

* For more details on guarantee, see www.gerflor.com



Vinyl backing rolls
Fully adhered



Installation with acrylic glue



No indentation



Very high traffic resistance



Scan and discover
INTERIOR DESIGNER

Vinyl backing rolls
Fully adhered



1



2



4



4



2017 - Sherwood Grey

1-Sherwood Clear

Nerok 55 - 2 m: Code: 2813 2012 - EAN: 3475710554759
 Nerok 55 - 4 m: Code: 2812 2012 - EAN: 3475710552847
 Nerok 70 - 2 m: Code: 1238 2012 - EAN: 3475710552731
 Nerok 70 - 4 m: Code: 1237 2012 - EAN: 3475710551451

2-Sherwood Blond

Nerok 55 - 2 m: Code: 2813 2013 - EAN: 3475710554766
 Nerok 55 - 4 m: Code: 2812 2013 - EAN: 3475710552946
 Nerok 70 - 2 m: Code: 1238 2013 - EAN: 3475710552571
 Nerok 70 - 4 m: Code: 1237 2013 - EAN: 3475710551321

3-Sherwood Brown

Nerok 55 - 2 m: Code: 2813 2015 - EAN: 3475710554773
 Nerok 55 - 4 m: Code: 2812 2015 - EAN: 3475710552854
 Nerok 70 - 2 m: Code: 1238 2015 - EAN: 3475710552748
 Nerok 70 - 4 m: Code: 1237 2015 - EAN: 3475710551468

4-Sherwood Grey

Nerok 55 - 2 m: Code: 2813 2017 - EAN: 3475710554780
 Nerok 55 - 4 m: Code: 2812 2017 - EAN: 3475710552816
 Nerok 70 - 2 m: Code: 1238 2017 - EAN: 3475710552700
 Nerok 70 - 4 m: Code: 1237 2017 - EAN: 3475710551420

5-Noma Kola

Nerok 55 - 2 m: Code: 2813 1451 - EAN: 3475710554711
 Nerok 55 - 4 m: Code: 2812 1451 - EAN: 3475710553035
 Nerok 70 - 2 m: Code: 1238 1451 - EAN: 3475710552663
 Nerok 70 - 4 m: Code: 1237 1451 - EAN: 3475710551390

6-Chene Light

Nerok 55 - 2 m: Code: 2813 0669 - EAN: 3475710554674
 Nerok 55 - 4 m: Code: 2812 0669 - EAN: 3475710553028
 Nerok 70 - 2 m: Code: 1238 0669 - EAN: 3475710552656
 Nerok 70 - 4 m: Code: 1237 0669 - EAN: 3475710551383

7-Timber Grey

Nerok 55 - 2 m: Code: 2813 1751 - EAN: 3475710554735
 Nerok 55 - 4 m: Code: 2812 1751 - EAN: 3475710553059
 Nerok 70 - 2 m: Code: 1238 1751 - EAN: 3475710552694
 Nerok 70 - 4 m: Code: 1237 1751 - EAN: 3475710551413

8-Newport Natural

Nerok 55 - 2 m: Code: 2813 2245 - EAN: 3475710554957
 Nerok 55 - 4 m: Code: 2812 2245 - EAN: 3475710553134
 Nerok 70 - 2 m: Code: 1238 2245 - EAN: 3475710552212
 Nerok 70 - 4 m: Code: 1237 2245 - EAN: 3475710551208

9-Timber Clear

Nerok 55 - 2 m: Code: 2813 0720 - EAN: 3475710554698
 Nerok 55 - 4 m: Code: 2812 0720 - EAN: 3475710553158
 Nerok 70 - 2 m: Code: 1238 0720 - EAN: 3475710552236
 Nerok 70 - 4 m: Code: 1237 0720 - EAN: 3475710551222

10-Noma Miel


Nerok 55 - 2 m: Code: 2813 0476 - EAN: 3475710554612
 Nerok 55 - 4 m: Code: 2812 0476 - EAN: 3475710553011
 Nerok 70 - 2 m: Code: 1238 0476 - EAN: 3475710552649
 Nerok 70 - 4 m: Code: 1237 0476 - EAN: 3475710551376

11-Timber Cabana


Nerok 55 - 2 m: Code: 2813 0492 - EAN: 3475710554629
 Nerok 55 - 4 m: Code: 2812 0492 - EAN: 3475710553042
 Nerok 70 - 2 m: Code: 1238 0492 - EAN: 3475710552670
 Nerok 70 - 4 m: Code: 1237 0492 - EAN: 3475710551406

12-Oak Select Country


Nerok 55 - 2 m: Code: 2813 2242 - EAN: 3475710554933
 Nerok 55 - 4 m: Code: 2812 2242 - EAN: 3475710553165
 Nerok 70 - 2 m: Code: 1238 2242 - EAN: 3475710552243
 Nerok 70 - 4 m: Code: 1237 2242 - EAN: 3475710551239




5




6



7



8



9



10




11




12

nerok

Wood



1



2



3



4



1518 - Factory White

1-Factory White

Nerok 55 - 2 m: Code: 2813 1518 - EAN: 3475710554728
 Nerok 55 - 4 m: Code: 2812 1518 - EAN: 3475710552823
 Nerok 70 - 2 m: Code: 1238 1518 - EAN: 3475710552717
 Nerok 70 - 4 m: Code: 1237 1518 - EAN: 3475710551437

2-Newport Clear

Nerok 55 - 2 m: Code: 2813 2244 - EAN: 3475710554940
 Nerok 55 - 4 m: Code: 2812 2244 - EAN: 3475710553141
 Nerok 70 - 2 m: Code: 1238 2244 - EAN: 3475710552229
 Nerok 70 - 4 m: Code: 1237 2244 - EAN: 3475710551215

3-Oak Select Grey


Nerok 55 - 2 m: Code: 2813 1430 - EAN: 3475710554704
 Nerok 55 - 4 m: Code: 2812 1430 - EAN: 3475710553172
 Nerok 70 - 2 m: Code: 1238 1430 - EAN: 3475710552250
 Nerok 70 - 4 m: Code: 1237 1430 - EAN: 3475710551246

4-Harbor Blue


Nerok 55 - 2 m: Code: 2813 1893 - EAN: 3475710554742
 Nerok 55 - 4 m: Code: 2812 1893 - EAN: 3475710552830
 Nerok 70 - 2 m: Code: 1238 1893 - EAN: 3475710552724
 Nerok 70 - 4 m: Code: 1237 1893 - EAN: 3475710551444

nerok


All Over



1



3



4



5



2



2153 - Shade Anthracite

1-Shade Grey

Nerok 55 - 2 m: Code: 2813 2152 - EAN: 3475710554858
 Nerok 55 - 4 m: Code: 2812 2152 - EAN: 3475710552922
 Nerok 70 - 2 m: Code: 1238 2152 - EAN: 3475710537936
 Nerok 70 - 4 m: Code: 1237 2152 - EAN: 3475710537905

2-Shade Anthracite

Nerok 55 - 2 m: Code: 2813 2153 - EAN: 3475710554865
 Nerok 55 - 4 m: Code: 2812 2153 - EAN: 3475710552939
 Nerok 70 - 2 m: Code: 1238 2153 - EAN: 3475710537943
 Nerok 70 - 4 m: Code: 1237 2153 - EAN: 3475710537912

3-Shade Light Grey

Nerok 55 - 2 m: Code: 2813 2151 - EAN: 3475710554841
 Nerok 55 - 4 m: Code: 2812 2151 - EAN: 3475710552953
 Nerok 70 - 2 m: Code: 1238 2151 - EAN: 3475710537950
 Nerok 70 - 4 m: Code: 1237 2151 - EAN: 3475710537929


4-Brooklyn Silver

Nerok 55 - 2 m: Code: 2813 2253 - EAN: 3475710554971
 Nerok 55 - 4 m: Code: 2812 2253 - EAN: 3475710553110
 Nerok 70 - 2 m: Code: 1238 2253 - EAN: 3475710552199
 Nerok 70 - 4 m: Code: 1237 2253 - EAN: 3475710551185

5-Brooklyn Blue

Nerok 55 - 2 m: Code: 2813 2249 - EAN: 3475710554964
 Nerok 55 - 4 m: Code: 2812 2249 - EAN: 3475710553127
 Nerok 70 - 2 m: Code: 1238 2249 - EAN: 3475710552205
 Nerok 70 - 4 m: Code: 1237 2249 - EAN: 3475710551192

Vinyl backing rolls
Fully adhered



1-Leone Cream

Nerok 55 - 2 m: Code: 2813 2135 - EAN: 3475710554834
 Nerok 55 - 4 m: Code: 2812 2135 - EAN: 3475710553066
 Nerok 70 - 2 m: Code: 1238 2135 - EAN: 3475710538230
 Nerok 70 - 4 m: Code: 1237 2135 - EAN: 3475710537851

2-Pixel Clear

Nerok 55 - 2 m: Code: 2813 2175 - EAN: 3475710554872
 Nerok 55 - 4 m: Code: 2812 2175 - EAN: 3475710552861
 Nerok 70 - 2 m: Code: 1238 2175 - EAN: 3475710552755
 Nerok 70 - 4 m: Code: 1237 2175 - EAN: 3475710551475

3-Leone Mouse

Nerok 55 - 2 m: Code: 2813 2131 - EAN: 3475710554797
 Nerok 55 - 4 m: Code: 2812 2131 - EAN: 3475710553073
 Nerok 70 - 2 m: Code: 1238 2131 - EAN: 3475710538247
 Nerok 70 - 4 m: Code: 1237 2131 - EAN: 3475710537868

4-Pixel Sand

Nerok 55 - 2 m: Code: 2813 0639 - EAN: 3475710554667
 Nerok 55 - 4 m: Code: 2812 0639 - EAN: 3475710552991
 Nerok 70 - 2 m: Code: 1238 0639 - EAN: 3475710552632
 Nerok 70 - 4 m: Code: 1237 0639 - EAN: 3475710551369

5-Pixel Vanilla

Nerok 55 - 2 m: Code: 2813 0621 - EAN: 3475710554643
 Nerok 55 - 4 m: Code: 2812 0621 - EAN: 3475710552977
 Nerok 70 - 2 m: Code: 1238 0621 - EAN: 3475710552595
 Nerok 70 - 4 m: Code: 1237 0621 - EAN: 3475710551345

6-Pixel Silver

Nerok 55 - 2 m: Code: 2813 0597 - EAN: 3475710554636
 Nerok 55 - 4 m: Code: 2812 0597 - EAN: 3475710552960
 Nerok 70 - 2 m: Code: 1238 0597 - EAN: 3475710552588
 Nerok 70 - 4 m: Code: 1237 0597 - EAN: 3475710551338

7-Leone Metal

Nerok 55 - 2 m: Code: 2813 2132 - EAN: 3475710554803
 Nerok 55 - 4 m: Code: 2812 2132 - EAN: 3475710553080
 Nerok 70 - 2 m: Code: 1238 2132 - EAN: 3475710538254
 Nerok 70 - 4 m: Code: 1237 2132 - EAN: 3475710537875

8-Leone Anthracite

Nerok 55 - 2 m: Code: 2813 2133 - EAN: 3475710554810
 Nerok 55 - 4 m: Code: 2812 2133 - EAN: 3475710553097
 Nerok 70 - 2 m: Code: 1238 2133 - EAN: 3475710538261
 Nerok 70 - 4 m: Code: 1237 2133 - EAN: 3475710537882

9-Leone Brown


Nerok 55 - 2 m: Code: 2813 2134 - EAN: 3475710554827
 Nerok 55 - 4 m: Code: 2812 2134 - EAN: 3475710553103
 Nerok 70 - 2 m: Code: 1238 2134 - EAN: 3475710538278
 Nerok 70 - 4 m: Code: 1237 2134 - EAN: 3475710537899



0597 - Pixel Silver



2131 - Leone Mouse



7

8

9

1-Pixel Taupe

Nerok 55 - 2 m: Code: 2813 2176 - EAN: 3475710554889
 Nerok 55 - 4 m: Code: 2812 2176 - EAN: 3475710552878
 Nerok 70 - 2 m: Code: 1238 2176 - EAN: 3475710552762
 Nerok 70 - 4 m: Code: 1237 2176 - EAN: 3475710551482

2-Pixel Anthracite

Nerok 55 - 2 m: Code: 2813 0632 - EAN: 3475710554650
 Nerok 55 - 4 m: Code: 2812 0632 - EAN: 3475710552984
 Nerok 70 - 2 m: Code: 1238 0632 - EAN: 3475710552625
 Nerok 70 - 4 m: Code: 1237 0632 - EAN: 3475710551352

3-Pixel Black

Nerok 55 - 2 m: Code: 2813 2179 - EAN: 3475710554902
 Nerok 55 - 4 m: Code: 2812 2179 - EAN: 3475710552892
 Nerok 70 - 2 m: Code: 1238 2179 - EAN: 3475710552786
 Nerok 70 - 4 m: Code: 1237 2179 - EAN: 3475710551505

4-Pixel Paprika






Nerok 55 - 2 m: Code: 2813 2178 - EAN: 3475710554896
 Nerok 55 - 4 m: Code: 2812 2178 - EAN: 3475710552885
 Nerok 70 - 2 m: Code: 1238 2178 - EAN: 3475710552779
 Nerok 70 - 4 m: Code: 1237 2178 - EAN: 3475710551499

5-Pixel Meadow

Nerok 55 - 2 m: Code: 2813 2181 - EAN: 3475710554919
 Nerok 55 - 4 m: Code: 2812 2181 - EAN: 3475710552908
 Nerok 70 - 2 m: Code: 1238 2181 - EAN: 3475710552793
 Nerok 70 - 4 m: Code: 1237 2181 - EAN: 3475710551512

6-Pixel Ocean

Nerok 55 - 2 m: Code: 2813 2182 - EAN: 3475710554926
 Nerok 55 - 4 m: Code: 2812 2182 - EAN: 3475710552915
 Nerok 70 - 2 m: Code: 1238 2182 - EAN: 3475710552809
 Nerok 70 - 4 m: Code: 1237 2182 - EAN: 3475710551529



Technical Characteristics

			Nerok 55	Nerok 70
Description				
Total thickness	EN ISO 24346	mm	2.00	
Wearlayer thickness	EN ISO 24340	mm	0.55	0.70
Weight / Mass per unit area	EN ISO 23997	g/sqm	2560	2670
Width of sheet	EN ISO 24341	m	2 / 4	
Length of sheet	EN ISO 24341	ml	20	
Classification				
Norm / Product specification	-	-	EN ISO 10582	
Fire rating	EN 13501-1	class	B _{fl} -s1	
Static electrical propensity	EN 1815	kV	< 2	
Slip resistance	DIN 51 130	class	R10	
Performances				
Wear resistance	EN 660-2	mm ³	≤ 2.0	
Wear group	-	group	T	
Type binder content	EN 10582	type	I	
Dimensional stability	EN ISO 23999	%	≤ 0.40	
Residual indentation (requirement)	EN ISO 24343-2	mm	≤ 0.10	
Residual indentation (measure)	-	mm	≈ 0.05	
Impact sound insulation	EN ISO 717-2	dB	6	
Castor chair test (type H)	ISO 4918	-	OK	
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	
Colour fastness	EN 20 105-B02	degree	≥ 6	
Surface treatment	-	-	PUR+	
Chemical products resistance	EN ISO 26987	class	OK	
Guarantee residential use	-	year	15	
Environment				
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100	
Certification	-	-	Floorscore®	

CE Marking

	EN 14041			
--	----------	--	--	--

Areas of use: domestic use & semi-commercial



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation






Comfortable



**Installation with
acrylic glue**


**Suitable for
wet rooms**



Scan and
discover
INTERIOR
DESIGNER

Vinyl backing rolls
Fully adhered



1



2



3



4



5



6



7



8



9

1-Jersey Clear

2 m: Code: 1371 1894 - EAN: 3475710337956
4 m: Code: 1391 1894 - EAN: 3475710336638

2-Castle White

2 m: Code: 1371 1801 - EAN: 3475710430121
4 m: Code: 1391 1801 - EAN: 3475710430039

3-Castle Clear

2 m: Code: 1371 1918 - EAN: 3475710430107
4 m: Code: 1391 1918 - EAN: 3475710430015

4-Empire Classic

2 m: Code: 1371 2090 - EAN: 3475710556982
3 m: Code: 1353 2090 - EAN: 3475710557071
4 m: Code: 1391 2090 - EAN: 3475710552557

5-Hudson Blond

2 m: Code: 1371 1887 - EAN: 3475710357336
3 m: Code: 1353 1887 - EAN: 3475710352928
4 m: Code: 1391 1887 - EAN: 3475710357282

6-Boston Blond

2 m: Code: 1371 1618 - EAN: 3475710316807
3 m: Code: 1353 1618 - EAN: 3475710352874
4 m: Code: 1391 1618 - EAN: 3475710317071

7-Farm Pecan

2 m: Code: 1371 1393 - EAN: 3475710319808
4 m: Code: 1391 1393 - EAN: 3475710303043

8-Santafe Pearl

2 m: Code: 1371 1873 - EAN: 3475710337932
4 m: Code: 1391 1873 - EAN: 3475710334771

9-Hudson Pearl

2 m: Code: 1371 1880 - EAN: 3475710357343
3 m: Code: 1353 1880 - EAN: 3475710352935
4 m: Code: 1391 1880 - EAN: 3475710357299



2090 - Empire Classic

Vinyl backing rolls
Fully adhered

booster


Wood




1



2



3




4



2318 - Sherwood Nature



5



6



7



2216 - Seaside Blue



8

1-Lodge Clear

2 m: Code: 1371 2354 - EAN: 3475710608261
4 m: Code: 1391 2354 - EAN: 3475710607745

2-Sherwood Nature

2 m: Code: 1371 2318 - EAN: 3475710557019
3 m: Code: 1353 2318 - EAN: 3475710557088
4 m: Code: 1391 2318 - EAN: 3475710552564

3-Sherwood Light Brown

2 m: Code: 1371 2353 - EAN: 3475710608254
4 m: Code: 1391 2353 - EAN: 3475710607721

4-Sherwood Medium

2 m: Code: 1371 2467 - EAN: 3475710693199
4 m: Code: 1391 2467 - EAN: 3475710692611

5-Toronto Clair

2 m: Code: 1371 0762 - EAN: 3475710359545
4 m: Code: 1391 0762 - EAN: 3475710358937

4-Boston Honey

2 m: Code: 1371 1167 - EAN: 3475710628146
3 m: Code: 1353 1167 - EAN: 3475710628085
4 m: Code: 1391 1167 - EAN: 3475710628054

7-Sherwood Sweet

2 m: Code: 1371 1166 - EAN: 3475710628139
3 m: Code: 1353 1166 - EAN: 3475710628078
4 m: Code: 1391 1166 - EAN: 3475710628047

8-Seaside Blue

2 m: Code: 1371 2216 - EAN: 3475710606748
4 m: Code: 1391 2216 - EAN: 3475710562921

Vinyl backing rolls
Fully adhered

All Over



1



2



3


1-Madras White
2 m: Code: 1371 1479 - EAN: 3475710430169
3 m: Code: 1353 1479 - EAN: 3475710441530
4 m: Code: 1391 1479 - EAN: 3475710430084

2-Madras Storm
2 m: Code: 1371 1734 - EAN: 3475710430152
3 m: Code: 1353 1734 - EAN: 3475710441523
4 m: Code: 1391 1734 - EAN: 3475710430077

3-Broadway Storm
2 m: Code: 1399 1595 - EAN: 3475710362064
4 m: Code: 1397 1595 - EAN: 3475710357800

4-Madras Silver
2 m: Code: 1385 1593 - EAN: 3475710361616
4 m: Code: 1375 1593 - EAN: 3475710362231

5-Shade Light Grey
2 m: Code: 1371 2151 - EAN: 3475710557026
3 m: Code: 1353 2151 - EAN: 3475710557095
4 m: Code: 1391 2151 - EAN: 3475710557040



5




4


Ceramic



2406 - Luna Grey




1



2

Vinyl backing rolls
Fully adhered



6

6-Confetti Light Grey
2 m: Code: 1371 2352 - EAN: 3475710608247
3 m: Code: 1353 2352 - EAN: 3475710652905
4 m: Code: 1391 2352 - EAN: 3475710607714



2352 - Confetti Light Grey



3



4



2226 - Cordoba Black & White

1-Luna Grey
2 m: Code: 1371 2406 - EAN: 3475710656231
4 m: Code: 1391 2406 - EAN: 3475710649363

2-Iron
2 m: Code: 1399 2404 - EAN: 3475710648441
4 m: Code: 1397 2404 - EAN: 3475710648427

3-Provence Black & White
2 m: Code: 1371 1981 - EAN: 3475710414176
3 m: Code: 1353 1981 - EAN: 3475710471971
4 m: Code: 1391 1981 - EAN: 3475710373299

4-Cordoba Black & White
2 m: Code: 1371 2226 - EAN: 3475710463662
4 m: Code: 1391 2226 - EAN: 3475710463150

booster

Ceramic



1-Volcano Light Grey
 2 m: Code: 1371 2186 - EAN: 3475710432415
 4 m: Code: 1391 2186 - EAN: 3475710432354

2-Basal Mouse
 2 m: Code: 1371 1168 - EAN: 3475710628153
 3 m: Code: 1353 1168 - EAN: 3475710628092
 4 m: Code: 1391 1168 - EAN: 3475710628061



Technical Characteristics

			Diamalite	Diam. Grain	Pureclean
Description					
Total thickness	EN ISO 24346	mm	2.60		
Wearlayer thickness	EN ISO 24340	mm	0.25		
Weight / Mass per unit area	EN ISO 23997	g/sqm	1500	1725	
Width of sheet	EN ISO 24381	m	2 / 3 / 4		
Length of sheet	EN ISO 24341	ml	± 30		
Classification					
Norm / Product specification	-	-	EN ISO 26986		
Sound insulation	EN ISO 717/2	dB	19		
Room impact noise	NF S 31074	class	A		
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	C _{fl} -s1		
Slip resistance wet: ramp test with oil	DIN 51 130	class	-	R10	
Performances					
Wear group	EN 660-2	group	T		
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05		
Residual indentation (average value measured)	EN ISO 24343-1	mm	0.25		
Residual indentation (requirement)	EN ISO 24343-2	mm	< 0.35		
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25		
Colour fastness	EN 20 105-B02	degree	> 6		
Surface treatment	-	-	Diamalite	Diam. Grain	Pureclean
Guarantee		year	10		
Environment					
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100		
French norm	-	-	A+		
Floorscore (US norm)	-	-	OK		
CE Marking					
	EN 14041				

Areas of use: domestic use



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation

Vinyl backing rolls Fully adhered

start

MADE IN
FRANCE




Comfortable


Economical


**Installation with
acrylic glue**




  Scan and
discover
INTERIOR
DESIGNER

Vinyl backing rolls
Fully adhered

start



- 1- Manitoba Erable**
4 m: Code: 1838 0046 - EAN: 3475710103483
- 2-Ardentes Noyer**
4 m: Code: 1840 0025 - EAN: 3475710037115
- 3-Turku Clair**
4 m: Code: 1840 0381 - EAN: 3475710081194
- 4-Cajou Oak**
4 m: Code: 1840 1150 - EAN: 3475710223341
- 5-Noma Clear**
2 m: Code: 1270 1727 - EAN: 3475710561245
4 m: Code: 1840 1727 - EAN: 3475710561221
- 6-Gravel Beige**
2 m: Code: 1270 0711 - EAN: 3475710168581
4 m: Code: 1840 0711 - EAN: 3475710168543
- 7-Silice Gris**
2 m: Code: 1270 0011 - EAN: 3475710089244
3 m: Code: 1774 0011 - EAN: 3475710089237
4 m: Code: 1840 0011 - EAN: 3475710089220
- 8-Biarritz Acier**
4 m: Code: 1840 1108 - EAN: 3475710186172




0711 - Gravel Beige

Vinyl backing rolls
Fully adhered



0015 - Damier Black & White



1

- 1-Damier Black & White**
 2 m: Code: 1276 0015 - EAN: 3475710166662
 3 m: Code: 1774 0115 - EAN: 3475710089299
 4 m: Code: 1840 0115 - EAN: 3475710089282
- 2-Marl Grey**
 2 m: Code: 1270 1582 - EAN: 3475710256097
 3 m: Code: 1774 1582 - EAN: 3475710256080
 4 m: Code: 1840 1582 - EAN: 3475710256073
- 3-Harlem Beige**
 2 m: Code: 1270 1791 - EAN: 3475710561238
 4 m: Code: 1840 1791 - EAN: 3475710561214



2



3



1582 - Marl Grey

Technical Characteristics

Description			
Total thickness	EN ISO 24346	mm	1.20
Wearlayer thickness	EN ISO 24340	mm	0.15
Weight / Mass per unit area	EN ISO 23997	g/sqm	1075
Width of sheet	EN ISO 24381	m	2 / 3 / 4
Length of sheet	EN ISO 24341	ml	± 35

Classification			
Norm / Product specification	-	-	EN ISO 26986
Sound insulation	EN ISO 717/2	dB	10
Room impact noise	NF S 31074	class	A
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	B _{fl} -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	-

Performances			
Wear group	EN 660-2	group	T
Residual indentation (average value measured)	EN ISO 24343-1	mm	-
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	> 6
Surface treatment	-	-	Diamalite
Guarantee		year	5

Environment			
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+

CE Marking			
CE	EN 14041		

Areas of use: domestic use



SCAN AND DISCOVER

- The complete range
- Laying
- Video installation



Index

Range	Design color	Design color code	Design	Size of the design	Alternative laying	Pattern repeat	Page
BOOSTER	BASAL MOUSE	13911168	Tile	33,3 × 66,6	No	1333 × 1000	106
BOOSTER	BOSTON BLOND	13911618	Wood	100 × 10	No	1000 × 1000	100
BOOSTER	BOSTON HONEY	13911167	Wood	100 × 10	No	1000 × 1000	103
BOOSTER	BROADWAY STORM	13971595	All Over	Uni	Yes	1000 × 1000	104
BOOSTER	CASTLE CLEAR	13911918	Wood	133,3 × 20	No	1333 × 1000	100
BOOSTER	CASTLE WHITE	13911801	Wood	133,3 × 20	No	1333 × 1000	100
BOOSTER	CONFETTI LIGHT GREY	13912352	All Over	Uni	Yes	1000 × 1000	104
BOOSTER	CORDOBA BLACK & WHITE	13912226	Tile	25 × 25	No	1000 × 1000	105
BOOSTER	EMPIRE CLASSIC	13912090	Wood	20 × 133	No	1333 × 1000	100
BOOSTER	FARM PECAN	13911393	Wood	16,7 × 100	No	1000 × 1000	100
BOOSTER	HUDSON BLOND	13911887	Wood	133,3 × 20	No	1333 × 1000	100
BOOSTER	HUDSON PEARL	13911880	Wood	133,3 × 20	No	1333 × 1000	100
BOOSTER	IRON	13972404	Graphic	Uni	Yes	1000 × 1000	105
BOOSTER	JERSEY CLEAR	13911894	Wood	133,3 × 20	No	1333 × 1000	100
BOOSTER	LODGE CLEAR	13912354	Wood	5,5 × 100	No	1000 × 1000	102
BOOSTER	LUNA GREY	13912406	Tile	50 × 50	No	1000 × 1000	105
BOOSTER	MADRAS SILVER	13751593	All Over	Uni	Yes	0 × 0	104
BOOSTER	MADRAS STORM	13911734	All Over	Uni	Yes	0 × 0	104
BOOSTER	MADRAS WHITE	13911479	All Over	Uni	Yes	0 × 0	104
BOOSTER	PROVENCE BLACK & WHITE	13911981	Tile	20 × 20	No	1000 × 1000	105
BOOSTER	SANTAFE PEARL	13911873	Wood	10 × 33/67/100	No	1333 × 1000	100
BOOSTER	SEASIDE BLUE	13912216	Wood	500 × 100	No	1000 × 1000	103
BOOSTER	SHADE LIGHT GREY	13912151	All Over	Uni	Yes	1000 × 1000	104
BOOSTER	SHERWOOD LIGHT BROWN	13912353	Wood	25 × 133,3	No	1333 × 1000	102
BOOSTER	SHERWOOD MEDIUM	13912467	Wood	25 × 133,3	No	1333 × 1000	102
BOOSTER	SHERWOOD NATURE	13912318	Wood	25 × 133,3	No	1333 × 1000	102
BOOSTER	SHERWOOD SWEET	13911166	Wood	25 × 133,3	No	1333 × 1000	103
BOOSTER	TORONTO CLAIR	13910762	Wood	16,8 × 133,3	No	1333 × 1000	103
BOOSTER	VOLCANO LIGHT GREY	13912186	Tile	50 × 25	No	1000 × 1000	106
HQR	BOUTIC CLEAR	13932170	Wood	133,3 × 20	No	1333 × 1000	42
HQR	BOUTIC LIGHT GREY	13932169	Wood	133,3 × 20	No	1333 × 1000	42
HQR	BOUTIC MEDIUM	13932168	Wood	133,3 × 20	No	1333 × 1000	44
HQR	BOUTIC NATUREL	13932171	Wood	133,3 × 20	No	1333 × 1000	45
HQR	CASTLE BLOND	13931802	Wood	133,3 × 20	No	1333 × 1000	45
HQR	CASTLE BROWN	13931846	Wood	133,3 × 20	No	1333 × 1000	44
HQR	ELEGANT GREY	13932005	Wood	20 × 100	No	1000 × 1000	43
HQR	ELEGANT WHITE	13931986	Wood	20 × 100	No	1000 × 1000	42
HQR	HARLEM CLEAR	13931808	All Over	All Over	Yes	1000 × 1000	47
HQR	HARLEM DARK	13931787	All Over	All Over	Yes	1000 × 1000	47
HQR	HARLEM FER	13931876	All Over	All Over	Yes	1000 × 1000	47
HQR	HARLEM LIGHT GREY	13931788	All Over	All Over	Yes	1000 × 1000	47
HQR	LODGE MILK	13931439	Wood	5,5 × 100	No	1000 × 1000	42
HQR	MACCHIATO BROWN	13932004	Wood	16,6 × 100	No	1000 × 1000	43
HQR	MACCHIATO NATUREL	13932003	Wood	16,6 × 100	No	1000 × 1000	45
HQR	MACCHIATO PEARL	13932002	Wood	16,6 × 100	No	1000 × 1000	42
HQR	NOMA KOLA	13931451	Wood	16,6 × 100	No	1000 × 1000	45
HQR	NOMA NATURE	13931778	Wood	16,6 × 100	No	1000 × 1000	44
HQR	NOMA PECAN	13931442	Wood	16,6 × 100	No	1000 × 1000	43
HQR	ROUGH CHOCOLATE	13932219	All Over	All Over	Yes	1000 × 1000	46
HQR	ROUGH LIGHT GREY	13932225	All Over	All Over	Yes	1000 × 1000	46
HQR	ROUGH TAUPE	13932218	All Over	All Over	Yes	1000 × 1000	46
HQR	SISAL CREAM	13932211	All Over	All Over	No	1000 × 1000	48
HQR	TIMBER CLEAR	13930720	Wood	16 × 100	No	1000 × 1000	45
HQR	WALDEN BLOND	13931985	Wood	40,5 - 92,5	No	1333 × 1000	44
HQR	WALDEN BROWN	13931984	Wood	40,5 - 92,5	No	1333 × 1000	44
HQR NATURE	AZAY CREAM	12072346	Wood	10 × 25	No	1000 × 1000	22
HQR NATURE	AZAY HONEY	12072416	Wood	10 × 25	No	1000 × 1000	22
HQR NATURE	BARI CREAM	12072417	All Over	Uni	Yes	1000 × 1000	25
HQR NATURE	BERRY BLUE	12072418	Tile	25 × 25	Yes	1000 × 1000	25
HQR NATURE	COTTAGE BLOND	12072413	Wood	20 × 1333	No	2000 × 1333	23
HQR NATURE	COTTAGE BROWN	12072426	Wood	20 × 1333	No	2000 × 1333	23
HQR NATURE	COTTAGE CLEAR	12072415	Wood	20 × 1333	No	2000 × 1333	23
HQR NATURE	COTTAGE GOLDEN	12072414	Wood	20 × 1333	No	2000 × 1333	23
HQR NATURE	COTTAGE HONEY	12072427	Wood	20 × 1333	No	2000 × 1333	23
HQR NATURE	HERA HONEY	12072412	Wood	10 × 70,5	No	2000 × 1000	24
HQR NATURE	HERA LIGHT	12072411	Wood	10 × 70,5	No	2000 × 1000	24
HQR NATURE	OTELO BROWN	12072465	Wood	133 × 16,6	No	1333 × 2000	24
HQR NATURE	OTELO HONEY	12072466	Wood	133 × 16,6	No	1333 × 2000	24
HQR NATURE	OTELO NUTMEG	12072464	Wood	133 × 16,6	No	1333 × 2000	24
HQR NATURE	PATINA CREAM	12072401	All Over	Uni	Yes	1000 × 1000	26
HQR NATURE	PATINA DARK	12072420	All Over	Uni	Yes	1000 × 1000	26
HQR NATURE	PATINA GREY	12072419	All Over	Uni	Yes	1000 × 1000	26
HQR NATURE	VICTORIA NATURAL	12072388	Tile	33,3 × 33,3 / 33,3 × 16,6 / 16,6 × 16,6	Yes	1000 × 1000	26
LOFTEX	BOUTIC CLEAR	24942170	Wood	133,3 × 20	No	1333 × 1000	70

Index

Range	Design color	Design color code	Design	Size of the design	Alternative laying	Pattern repeat	Page
LOFTEX	BOUTIC GOLDEN	24942397	Wood	133,3 × 20	No	1333 × 1000	71
LOFTEX	BOUTIC LIGHT GREY	24942169	Wood	133,3 × 20	No	1333 × 1000	70
LOFTEX	BOUTIC MEDIUM	24942168	Wood	133,3 × 20	No	1333 × 1000	71
LOFTEX	BOUTIC NATUREL	24942171	Wood	133,3 × 20	No	1333 × 1000	71
LOFTEX	CANOPY HAZELNUT	24942289	Wood	20 × 133	No	1333 × 1000	70
LOFTEX	CANOPY NUTMEG	24942291	Wood	20 × 133	No	1333 × 1000	70
LOFTEX	CANOPY SESAME	24942290	Wood	20 × 133	No	1333 × 1000	70
LOFTEX	LEONE CREAM	24942135	All Over	Uni	Yes	2000 × 1000	72
LOFTEX	LEONE METAL	24942132	All Over	Uni	Yes	2000 × 1000	72
LOFTEX	LEONE URANUS	24942294	All Over	Uni	Yes	2000 × 1000	72
LOFTEX	LUX BLOND	24942167	Wood	133,3 × 27-25-18-15	No	1333 × 2000	71
LOFTEX	LUX NATURAL	24942166	Wood	133,3 × 27-25-18-15	No	1333 × 2000	71
LOFTEX	NEVADA CREAM	24942163	Tile	33,3 × 66,6	No	1333 × 1000	72
LOFTEX	NEVADA LIGHT GREY	24942164	Tile	33,3 × 66,6	No	1333 × 1000	72
NEROK 55	BROOKLYN BLUE	28122249	All Over	-	Yes	1000 × 1000	92
NEROK 55	BROOKLYN SILVER	28122253	All Over	-	Yes	1000 × 1000	92
NEROK 55	CHENE LIGHT	28120669	Wood	35/31,5/33,5 × 6,2	No	1000 × 1000	91
NEROK 55	FACTORY WHITE	28121518	Wood	16,6 × 100	No	1000 × 1000	92
NEROK 55	HARBOR BLUE	28121893	Wood	4,6/5/6/9/11/12 × 40/44/60/78/85/97	No	1333 × 1000	92
NEROK 55	LEONE ANTHRACITE	28122133	All Over	-	Yes	2000 × 1000	95
NEROK 55	LEONE BROWN	28122134	All Over	-	Yes	2000 × 1000	95
NEROK 55	LEONE CREAM	28122135	All Over	-	Yes	2000 × 1000	94
NEROK 55	LEONE METAL	28122132	All Over	-	Yes	2000 × 1000	95
NEROK 55	LEONE MOUSE	28122131	All Over	-	Yes	2000 × 1000	94
NEROK 55	NEWPORT CLEAR	28122244	Wood	133,3 × 20	No	1333 × 1000	92
NEROK 55	NEWPORT NATURAL	28122245	Wood	133,3 × 20	No	1333 × 1000	91
NEROK 55	NOMA KOLA	28121451	Wood	16,6 × 100	No	1000 × 1000	91
NEROK 55	NOMA MIEL	28120476	Wood	16,6 × 100	No	1000 × 1000	91
NEROK 55	OAK SELECT COUNTRY	28122242	Wood	-	Yes	1000 × 1000	91
NEROK 55	OAK SELECT GREY	28121430	Wood	-	Yes	1000 × 1000	92
NEROK 55	PIXEL ANTHRACITE	28120632	All Over	-	Yes	1000 × 1000	96
NEROK 55	PIXEL BLACK	28122179	All Over	-	Yes	1000 × 1000	96
NEROK 55	PIXEL CLEAR	28122175	All Over	-	Yes	1000 × 1000	94
NEROK 55	PIXEL MEADOW	28122181	All Over	-	Yes	1000 × 1000	96
NEROK 55	PIXEL OCEAN	28122182	All Over	-	Yes	1000 × 1000	96
NEROK 55	PIXEL PAPRIKA	28122178	All Over	-	Yes	1000 × 1000	96
NEROK 55	PIXEL SAND	28120639	All Over	-	Yes	1000 × 1000	94
NEROK 55	PIXEL SILVER	28120597	All Over	-	Yes	1000 × 1000	94
NEROK 55	PIXEL TAUPE	28122176	All Over	-	Yes	1000 × 1000	96
NEROK 55	PIXEL VANILLA	28120621	All Over	-	Yes	1000 × 1000	94
NEROK 55	SHADE ANTHRACITE	28122153	All Over	-	Yes	1000 × 1000	92
NEROK 55	SHADE GREY	28122152	All Over	-	Yes	1000 × 1000	92
NEROK 55	SHADE LIGHT GREY	28122151	All Over	-	Yes	1000 × 1000	92
NEROK 55	SHERWOOD BLOND	28122013	Wood	25 × 133,3	No	1333 × 1000	90
NEROK 55	SHERWOOD BROWN	28122015	Wood	25 × 133,3	No	1333 × 1000	90
NEROK 55	SHERWOOD CLEAR	28122012	Wood	25 × 133,3	No	1333 × 1000	90
NEROK 55	SHERWOOD GREY	28122017	Wood	25 × 133,3	No	1333 × 1000	90
NEROK 55	TIMBER CABANA	28120492	Wood	16 × 100	No	1000 × 1000	91
NEROK 55	TIMBER CLEAR	28120720	Wood	16 × 100	No	1000 × 1000	91
NEROK 55	TIMBER GREY	28121751	Wood	16 × 100	No	1000 × 1000	91
NEROK 70	BROOKLYN BLUE	12372249	All Over	-	Yes	1000 × 1000	92
NEROK 70	BROOKLYN SILVER	12372253	All Over	-	Yes	1000 × 1000	92
NEROK 70	CHENE LIGHT	12370669	Wood	35/31,5/33,5 × 6,2	No	1000 × 1000	91
NEROK 70	FACTORY WHITE	12371518	Wood	16,6 × 100	No	1000 × 1000	92
NEROK 70	HARBOR BLUE	12371893	Wood	4,6/5/6/9/11/12 × 40/44/60/78/85/97	No	1333 × 1000	92
NEROK 70	LEONE ANTHRACITE	12372133	All Over	-	Yes	2000 × 1000	95
NEROK 70	LEONE BROWN	12372134	All Over	-	Yes	2000 × 1000	95
NEROK 70	LEONE CREAM	12372135	All Over	-	Yes	2000 × 1000	94
NEROK 70	LEONE METAL	12372132	All Over	-	Yes	2000 × 1000	95
NEROK 70	LEONE MOUSE	12372131	All Over	-	Yes	2000 × 1000	94
NEROK 70	NEWPORT CLEAR	12372244	Wood	133,3 × 20	No	1333 × 1000	92
NEROK 70	NEWPORT NATURAL	12372245	Wood	133,3 × 20	No	1333 × 1000	91
NEROK 70	NOMA KOLA	12371451	Wood	16,6 × 100	No	1000 × 1000	91
NEROK 70	NOMA MIEL	12370476	Wood	16,6 × 100	No	1000 × 1000	91
NEROK 70	OAK SELECT COUNTRY	12372242	Wood	-	Yes	1000 × 1000	91
NEROK 70	OAK SELECT GREY	12371430	Wood	-	Yes	1000 × 1000	92
NEROK 70	PIXEL ANTHRACITE	12370632	All Over	-	Yes	1000 × 1000	96
NEROK 70	PIXEL BLACK	12372179	All Over	-	Yes	1000 × 1000	96
NEROK 70	PIXEL CLEAR	12372175	All Over	-	Yes	1000 × 1000	94
NEROK 70	PIXEL MEADOW	12372181	All Over	-	Yes	1000 × 1000	96
NEROK 70	PIXEL OCEAN	12372182	All Over	-	Yes	1000 × 1000	96
NEROK 70	PIXEL PAPRIKA	12372178	All Over	-	Yes	1000 × 1000	96
NEROK 70	PIXEL SAND	12370639	All Over	-	Yes	1000 × 1000	94
NEROK 70	PIXEL SILVER	12370597	All Over	-	Yes	1000 × 1000	94
NEROK 70	PIXEL TAUPE	12372176	All Over	-	Yes	1000 × 1000	96

Range	Design color	Design color code	Design	Size of the design	Alternative laying	Pattern repeat	Page
NEROK 70	PIXEL VANILLA	12370621	All Over	-	Yes	1000 × 1000	94
NEROK 70	SHADE ANTHRACITE	12372153	All Over	-	Yes	1000 × 1000	92
NEROK 70	SHADE GREY	12372152	All Over	-	Yes	1000 × 1000	92
NEROK 70	SHADE LIGHT GREY	12372151	All Over	-	Yes	1000 × 1000	92
NEROK 70	SHERWOOD BLOND	12372013	Wood	25 × 133,3	No	1333 × 1000	90
NEROK 70	SHERWOOD BROWN	12372015	Wood	25 × 133,3	No	1333 × 1000	90
NEROK 70	SHERWOOD CLEAR	12372012	Wood	25 × 133,3	No	1333 × 1000	90
NEROK 70	SHERWOOD GREY	12372017	Wood	25 × 133,3	No	1333 × 1000	90
NEROK 70	TIMBER CABANA	12370492	Wood	16 × 100	No	1000 × 1000	91
NEROK 70	TIMBER CLEAR	12370720	Wood	16 × 100	No	1000 × 1000	91
NEROK 70	TIMBER GREY	12371751	Wood	16 × 100	No	1000 × 1000	91
NEROK TEX	AZAY CLEAR	27982369	Wood	10 × 25	No	1000 × 1000	52
NEROK TEX	AZAY LIGHT BROWN	27982370	Wood	10 × 25	No	1000 × 1000	52
NEROK TEX	ELEGANT CHESTNUT	27982274	Wood	20 × 100	No	1000 × 1000	52
NEROK TEX	ELEGANT TARTUFO	27982269	Wood	20 × 100	No	1000 × 1000	52
NEROK TEX	HARLEM BLANCHED ALMOND	27982368	All Over	All Over	Yes	1000 × 1000	54
NEROK TEX	HARLEM COLOMBE	27982284	All Over	All Over	Yes	1000 × 1000	54
NEROK TEX	HARLEM MERCURY	27982283	All Over	All Over	Yes	1000 × 1000	54
NEROK TEX	HARLEM MINK	27982285	All Over	All Over	Yes	1000 × 1000	54
NEROK TEX	HARLEM POWDER	27982287	All Over	All Over	Yes	1000 × 1000	54
NEROK TEX	HARLEM SLATE	27982282	All Over	All Over	Yes	1000 × 1000	54
NEROK TEX	HARLEM TIN	27982286	All Over	All Over	Yes	1000 × 1000	54
NEROK TEX	SHERWOOD CAPPUCINO	27982277	Wood	25 × 133,3	No	1333 × 1000	53
NEROK TEX	SHERWOOD CREAM	27982279	Wood	25 × 133,3	No	1333 × 1000	53
NEROK TEX	SHERWOOD FOG	27982275	Wood	25 × 133,3	No	1333 × 1000	53
NEROK TEX	SHERWOOD MAPLE	27982298	Wood	25 × 133,3	No	1333 × 1000	53
NEROK TEX	SHERWOOD NUT	27982276	Wood	25 × 133,3	No	1333 × 1000	53
PRIMETEX	AZAY BEIGE	15482309	Wood	10 × 25	No	1000 × 1000	76
PRIMETEX	AZAY BROWN	15482347	Wood	10 × 25	No	1000 × 1000	76
PRIMETEX	AZAY CREAM	15482346	Wood	10 × 25	No	1000 × 1000	76
PRIMETEX	BARI CLEAR	15482407	Tile	All Over	Yes	1000 × 1000	80
PRIMETEX	BASAL HAZE	15482392	Tile	33,3 × 66,6	No	1333 × 1000	80
PRIMETEX	CAJOU GREY	15481151	Wood	16,6 × 100	No	1000 × 1000	79
PRIMETEX	CAJOU HONEY	15481236	Wood	16,6 × 100	No	1000 × 1000	77
PRIMETEX	COGNAC BLANC	15482068	Wood	133,3 × 20	No	1333 × 1000	78
PRIMETEX	COGNAC BLOND	15482007	Wood	133,3 × 20	No	1333 × 1000	77
PRIMETEX	COGNAC GREY	15482016	Wood	133,3 × 20	No	1333 × 1000	79
PRIMETEX	COGNAC PEARL	15482006	Wood	133,3 × 20	No	1333 × 1000	77
PRIMETEX	COGNAC SCANDI OAK	15482350	Wood	133,3 × 20	No	1333 × 1000	76
PRIMETEX	CONFETTI EMERALD	15482393	All Over	Uni	Yes	1000 × 1000	80
PRIMETEX	CORK NATUREL	15480027	All Over	Uni	No	0 × 0	80
PRIMETEX	COTTAGE NATURAL	15482433	Wood	20 × 1333	No	2000 × 1333	76
PRIMETEX	COTTAGE SUN	15482462	Wood	20 × 1333	No	2000 × 1333	76
PRIMETEX	DAMIER BLACK & WHITE	15480015	Tile	16,6 × 16,6	No	332 × 332	80
PRIMETEX	DUNE GREY	15481589	All Over	Uni	Yes	1000 × 1000	81
PRIMETEX	DUNE WHITE	15481588	All Over	Uni	Yes	1000 × 1000	81
PRIMETEX	ELEGANT GOLDEN	15482391	Wood	20 × 100	No	1000 × 1000	78
PRIMETEX	EMPIRE LIGHT	15482390	Wood	20 × 133	No	1333 × 1000	78
PRIMETEX	FACTORY ANTHRACITE	15481532	Wood	16,6 × 100	No	1000 × 1000	79
PRIMETEX	FACTORY PECAN	15481533	Wood	16,6 × 100	No	1000 × 1000	77
PRIMETEX	FISHERMAN OCEAN	15481667	Wood	10 × 100	No	1000 × 1000	79
PRIMETEX	FISHERMAN WASHED	15481728	Wood	10 × 100	No	1000 × 1000	79
PRIMETEX	GRAVEL BEIGE	15480711	All Over	Uni	Yes	0 × 0	82
PRIMETEX	GRAVEL GREY	15480712	All Over	Uni	Yes	0 × 0	82
PRIMETEX	HERA HONEY	15482412	Wood	10 × 70,5	No	2000 × 1000	76
PRIMETEX	LEONE ANTHRACITE	15482133	All Over	Uni	Yes	2000 × 1000	81
PRIMETEX	LEONE CLEAR	15482064	All Over	Uni	Yes	2000 × 1000	81
PRIMETEX	LEONE POWDER	15482345	All Over	Uni	Yes	2000 × 1000	81
PRIMETEX	LODGE MILK	15481439	Wood	5,5 × 100	No	1000 × 1000	78
PRIMETEX	NEWPORT IVORY	15482320	Wood	133,3 × 20	No	1333 × 1000	78
PRIMETEX	NEWPORT VINALES	15482321	Wood	133,3 × 20	No	1333 × 1000	78
PRIMETEX	NEWPORT WHITE	15481528	Wood	133,3 × 20	No	1333 × 1000	78
PRIMETEX	TIMBER CLEAR	15480720	Wood	16 × 100	No	1000 × 1000	77
PRIMETEX	TIMBER GOLDEN	15482351	Wood	16 × 100	No	1000 × 1000	76
PRIMETEX	TIMBER MEDIUM	15480721	Wood	16 × 100	No	1000 × 1000	77
START	ARDENTES NOYER	18400025	Wood	3,3 × 16,6	No	500 × 500	110
START	BIARRITZ ACIER	18401108	All Over	all over	Yes	0 × 0	111
START	CAJOU OAK	18401150	Wood	16,6 × 100	No	1000 × 1000	110
START	DAMIER BLACK & WHITE	18400115	Tile	16,6 × 16,6	No	332 × 332	112
START	GRAVEL BEIGE	18400711	All Over	All Over	Yes	0 × 0	111
START	HARLEM BEIGE	18401791	All Over	All Over	Yes	0 × 0	112
START	MANITOBA ERABLE	18380046	Wood	6,2 × 35 / 33,5 / 31,5	No	1000 × 500	110
START	MARL GREY	18401582	All Over	-	Yes	0 × 0	112
START	NOMA CLEAR	18401727	Wood	16,6 × 100	No	1000 × 1000	110
START	SILICE GRIS	18400011	All Over	All Over	Yes	0 × 0	111

Index

Range	Design color	Design color code	Design	Size of the design	Alternative laying	Pattern repeat	Page
START	TURKU CLAIR	18400381	Wood	7 x 61,5 / 30,8 / 41 / 71,6	No	1333 x 1000	110
TEXLINE	ALMA GREY	15192300	Tile	16,6 x 16,6	No	1000 x 1000	63
TEXLINE	AZAY BEIGE	15192309	Wood	10 x 25	No	1000 x 1000	60
TEXLINE	AZAY GOLD	15192307	Wood	10 x 25	No	1000 x 1000	60
TEXLINE	AZAY LIGHT GREY	15192308	Wood	10 x 25	No	1000 x 1000	60
TEXLINE	COMETE LIGHT GREY	15192314	All Over	Uni	Yes	1000 x 1000	64
TEXLINE	COMETE MEDIUM GREY	15192315	All Over	Uni	Yes	1000 x 1000	64
TEXLINE	CONFETTI BEIGE	15192144	All Over	Uni	Yes	1000 x 1000	65
TEXLINE	FJORD BLACK	15192011	Tile	30 x 60	No	1333 x 1000	64
TEXLINE	FJORD LIGHT GREY	15191949	Tile	30 x 60	No	1333 x 1000	64
TEXLINE	GASTOWN MINERAL	15192311	Tile	16,6 x 33,3	No	1000 x 1000	63
TEXLINE	HARBOR NATURE	15191900	Wood	4,6/5/6/9/11/12 x 40/44/60/78/85/97	No	1333 x 1000	62
TEXLINE	HARBOR PEARL	15191901	Wood	4,6/5/6/9/11/12 x 40/44/60/78/85/97	No	1333 x 1000	62
TEXLINE	HUDSON BLOND	15191887	Wood	133,3 x 20	No	1333 x 1000	61
TEXLINE	HUDSON PEARL	15191880	Wood	133,3 x 20	No	1333 x 1000	62
TEXLINE	HUDSON WHITE	15191879	Wood	133,3 x 20	No	1333 x 1000	60
TEXLINE	MADRAS GREY	15191051	All Over	Uni	Yes	0 x 0	66
TEXLINE	MADRAS STORM	15191734	All Over	Uni	Yes	0 x 0	66
TEXLINE	NOMA BLANC	15190515	Wood	16,6 x 100	No	1000 x 1000	60
TEXLINE	NOMA BLOND	15191731	Wood	16,6 x 100	No	1000 x 1000	58
TEXLINE	NOMA CLEAR	15191727	Wood	16,6 x 100	No	1000 x 1000	61
TEXLINE	NOMA MIEL	15190476	Wood	16,6 x 100	No	1000 x 1000	58
TEXLINE	OTELO BEIGE	15192306	Wood	133 x 16,6	No	1333 x 2000	58
TEXLINE	OTELO GOLDEN	15192305	Wood	133 x 16,6	No	1333 x 2000	58
TEXLINE	OTELO LIGHT GREY	15192303	Wood	133 x 16,6	No	1333 x 2000	58
TEXLINE	OTELO NATURAL	15192304	Wood	133 x 16,6	No	1333 x 2000	58
TEXLINE	OTELO WHITE	15192302	Wood	133 x 16,6	No	1333 x 2000	58
TEXLINE	PROVENCE BLACK & WHITE	15191981	Tile	20 x 20	No	1000 x 1000	63
TEXLINE	PROVENCE CREME	15191955	Tile	20 x 20	No	1000 x 1000	63
TEXLINE	SHADE ANTHRACITE	15192153	All Over	Uni	Yes	1000 x 1000	66
TEXLINE	SHADE GREY	15192152	All Over	Uni	Yes	1000 x 1000	66
TEXLINE	SHADE LIGHT GREY	15192151	All Over	Uni	Yes	1000 x 1000	66
TEXLINE	SHADE WHITE	15192150	All Over	Uni	Yes	1000 x 1000	66
TEXLINE	SHERWOOD BLOND	15192013	Wood	25 x 133,3	No	1333 x 1000	58
TEXLINE	SHERWOOD BROWN	15192015	Wood	25 x 133,3	No	1333 x 1000	58
TEXLINE	SHERWOOD CLEAR	15192012	Wood	25 x 133,3	No	1333 x 1000	61
TEXLINE	SHERWOOD DARK	15192014	Wood	25 x 133,3	No	1333 x 1000	62
TEXLINE	SHERWOOD GREY	15192017	Wood	25 x 133,3	No	1333 x 1000	62
TEXLINE	SHERWOOD WHITE	15192137	Wood	25 x 133,3	No	1333 x 1000	60
TEXLINE	TERRAZINO MINERAL	15192235	All Over	Uni	Yes	1000 x 1000	65
TEXLINE	TIMBER CLASSIC	15191736	Wood	16 x 100	No	1000 x 1000	61
TEXLINE	TIMBER LIGHT	15191749	Wood	16 x 100	No	1000 x 1000	61
TEXLINE	TIMBER NATUREL	15191740	Wood	16 x 100	No	1000 x 1000	61
TEXLINE NATURE	CONFETTI BEIGE	18942144	All Over	Uni	Yes	1000 x 1000	34
TEXLINE NATURE	ETNA LIGHT	18942396	Tile	50 x 50	No	2000 x 1000	34
TEXLINE NATURE	FOREST BIRCH	18942384	Wood	133,3 x 20	No	2000 x 1333	30
TEXLINE NATURE	FOREST CREAM	18942394	Wood	133,3 x 20	No	2000 x 1333	30
TEXLINE NATURE	FOREST GOLD	18942383	Wood	133,3 x 20	No	2000 x 1333	30
TEXLINE NATURE	FOREST HONEY	18942385	Wood	133,3 x 20	No	2000 x 1333	30
TEXLINE NATURE	FOREST PANGA	18942386	Wood	133,3 x 20	No	2000 x 1333	30
TEXLINE NATURE	HEXA CREAM	18942381	Tile	20 x 20	No	1000 x 1000	34
TEXLINE NATURE	KONKRET DOVE	18942389	All Over	Uni	Yes	1000 x 1000	35
TEXLINE NATURE	KONKRET MELT	18942245	All Over	Uni	Yes	1000 x 1000	35
TEXLINE NATURE	LEONE CHARCOAL	18942380	All Over	Uni	Yes	2000 x 1000	37
TEXLINE NATURE	LEONE DESERT	18942378	All Over	Uni	Yes	2000 x 1000	37
TEXLINE NATURE	LEONE GREYSTONE	18942379	All Over	Uni	Yes	2000 x 1000	37
TEXLINE NATURE	LODGE ALMOND	18942371	Wood	5,5 x 100	No	1000 x 1000	32
TEXLINE NATURE	LODGE WENGE	18942372	Wood	5,5 x 100	No	1000 x 1000	32
TEXLINE NATURE	MADRAS STORM	18941734	All Over	Uni	Yes	0 x 0	35
TEXLINE NATURE	NOMA BLANC	18940515	Wood	16,6 x 100	No	1000 x 1000	32
TEXLINE NATURE	NOMA CLEAR	18941727	Wood	16,6 x 100	No	1000 x 1000	32
TEXLINE NATURE	OSB Natural	18942373	Wood	Uni	No	1000 x 1000	37
TEXLINE NATURE	SHADE LIGHT GREY	18942151	All Over	Uni	Yes	1000 x 1000	37
TEXLINE NATURE	SHERWOOD BLOOM	18942395	Wood	25 x 133,3	No	1333 x 1000	30
TEXLINE NATURE	SHERWOOD CREAM	18942279	Wood	25 x 133,3	No	1333 x 1000	30
TEXLINE NATURE	SHERWOOD NUT	18942276	Wood	25 x 133,3	No	1333 x 1000	30
TEXLINE NATURE	SMOOTH EUCALYPTO	18942374	All Over	Uni	Yes	1000 x 1000	38
TEXLINE NATURE	SMOOTH SAND	18942377	All Over	Uni	Yes	1000 x 1000	38
TEXLINE NATURE	SMOOTH TEAROSE	18942375	All Over	Uni	Yes	1000 x 1000	38
TEXLINE NATURE	SMOOTH TIERRA	18942376	All Over	Uni	Yes	1000 x 1000	38
TEXLINE NATURE	WOODRING CLEAR	18942387	Wood	16,66 x différentes longueurs	No	2000 x 1333	32
TEXLINE NATURE	WOODRING HONEY	18942388	Wood	16,66 x différentes longueurs	No	2000 x 1333	32

How to care For your Gerflor floor

Safety tips

- Use plastic coasters or felt pads under the feet of furniture and other heavy objects.
- Protect from sources of heat and spills.



Cleaning

Regular cleaning: use a vacuum and a damp mop with a standard, no-rinse detergent solution. Gerflor recommends using its Power Cleaner for routine cleaning.

Deep cleaning (every 6-12 months): to make your floor shine like new again, use a restorative product. Gerflor recommends using its Renovator Polish to protect and enhance the look of your floor. It leaves a matte finish and brightens up colours.

Stubborn stains: use diluted bleach, white spirit, alcohol or lemon juice.

- Stains such as tomato sauce, mustard, beet juice, blood, ink and iodine: use diluted bleach, allowing it to sit for several minutes and then rinsing thoroughly.
- Rust stains: clean with fabric rust remover and rinse thoroughly.
- Marker, pen, grease and glue stains: rub gently with a cloth moistened with white spirit, and rinse thoroughly.

Products to avoid: acetone, chlorinated solvents such as trichlorethylene, wax, glaze.

ASIA: Gerflor Asia
Tel: +852 9222 6355 - Fax: +852 3006 1449
e-mail: gerflorasiasia@gerflor.com

AUSTRALIA/NEW ZEALAND: Gerflor Australasia Pty. Ltd
Australia Tel: +61 1 800 060 785
New Zealand Tel: + 64 0 800 630 119
e-mail: gerflor@gerflor.com.au

AUSTRIA/SWITZERLAND: Gerflor GmbH
Tel: +43 (0)72 29/70 800-0 - Fax: +43 (0)72 29/70 800-218
e-mail: austria@gerflor.com - switzerland@gerflor.com

BELGIUM/LUXEMBURG: Gerflor Benelux
Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14
e-mail: gerflorbe@gerflor.com

CANADA: Gerflor International
Tel: +1 438 333 0752 - Fax: +1 438 380 5425
e-mail: gerflorcanada@gerflor.com

CHINA: Gerflor floorings (China) Co. Ltd.
Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998
e-mail: gerflorchina@gerflor.com

CZECH REPUBLIC & SLOVAKIA: Gerflor CZ s.r.o.
Tel: +420 725 815 902

FINLAND: Gerflor Oy
Tel: +358 (0) 10 6 17 5150 - Fax: +358 (0) 10 617 5152
e-mail: info@gerflor.fi

FRANCE: Gerflor
Tel: 00 33 4 75 50 68 68 - Fax: 00 33 4 75 50 69 95
e-mail: serviceconso@gerflor.com

GERMANY: Gerflor Mipolam GmbH
Tel: +49 (0)22 41-25 30-0
e-mail: gerflormipolam@gerflor.com

IRELAND: Gerflor Ltd
Tel: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759
e-mail: gerflorir@gerflor.com

ITALY: Gerflor S.p.A.
Tel: +39 02 90 40 10 - Fax: +39 02 90 42 74 84
e-mail: gerfloritalia@gerflor.com

LATIN AMERICA (Brazil): Gerflor América Latina
Tel: +55 11 38 48 20 20
e-mail: gerflor@gerflor.com.br

MIDDLE EAST: Gerflor Middle East
Tel: +966 3 847 1779 - Fax: +966 3 847 1781
e-mail: info@gerflorme.com

NETHERLANDS: Gerflor Benelux
Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89
e-mail: gerflornl@gerflor.com

OTHER COUNTRIES: Gerflor International
Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13
e-mail: gerflorcontract@gerflor.com

POLAND: Gerflor Polska Sp z o.o
Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33
e-mail: info@gerflor.pl

PORTUGAL: Gerflor Iberia, SA
Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44
e-mail: gerflorportugal@gerflor.com

RUSSIA: Gerflor zao
Tel./Fax: + 7 495 785 23 71
e-mail: gerflorussia@gerflor.ru

SCANDINAVIA: Gerflor Scandinavia a.s.
Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80
e-mail: gerflorscand@gerflor.no


SPAIN: Gerflor Iberia, SA
Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85
e-mail: gerfloriberia@gerflor.com

UNITED KINGDOM: Gerflor Ltd
Sample service: Contractuk@gerflor.com
Office Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647

USA: Gerflor USA
Tel: 877 GERFLOR (437 3567) - Fax: 847 394 3753
e-mail: info@gerflorusa.com

follow us:     

We care / we act our commitments for 2030



More details: 1. Scopes 1, 2 & 3, in absolute value, market-based. Trajectory approved by SBTi (Science Based Targets Initiative). 2. Origin of raw materials for the entire Floor & Wall portfolio, on average, by weight; including 15% virgin salt, a primary element in vinyl manufacturing. Compared to 71% in 2024. 3. Average content in the Floor & Wall vinyl portfolio, by weight. Compared to 21% in 2024. 4. Recycled in our factories and recycling units. Compared to 59 040 tons in 2024. 5. % of Floor activity with non-glued products, easy to remove, easy to re-use. Compared to 40% in 2024. 6. 100% of vinyl and linoleum sold to the building market below 100 micrograms /m³ (TVOC 28 days). 7. % of Floor & Wall activity covered by Environmental Product Declarations (EPD). Compared to 44% in 2024. 8. % women in our global workforce and among our managers. Compared to respectively 26% and 27% in 2024. 9. % job openings filled with internal hires worldwide. Compared to 25% in 2024. 10. Towards 0 accident: Lost time accident per million hours worked: below 3 vs 8,9 in 2024, for Gerflor employees worldwide.

Gerflor[®]