



**IN STOCK
FOR FAST
DELIVERY**

Creation 55

LVT Essential Collection

Gerflor®

Creation 55

LVT Essential Collection

The **Creation 55 LVT Essential Collection** features our most popular realistic wood and mineral designs. Available in a variety of planks and tiles, that are stocked in the UK for **fast delivery**.

22 colours

5 sizes

100% UK stocked



Ultra-natural look & feel

Textures inspired by raw materials, with authentic, ultra-realistic finishing touches and embosses.

Acoustic & thermal comfort

Reduced footstep sounds, improved insulation, and comfortable underfoot.

Mix & Match


Coordinated collection allows endless laying patterns.

Full Design Concept

To complete your design, we offer matching skirtings and cover strips, lead-time applies.

Cleaning & Maintenance

Protecshield surface treatment offers ease of maintenance, micro scratch resistance and a matt surface.



Ultra natural look & feel

Our **pioneering flooring designs** are inspired by natural and architectural forms, including wood, stone and concrete. By applying new colour blends and surface treatments, we create unique, design-led embosses that are tailored to meet the needs of various commercial markets.



Scandinavian

A delicate surface, with a linear grain that accentuates the orientation of the material.



Authentic

Highlighting the wood's cathedral grain for a tactile realism.



Brushed

The sensory expression of rustic wood, with a structured and random surface.



Lounge Oak & Charming Oak

The emboss in registered surface perfectly follows the grain patterns for visual and tactile consistency.



Stone

A surface with a fine and uniform texture, evoking the subtle softness of polished stone or concrete.



Hammered


A surface with a slightly grainy feel, where subtle irregularities evoke the authenticity of stone.



Ballerina



0347 Ballerina
Y: 25.5

Plank 184x1219 | 
Herringbone 152x762



Ultra Realistic
Embossing

Honey Oak



0441 Honey Oak
Y: 27.7

Plank 184x1219 | 



Ultra Realistic
Embossing

Versailles Honey



+ Versailles Honey
co-ordinates with
Aquinoah Honey

1750 Versailles Honey
Y: 30.2

Tile 610x610




Aquinoah Honey



+ Aquinoah Honey
co-ordinates with
Versailles Honey


1706 Aquinoah Honey
Y: 22.7

Plank 184x1219
Herringbone 152x762



Ultra Realistic
Embossing

Versailles Blond



+ Versailles Blond
co-ordinates with
Aquinoah Blond

1751 Versailles Blond
Y: 35.0

Tile 610x610




Aquinoah Blond



+ Aquinoah Blond
co-ordinates with
Versailles Blond

1704 Aquinoah Blond
Y: 34.2

Plank 184x1219
Herringbone 152x762



Cedar Dark Brown



1605 Cedar Dark Brown
Y: 13.3

XL Plank 230x1500



Ultra Realistic
Embossing

Lounge Oak Beige



1272 Lounge Oak Beige
Y: 33.9

XL Plank 230x1500



Emboss
in Register

Quartet Honey



0870 Quartet Honey
Y: 28.2

Plank 184x1219




Quartet



0503 Quartet
Y: 19.4

Plank 184x1219
Herringbone 152x762



Bostonian Oak Beige



0853 Bostonian Oak Beige
Y: 36.7

Plank 184x1219



Ranch



0456 Ranch
Y: 23.5

Plank 184x1219



Cedar Natural



1607 Cedar Natural
Y: 34.2

XL Plank 230x1500



Cedar Brown



0850 Cedar Brown
Y: 21.3

XL Plank 230x1500



Lounge Oak Natural



1273 Lounge Oak Natural
Y: 30.2

XL Plank 230x1500



Emboss
in Register

Lounge Oak Golden



1271 Lounge Oak Golden
Y: 23.8

XL Plank 230x1500



Emboss
in Register

Twist



0504 Twist
Y: 38.9

Plank 184x1219 | Herringbone 152x762



Ultra Realistic
Embossing

Long Board



0455 Long Board
Y: 24.8

Plank 184x1219



Ultra Realistic
Embossing

Curton Stone Clear



1603 Curton Stone Clear
Y: 53.1

Tile 457x914



Curton Stone Taupe



1604 Curton Stone Taupe
Y: 34.4

Tile 457x914



Bloom Uni Pearl



1602 Bloom Uni Pearl
Y: 26.9

Tile 457x914



Bloom Uni Dark



1601 Bloom Uni Dark
Y: 10.9

Tile 457x914



Creation 55

LVT Essential Collection

Creation 55

Park Green, Macclesfield Cheshire, SK11 7LZ - Article code: C55ESS/BINDER26 - 1/2026 - Indicative documentation cost: £1.50

| Description | | | Dry Back |
|--|--------------|------------------|--|
| Thickness | EN ISO 24346 | mm | 2.50 |
| Wear Layer Thickness | EN ISO 24340 | mm | 0.55 |
| Weight | EN ISO 23997 | g/m ² | 3850 - 4410 |
| Size / Number of planks or tiles per box / Sqm per box | ISO 24342 | mm | Plank 184 × 1219 / 15 / 3.36 m ² XL Plank 230 × 1500 / 9 / 3.11 m ² Herringbone 152 × 762 / 33 / 3.82 m ² Tile 457 × 914 / 9 / 3.76 m ² Tile 610 × 610 / 9 / 3.35 m ² |

Classification

| | | | |
|------------------------------------|--------------|-------|--------------|
| Norm/Product Specification | - | - | EN ISO 10582 |
| European Classification | EN ISO 10874 | Class | 33 - 42 |
| Fire Rating | EN 13 501-1 | Class | Bfl-s1 |
| Static Electrical Propensity | EN 1815 | kV | < 2 |
| Slip Resistance Wet ⁽¹⁾ | DIN 51130 | Class | R10 |

Performances

| | | | |
|--|------------------|-----------------|---------------|
| Wear Resistance | EN 660.2 | mm ³ | < 2.0 |
| Wear Group | QB 30 | Group | T |
| Type Binder content | ISO 10582 | Type | I |
| Dimensional stability (norm) | EN ISO 23999 | % | ≤ 0.25 |
| Dimensional stability (average measured value) | - | % | ≤ 0.10 |
| Impact sound insulation | EN ISO 717-2 | dB | 4 |
| Room Impact | NF S 31074 | dB | 77 |
| Castor chair test | ISO 4918 | - | OK |
| Thermal Conductivity | EN ISO 10456 | W/(m.K) | 0.25 |
| Colour Fastness | EN ISO 105 - B02 | Degree | ≥ 6 |
| Surface Treatment | - | - | ProtecShield™ |
| Chemical Products Resistance | EN ISO 26987 | - | OK |

Environment / Indoor Air Quality

| | | | |
|----------------------------|-------------|-------------------|-------------|
| Recycled Content (average) | - | - | up to 35% |
| TVOC after 28 days | ISO 16000-6 | μ /m ³ | < 10 |
| Certification | - | - | Floorscore® |

CE Marking



EN 14041

-



(1) Ramp test with oil.

IMPORTANT: The information contained in this document is valid from 1/2026 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.

Contact us to order free samples

UNITED KINGDOM:

Gerflor Flooring UK Ltd
Park Green, Macclesfield,
Cheshire, SK11 7LZ
Tel: 01625 428922
E-mail: contractuk@gerflor.com
Visit: www.gerflor.co.uk

IRELAND:

Gerflor Ltd
Ballybay Road, Co. Monaghan,
A81 YD83, Republic of Ireland
Tel: +353 (0) 42 966 1431
E-mail: gerflorirl@gerflor.com
Visit: www.gerflor.ie