



Mural Revela

The easy to install, decorative and hardwearing wall covering solution


Gerflor[®]

Mural Revela

Create harmony between your floors & walls.




Mural Revela
Terrazzo Cobalt



Dalles Creation
Confetti Cobalt

Associate Mural Revela to the Creation collection



Full Creation collection on [gerflor.com](https://www.gerflor.com)



Creation: Confetti Cobalt - Mural Revela: Terrazzo Cobalt

Summary

05. **Decorative mural easy to install!**

06. **The Mural Revela range**

- 07. Alanya
- 08. Ampara
- 09. Baeza
- 10. Colima
- 11. Concrete Clear **NEW**
- 12. Concrete Cream **NEW**
- 13. Corabia
- 14. Hanoi
- 15. Kamina
- 16. Kampala
- 17. Liverpool
- 18. Marmor White **NEW**
- 19. Sarti
- 20. Terrazzo Cobalt **NEW**
- 21. Travertine Bone **NEW**
- 22. Ubeda
- 23. Vilnius
- 24. Wood Clear **NEW**
- 25. Zanzibar
- 26. Boulia Gloss
- 27. Derby Gloss
- 28. Marbre Noir Gloss **NEW**
- 29. Tanami Gloss

30. **Each project is unique**

31. **Mural Revela palette**

33. **Much more than a wall**

34. **Durable, waterproof and sustainable**

35. **Suitable for all types of installation**

36. **Our Commitments for a Sustainable future**

38. **Technical data**

[gerflor.com](https://www.gerflor.com) / follow us:



Decorative mural easy to install!



Waterproof product*

- Water resistant
- Washable product
- Installation in shower and/or bathtub area



Easy and quick to install

- Lightweight product that is easy to cut
- Can be installed in a third of the time it would take to install ceramic tiles
- The room's first use can be within 24 hours



Suitable for all surfaces

- Glue-down installation
- Suitable for new builds
- Refurbishment over existing ceramic tiles



Super realistic design

- Matte or glossy designs
- Tile and XL/XXL panel sizes
- Extra-thin joints
- Matched to Gerflor flooring



Durable design

- Groove/tongue assembly
- Rigid product



Full range

- Aluminium profile design, glues and sealants



100% in stock



Made in Belgium



Circularity

- Reach compliant
- 100% recyclable, eligible for the Second Life Program
- Contains up to 30% recycled products
- EPD Available

* Respecting the Gerflor installation guidelines

Marmor White



Alanya



7032 Alanya



65×37,5

90×260


120×260

Formats in cm

Ampara



7093 Ampara



Formats in cm

65×37,5

90×260



Baeza



7869 Baeza




65×37,5

90×260

Formats in cm

Colima



7052 Colima



65×37,5

90×260

Formats in cm

Concrete Clear



7101 Concrete Clear



Formats in cm

65×37,5



Concrete Cream



Formats in cm

65×37,5

7102 Concrete Cream



Corabia



Formats in cm

65×37,5

90×260

7035 Corabia



Hanoi



7918 Hanoi




Formats in cm

65×37,5

90×260



Kamina



7091 Kamina

65×37,5

90×260

120×260

Formats in cm

Kampala



65×37,5

90×260

Formats in cm

7915 Kampala

Liverpool



7911 Liverpool



65×37,5

90×260

Formats in cm



Marmor White



7099 Marmor White

Formats in cm

90×260



Sarti



7072 Sarti



65×37,5

90×260

Formats in cm

Terrazzo Cobalt



7100 Terrazzo Cobalt

Formats in cm

65×37,5



Travertine Bone



7095 Travertine Bone



*Design orientation varies depending on the format

Formats in cm*

65×37,5


90×260



Ubeda



7868 Ubeda




Formats in cm

Vilnius



7007 Vilnius



Formats in cm

Wood Clear



7096 Wood Clear



*Design orientation varies depending on the format

Zanzibar

Formats in cm*

65×37,5

90×260



65×37,5

90×260

Formats in cm

7053 Zanzibar

Boulia Gloss



65×37,5

90×260

Formats in cm

7097 Boulia Gloss

Derby Gloss



7059 Derby Gloss




65×37,5

90×260

Formats in cm



Marbre Noir Gloss



7098 Marbre Noir Gloss



Tanami Gloss



7029 Tanami Gloss



Formats in cm

90×260

65×37,5

90×260

120×260

Formats in cm


Each project is unique



The Revela Mural Wall collection offers super realistic designs with stone, concrete, wood or marble effects and is available in 3 sizes:

- Tiles: 65 × 37,5
- XL Panels: 90 × 260
- XXL Panels: 120 × 260

Designs with a warm touch, sizes that can be combined thanks to a tongue and groove system thus offering a wide Mix & Match choice, an understated joint and modern... the only key points in a unique project where every detail counts.




Mural Revela palette

Colors	Ref.	Tiles 65 x 37,5 cm	XL Panels 90x 260 cm	XXL Panels 120x 260 cm	NCS	LRV	DSDC
Alanya	7032	•	•	•	6502-R	11.0	1b
Ampara	7093	•	•		1002-B50G	72.2	2
Baeza	7869	•	•		4005-Y50R	28.2	2
Colima	7052	•	•		7000-N	11.9	2
Concrete Clear	7101	•			3500-N	39.5	-
Concrete Cream	7102	•			2005-Y30R	49.7	-
Corabia	7035	•	•		2005-Y50R	46.1	1b
Hanoi	7918	•	•		0603-G40Y	80.8	1a
Kamina	7091	•	•	•	3000-N	40.7	1b
Kampala	7915	•	•		3500-N	36.4	1b
Liverpool	7911	•	•		3000-N	41.5	1b
Marmor White	7099		•		1002-B50G	75.5	-
Sarti	7072	•	•		2000-N	55.9	2
Terrazzo Cobalt	7100	•			1002-Y	66.4	-
Travertine Bone	7095	•	•		2002-Y30R	54.6	-
Ubeda	7868	•	•	•	1502-G50Y	62.2	1b
Vilnius	7007	•	•		3000-N	43.5	2
Wood Clear	7096	•	•		3020-Y20R	38.8	-
Zanzibar	7053	•	•		2005-Y80R	48.6	2
Boulia Gloss	7097	•	•		2005-Y50R	49.2	2
Derby Gloss	7059	•	•		1002-B50G	66.9	2
Marbre Noir Gloss	7098		•		9000-N	1.8	-
Tanami Gloss	7029	•	•	•	0804-R70B	63.2	2

Much more than a wall



A complete solution with aluminum profiles for a perfect finish



U finishing trim

Product code: 0649 + color code



Aluminium - 0001




Black - 0002



White - 0003

NEW



Universal angle

Product code: 0644 + color code



Aluminium - 0001




Black - 0002



White - 0003

NEW



Internal angle

Product code: 0657 + color code



Aluminium - 0001




Black - 0002



White - 0003

NEW




L-profile external angle

Product code: 0653 + color code



Aluminium - 0001

NEW




Click finishing profile

Product code: 0643 + color code



Aluminium - 0001



Start trim

Product code: 0652 + color code



Aluminium - 0001


Glue & Sealant Revela
Revela fix : 0633 0001
Revela joint : 0634 0001



Durable, waterproof* and sustainable



Only 5mm thick but just as resistant as ceramic tiles



- 1 Polyurethane protective varnish
- 2 Decorative film
- 3 Intermediate stability layer
- 4 Rigid layer with recycled



- A groove/tongue system
- A compact and resistant product
- 100% waterproof* even in the shower and/or bathtub area
- A thin and trendy joint that does not go yellow
- A product that is easy to clean and maintain
- Durable designs that won't fade



Colima



Corabia

* By respecting the Gerflor installation protocol

Suitable for all types of installation




A product that is suitable for new builds, as well as refurbishments


- Direct installation on top of old ceramic tiles or on rough walls
- A rigid product that is suitable for all surfaces, even ones that have slightly deteriorated
- Suitable for refurbishments in busy environments



Before



After




Quick and easy to install

- Lightweight product, comfortable to install
- Easy material to work with and cut
- Clean, low dust construction site
- Quick and easy tongue and groove installation
- Reduced downtime, you can shower within first 24 hours after installation

Our Commitments for a Sustainable future



All Gerflor product ranges are developed according to a life cycle analysis model



we care / we act

2030 targets

The spaces where we live, work, and play have profound impact on our well-being and the health of our planet. As a leader in sustainable flooring, wall and finishes solutions, we embrace this responsibility. We invite you to join us on this journey. Together we can contribute to a more responsible future, one step at a time, because we care and we act.

we care for climate
we **act** with an ambitious decarbonization roadmap

-30% CO₂
scopes 1, 2, 3 in tons eq CO₂, vs 2019. Science Based Targets⁽¹⁾

we care for resources
we **act** with a more responsible sourcing

75% biobased, mineral and recycled content⁽²⁾ **30%** recycled content⁽³⁾

we care for circularity
we **act** by closing the loop and reducing waste

65 000 tons annual volume recycled⁽⁴⁾ **45%** looselay⁽⁵⁾

we care for your health and well-being
we **act** by creating safe and comfortable environments

100% products better than Indoor Air Quality standards⁽⁶⁾ **95%** sales covered by EPD⁽⁷⁾

we care for people
we **act** by offering a safe and inclusive workspace


30% women⁽⁸⁾ **40%** internal mobility⁽⁹⁾ **Towards 0** accident⁽¹⁰⁾

More details:

- Scopes 1, 2 & 3, in absolute value, market-based. Trajectory approved by SBTi (Science Based Targets Initiative).
- Origin of raw materials for the entire Floor & Wall portfolio, on average, by weight; including 15% virgin salt, a primary element in vinyl manufacturing. Compared to 71% in 2024.
- Average content in the Floor & Wall vinyl portfolio, by weight. Compared to 21% in 2024.
- Recycled in our factories and recycling units. Compared to 59 040 tons in 2024.
- % of Floor activity with non-glued products, easy to remove, easy to re-use. Compared to 40% in 2024.
- 100% of vinyl and linoleum sold to the building market below 100 micrograms /m² (TVOC 28 days).
- % of Floor & Wall activity covered by Environmental Product Declarations (EPD). Compared to 44% in 2024.
- % women in our global workforce and among our managers. Compared to respectively 26% and 27% in 2024.
- % job openings filled with internal hires worldwide. Compared to 25% in 2024.
- Towards 0 accident: Lost time accident per million hours worked: below 3 vs 8,9 in 2024, for Gerflor employees worldwide.

Technical data

Mural Revela

Description	Tile		Panel XL/XXL	
	Matt	Gloss	Matt	Gloss
Total Thickness	NF EN ISO 24346	mm	5	
Weight	NF EN ISO 23997	g/m ²	6750	7500
Size	NF EN ISO 24341	cm	65 × 37,5	
Chamfer	-	-	Yes	No
Phthalate free	-	-	Yes	Yes
Classification				
Norm/Product Specification	-	-	EN 15 102	
Fire Rating	EN 13501-1	class	D-s3,d0	
Performances				
Surface Treatment	-	-	OK	
Cleanability	EN 233	-	Washable	
Environment				
Recyclability	-	%	Up to 30	
Recycled content	-	%	100	
EPD	-	-	Available	
Health				
TVOC after 28 days	ISO 16516	µg/m ³	< 100	
CE Marking				
	EN 15102	-	OK	

Finishes, installation and maintenance guidelines: available on demand.

IMPORTANT: The information contained in this document is valid from 01/05/2026 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.

Packaging

	Tiles		XL Panel		XXL Panel	
	Matt	Gloss	Matt	Gloss	Matt	Gloss
Number of tiles / panels per box	-	8	2		1	
m ² / box	m ²	1,95	4,68		3,12	
Weight of the box	kg	± 13,5 ± 15	± 36 ± 39		± 25 ± 30	
Number of boxes per pallet	-	48	10		20	
m ² / pallet	m ²	93,6	46,8		62,4	





we care / we act our commitments for 2030

 <p>climate</p> <p>-30% CO₂ scopes 1, 2, 3 in tons eq. CO₂ vs 2019 Science Based Targets⁽¹⁾</p>	 <p>resources</p> <p>75% biobased, mineral and recycled content⁽²⁾</p> <p>30% recycled content⁽³⁾</p>	 <p>circularity</p> <p>65 000 tons annual volume recycled⁽⁴⁾</p> <p>45% looselay⁽⁵⁾</p>	 <p>health & well-being</p> <p>100% products better than Indoor Air Quality standards⁽⁶⁾</p> <p>95% sales covered by EPD⁽⁷⁾</p>	 <p>people</p> <p>30% women⁽⁸⁾</p> <p>40% internal mobility⁽⁹⁾</p> <p>Towards 0 accident⁽¹⁰⁾</p>
---	---	---	---	---



More details: 1. Scopes 1, 2 & 3, in absolute value, market-based. Trajectory approved by SBTi (Science Based Targets Initiative). 2. Origin of raw materials for the entire Floor & Wall portfolio, on average, by weight; including 15% virgin salt, a primary element in vinyl manufacturing. Compared to 71% in 2024. 3. Average content in the Floor & Wall vinyl portfolio, by weight. Compared to 21% in 2024. 4. Recycled in our factories and recycling units. Compared to 59 040 tons in 2024. 5. % of Floor activity with non-glued products, easy to remove, easy to re-use. Compared to 40% in 2024. 6. 100% of vinyl and linoleum sold to the building market below 100 micrograms/m³ (TVOC 28 days). 7. % of Floor & Wall activity covered by Environmental Product Declarations (EPD). Compared to 44% in 2024. 8. % women in our global workforce and among our managers. Compared to respectively 26% and 27% in 2024. 9. % job openings filled with internal hires worldwide. Compared to 25% in 2024. 10. Towards 0 accident: Lost time accident per million hours worked: below 3 vs 8,9 in 2024, for Gerflor employees worldwide.