



## Creation 30/55

The Reference in Tiles & Planks

**Gerflor**<sup>®</sup>

# Create without limits

85 colours

8 formats

# Creation Collection

Interior Designer



[interiordesigner.gerflor.com](http://interiordesigner.gerflor.com)

Samples



Format mm	Format inches	Tiles / Planks per Box	Sqm per box	Sqft per box
184x1219	71/4" x 48"	15	3.36	36.16
230x1500	9" x 59"	9	3.11	33.47
457x914	18" x 36"	9	3.76	40.47
610x610	24" x 24"	9	3.35	36.05
914x914	36" x 36"	5	4.18	44.99
152x762 HB	6" x 30"	33	3.82	41.11
133x800 HP	51/4" x 31 1/2"	30	3.20	34.44

Inspired by the latest interior design trends, a collection with **shades and woodgrains** carefully selected for perfect harmony.

## Ultra-natural look & feel

Textures inspired by raw materials, with authentic, ultra-realistic finishing touches.

## Acoustic & thermal comfort

Reduced footstep sounds, improved insulation, and a constant pleasant temperature assured.

## All your needs in one Collection

Available for every application and traffic requirement.

The images of floorcoverings in this catalogue have been reproduced as faithfully as printing technology permits

Creation: Aquinoan Nature + Luna Cobalt  
Mural Revela: Concrete Cream

# European Tiles & Planks Manufacturer since 1985

Code	Colour	Creation 30	Creation 55	Nb sqm per box	Nb tile/plank per box
0347	BALLERINA	184x1219mm / 7.25"x48"		3,36	15
0441	HONEY OAK	184x1219mm / 7.25"x48"		3,36	15
0455	LONG BOARD	184x1219mm / 7.25"x48"		3,36	15
0456	RANCH	184x1219mm / 7.25"x48"		3,36	15
0503	QUARTET	184x1219mm / 7.25"x48"		3,36	15
0504	TWIST	184x1219mm / 7.25"x48"		3,36	15
0545	QUARTET NATURAL	184x1219mm / 7.25"x48"		3,36	15
0584	WHITE LIME	184x1219mm / 7.25"x48"		3,36	15
0850	CEDAR BROWN	230x1500mm / 9"x59"		3,11	9
0851	BOSTONIAN OAK HONEY	184x1219mm / 7.25"x48"		3,36	15
0853	BOSTONIAN OAK BEIGE	184x1219mm / 7.25"x48"		3,36	15
0870	QUARTET HONEY	184x1219mm / 7.25"x48"		3,36	15
1271	LOUNGE OAK GOLDEN	230x1500mm / 9"x59"		3,11	9
1272	LOUNGE OAK BEIGE	230x1500mm / 9"x59"		3,11	9
1273	LOUNGE OAK NATURAL	230x1500mm / 9"x59"		3,11	9
1274	LOUNGE OAK CHESTNUT	230x1500mm / 9"x59"		3,11	9
1278	CHARMING OAK BEIGE	184x1219mm / 7.25"x48"		3,36	15
1279	CHARMING OAK GREY	184x1219mm / 7.25"x48"		3,36	15
1283	URBAN STREET LIGHT	—	914x914mm / 36"x36"	4,18	5
1284	URBAN STREET MEDIUM	—	914x914mm / 36"x36"	4,18	5
1561	TAMO NATURAL	184x1219mm / 7.25"x48"		3,36	15
1565	URBAN STREET CREAM	—	610x610mm / 24"x24"	3,35	9
1567	TAMO CLEAR	184x1219mm / 7.25"x48"		3,36	15
1568	TAMO LIGHT BROWN	184x1219mm / 7.25"x48"		3,36	15
1597	QUARTET DARK BROWN	184x1219mm / 7.25"x48"		3,36	15
1598	TAMO CREAM	184x1219mm / 7.25"x48"		3,36	15
1599	BLOOM UNI CLEAR	457x914 / 18"x36"		3,76	9
1600	BLOOM UNI CREAM	457x914 / 18"x36"		3,76	9
1601	BLOOM UNI DARK	457x914 / 18"x36"		3,76	9
1602	BLOOM UNI PEARL	457x914 / 18"x36"		3,76	9
1603	CURTON STONE CLEAR	457x914 / 18"x36"		3,76	9
1604	CURTON STONE TAUPE	457x914 / 18"x36"		3,76	9
1605	CEDAR DARK BROWN	230x1500mm / 9"x59"		3,11	9
1606	CEDAR GOLDEN	230x1500mm / 9"x59"		3,11	9
1607	CEDAR NATURAL	230x1500mm / 9"x59"		3,11	9
1701	LINEAR WOOD CLEAR	—	184x1219mm / 7.25"x48"	3,36	15
1702	LINEAR WOOD HONEY	—	184x1219mm / 7.25"x48"	3,36	15

1703	LINEAR WOOD NATURE	—	184x1219mm / 7.25"x48"	3,36	15
1704	AQUINOAH BLOND	184x1219mm / 7.25"x48"		3,36	15
1705	AQUINOAH BROWN	184x1219mm / 7.25"x48"		3,36	15
1706	AQUINOAH HONEY	184x1219mm / 7.25"x48"		3,36	15
1707	AQUINOAH NATURE	184x1219mm / 7.25"x48"		3,36	15
1708	SAVAGE OAK GREIGE	184x1219mm / 7.25"x48"		3,36	15
1709	SAVAGE OAK HONEY	184x1219mm / 7.25"x48"		3,36	15
1710	SAVAGE OAK SMOKED	184x1219mm / 7.25"x48"		3,36	15
1711	BACKYARD DARK	610x610mm / 24"x24"		3,35	9
1712	BACKYARD LIGHT BEIGE	610x610mm / 24"x24"		3,35	9
1713	BACKYARD TAUPE	610x610mm / 24"x24"		3,35	9
1714	CHARMING OAK SMOKED	184x1219mm / 7.25"x48"		3,36	15
1726	URBAN STREET AMBER	—	610x610mm / 24"x24"	3,35	9
1727	URBAN STREET COBALT	—	610x610mm / 24"x24"	3,35	9
1729	PARADISO BONE	—	457x914 / 18"x36"	3,76	9
1730	PARADISO CREAM	—	457x914 / 18"x36"	3,76	9
1742	SAHARA NOIR	—	457x914 / 18"x36"	3,76	9
1743	WHITE MARBLE	—	457x914 / 18"x36"	3,76	9
1744	CONFETTI AMBER	—	610x610mm / 24"x24"	3,35	9
1745	CONFETTI COBALT	—	610x610mm / 24"x24"	3,35	9
1747	LUNA AMBER	—	610x610mm / 24"x24"	3,35	9
1748	LUNA BEIGE	—	610x610mm / 24"x24"	3,35	9
1749	LUNA COBALT	—	610x610mm / 24"x24"	3,35	9
1750	VERSAILLES HONEY	—	610x610mm / 24"x24"	3,35	9
1751	VERSAILLES BLOND	—	610x610mm / 24"x24"	3,35	9
1704	AQUINOAH BLOND HP	—	133x800mm / 5.25"x31.50"	3.20	30
1706	AQUINOAH HONEY HP	—	133x800mm / 5.25"x31.50"	3.20	30
1704	AQUINOAH BLOND HB	—	152x762mm / 6"x30"	3.82	33
1706	AQUINOAH HONEY HB	—	152x762mm / 6"x30"	3.82	33
1707	AQUINOAH NATURE HB	—	152x762mm / 6"x30"	3.82	33
0347	BALLERINA HB	—	152x762mm / 6"x30"	3.82	33
0503	QUARTET HB	—	152x762mm / 6"x30"	3.82	33
0504	TWIST HB	—	152x762mm / 6"x30"	3.82	33
1757	RESIN MARBLE DP	—	496x996mm / 19.5"x39.2"	3,96	8

# Smart Design & Comfort by Creation



## ① Exclusive ProtecShield™ surface treatment


- Long-lasting Protection  
Micro scratch resistance
- Ease of maintenance  
Reduced water & detergent consumption
- Durable Matte finish

**Protecshield™**



## ② Smart design

Expanded design variation for minimized repetition




- 1 ProtecShield™ surface treatment
- 2 Ultrarealistic & embossed wear layer
- 3 High definition printed film
- 4 Acoustic top layer
- 5 Resilient core



# Sustainability, our signature

Recycled and mineral content focus to set  
a new standard

## Creation Dry Back Composition




## Continuous improvement of our EPD to reduce our impact

### 55 Dry Back\*

2<sup>nd</sup> smallest LCA (Life Cycle Assessment)

kg CO<sub>2</sub> eq/sqm



\*Comparison based on EPD on 25 years 100% landfill end of life





## **Sustainable cleaning protocol with ProtecShield™**

**Reduced water consumption**

**Reduced detergent need**

**Reduced carbon footprint**



## **Sustainability is also taking care of people**

### **Improved indoor air quality**

TVOC <10µg/m<sup>3</sup>

No phtalate in our tiles and planks

### **Optimised acoustic comfort**


Walking noise <79dB

### **Natural and biophilic design**


Design inspired by nature

# From floor to floor

Designs to create harmonious and beautifully coordinated spaces. To enhance the overall aesthetic of your place.




Versailles Honey



White Marble

Endless possibilities...



Versailles Honey - White Marble

# Tamo



# Lounge Oak



Lounge Oak Chestnut



Lounge Oak Natural



Lounge Oak Beige



Lounge Oak Golden

# Quartet



# Aquinoah



Aquinoah Honey



Aquinoah Brown



Aquinoah Blond



Aquinoah Nature

# Cedar



Cedar Brown



Cedar Natural



Cedar Golden



Cedar Dark Brown

# Savage Oak



Savage Oak Smoked



Savage Oak Greige



Savage Oak Honey



Bostonian Oak Honey



Twist




Ballerina





Bostonian Oak Beige



# Linear Wood



# Charming Oak



# Versailles, Herringbone, Hungarian point



Versailles Blond



Aquinoah Blond HP




Ballerina HB

# Bloom Uni



Bloom Uni Dark / Bloom Uni Clear



Bloom Uni Pearl



Bloom Uni Cream

# Curton Stone




Curton Stone Taupe



Curton Stone Clear

# Urban Street & Resin Marble



# Backyard



# Luna



Lounge Oak Beige / Luna Beige



Luna Amber




Luna Cobalt


# Terrazzo & Colours



Creation: Confetti Cobalt / Urban Street Cobalt  
Mural Revela: Terrazzo Cobalt



Urban Street Amber



Confetti Amber

# Marble



# Paradiso



# Creation 30 / 55

## Tamo



Ultra Realistic  
Embossing



1598 Tamo Cream



Dry Back: 30 / 55



1567 Tamo Clear



Dry Back: 30 / 55



1561 Tamo Natural



Dry Back: 30 / 55



1568 Tamo Light Brown



Dry Back: 30 / 55



Tamo Cream

Design shade variation:  Light  Medium

# Lounge Oak

  
Emboss  
in register

  
XL Plank



1272 Lounge Oak Beige  
 Dry Back: 30 / 55



1273 Lounge Oak Natural  
 Dry Back: 30 / 55



1271 Lounge Oak Golden  
 Dry Back: 30 / 55



1274 Lounge Oak Chesnut  
 Dry Back: 30 / 55



Lounge Oak Golden

Design shade variation:  Light  Medium

# Creation 30 / 55

## Quartet



Ultra Realistic  
Embossing



1597 Quartet Dark Brown



Dry Back: 30 / 55  
Dry Back Ac: 55



0503 Quartet



Dry Back: 30 / 55  
Dry Back Ac: 55



0870 Quartet Honey



Dry Back: 30 / 55  
Dry Back Ac: 55



Quartet Honey

0545 Quartet Natural



Dry Back: 30 / 55  
Dry Back Ac: 55





# Aquinoah




1706 Aquinoah Honey  
 Dry Back: 30 / 55  
 Clic: 55




1704 Aquinoah Blond  
 Dry Back: 30 / 55



1707 Aquinoah Nature  
 Dry Back: 30 / 55



1705 Aquinoah Brown  
 Dry Back: 30 / 55



Aquinoah Blond

# Creation 30 / 55

## Cedar



1607 Cedar Natural



0850 Cedar Brown



Dry Back: 30 / 55



1606 Cedar Golden



Dry Back: 30 / 55



1605 Cedar Dark Brown



Dry Back: 30 / 55



Cedar Golden

# Savage Oak



1708 Savage Oak Greige



Dry Back: 30 / 55



1709 Savage Oak Honey



Dry Back: 30 / 55  
Cllic: 55



1710 Savage Oak Smoked



Dry Back: 30 / 55  
Cllic: 55



Creation: Savage Oak Honey



White Lime



Creation: Long Board



Honey Oak



Ranch

# Creation 30 / 55



Ultra Realistic  
Embossing

White Lime

Ranch

Long Board

Honey Oak



0584 White Lime



Dry Back: 30 / 55  
Dry Back Ac: 55

0456 Ranch



Dry Back: 30 / 55  
Dry Back Ac: 55

0455 Long Board



Dry Back: 30 / 55  
Dry Back Ac: 55

0441 Honey Oak



Dry Back: 30 / 55  
Dry Back Ac: 55

# Creation 30 / 55



Ultra Realistic  
Embossing

## Bostonian Oak

## Twist

## Ballerina



0853 Bostonian Oak Beige

Dry Back: 30 / 55



0851 Bostonian Oak Honey

Dry Back: 30 / 55



0504 Twist

Dry Back: 30 / 55



0347 Ballerina

Dry Back: 30 / 55





Creation: Bostonian Oak Beige



Twist



Bostonian Oak Honey



Ballerina

# Creation 55

## Linear Wood



1701 Linear Wood Clear



Dry Back: 55

1702 Linear Wood Honey



Dry Back: 55

1703 Linear Wood Nature



Dry Back: 55



Creation: Linear Wood Clear

# Creation 30 / 55

## Charming Oak



1279 Charming Oak Grey



Dry Back: 30 / 55

1714 Charming Oak Smoked



Dry Back: 30 / 55



1278 Charming Oak Beige



Dry Back: 30 / 55

Charming Oak Beige

# Creation 55

Versailles 



1750 Versailles Honey  
Dry Back: 55

1751 Versailles Blond  
Dry Back: 55



1706 Aquinoah Honey

1704 Aquinoah Blond



Versailles Honey

# Herringbone



# Hungarian Point



Design shade variation:  Light  Medium




# Creation 55

## Concrete & Resin Marble



1283 Urban Street Light  
Dry Back: 55



1284 Urban Street Medium  
Dry Back: 55



1565 Urban Street Cream  
Dry Back: 55



Resin Marble / Urban Street Cream

\*Resin Marble



1757 Resin Marble  
Dry Back: 55




Color scan scale: 1/5



Smart Design by Gerflor offers twice the design variety for a floor that always looks unique.

# Creation 30 / 55

## Concrete



1711 Backyard Dark  
Dry Back: 30 / 55



1713 Backyard Taupe  
Dry Back: 30 / 55



1712 Backyard Light Beige  
Dry Back: 30 / 55



Design shade variation:  Light  Medium



Creation: Backyard Taupe

# Creation 55

## Luna



Lounge Oak Beige /Luna Amber



1749 Luna Cobalt

Dry Back: 55



1748 Luna Beige

Dry Back: 55



1747 Luna Amber

Dry Back: 55



# Terrazzo & Colours



1  
Dry Back: 55  
Clic Ac: 55



2  
Dry Back: 55



3  
Dry Back: 55



4  
Dry Back: 55



Confetti Amber / Urban Street Amber

- 1. 1745 Confetti Cobalt
- 2. 1727 Urban Street Cobalt
- 3. 1726 Urban Street Amber
- 4. 1744 Confetti Amber

Design shade variation:  Light  Medium

# Creation 55

## Marble & Travertin



1743 White Marble  
Dry Back: 55



1742 Sahara Noir  
Dry Back: 55



1729 Paradiso Bone  
Dry Back: 55



1730 Paradiso Cream  
Dry Back: 55



Creation: Paradiso Bone

# Ultra Natural Look & Feel

More than 60% of our collection is using our new emboss technology - designed by our Artistic Team.



## Scandinavian

A delicate surface, with a linear grain that accentuates the orientation of the material.



## Authentic

Highlighting the wood's cathedral grain for a tactile realism.



## Brushed

The sensory expression of rustic wood, with a structured and random surface.



## Lounge Oak & Charming Oak

The registered surface perfectly follows the grain patterns for visual and tactile consistency.



## Stone

A surface with a fine and uniform texture, evoking the subtle softness of the polished stone or concrete.



## Hammered

A surface with a slightly grainy feel, where subtle irregularities evoke the authenticity of stone.



In addition to these ultra realistic embossing, Protecshield™ surface treatment offers a velvet touch, with a matt surface, ease of maintenance and micro scratch resistance.

DESCRIPTION	STANDARD/NORMES	REQUIREMENTS / EXIGENCES	PLANKS & TILES LATTES & DALLES	
			CREATION 30	CREATION 55
Reference / Spécification*	ASTM F1700	-	Class III Type B / Classe III Type B	
Backing / Endos	ASTM F1303	-	100% made from recycled materials / 100% fabriqué à partir de matériaux recyclés	
Surface Treatment / Traitement de surface	-	-	Protectshield®	
Total thickness / Épaisseur totale	ASTM F386	-	2.0 mm	2.5 mm
Wearlayer Thickness / Couche d'usure	ASTM F410	-	0.30 mm [18 mil]	0.55 mm [22 mil]
Weight / Poids	-	-	3.46 kg / M <sup>2</sup> [0.71 lbs/ sqf]	3.85 kg / M <sup>2</sup> [0.78 lbs/ sqf]
Sizes / Dimensions	-	-	7¼" x 48" [184 x 1219 mm] ; 9" x 59" [230 x 1500 mm] ; 18" x 36" [457 x 914 mm] ; 24" x 24" [610 x 610 mm]	7¼" x 48" [184 x 1219 mm] ; 9" x 59" [230 x 1500 mm] ; 18" x 36" [457 x 914 mm] ; 24" x 24" [610 x 610 mm] ; 36" x 36" [914 x 914 mm]
<b>PERFORMANCE</b>				
Static Load (250 psi) / Charge Statique (250 psi)	ASTM F970	≤ 0.005"	Meets Requirements / Conforme	
Indentation - Residual / Poinçonnement résiduel	ASTM F1914	≤ - 8%	< -0.004" Meets Requirement / Conforme	< -0.003" Meets Requirement / Conforme
Coefficient of friction / Coefficient de friction (Standard Neolite)	ASTM D2047	-	0.97 (Dry / Sec)	
Flexibility / Flexibilité	ASTM F137	≥ 1.5 "	Meets Requirements / Conforme	
Chemical & Stain Resistance / Résistance aux produits chimiques	ASTM F925	-	Meets Requirements / Conforme	
Dimensional Stability / Stabilité dimensionnelle	ASTM2199	< 0.02"	Meets Requirements / Conforme	
Sound Transmission Class (STC) / Classe de transmission sonore (STC)	ASTM E90	-	62 In combination with our underlayment / Installé avec notre membrane	61 In combination with our underlayment / Installé avec notre membrane
Impact Insulation Class (IIC) / Classe d'isolation aux chocs (IIC)	ASTM E989 (ASTM E492)	-	60 In combination with our underlayment / Installé avec notre membrane	65 In combination with our underlayment / Installé avec notre membrane
Fire rating / Réaction au feu	ASTM E648	-	Meets Requirements / Conforme	
Smoke standard / Norme de fumée	ASTM E662	Class 1 / Classe 1	Meets Requirements / Conforme	
<b>ENVIRONMENT HEALTH &amp; SAFETY / ENVIRONNEMENT, SANTÉ ET SÉCURITÉ</b>				
Bacterio-Static **/ Antibactérien**	ISO 22196	-	Inhibits spread of infection at 99% Empêche la propagation des infections à 99%	
Viro-Static** / Virostatique**	-	-	100% Allergen-Free / 100% Sans allergène	
Manufacturing Plant Certifications / Certificat d'usine de fabrication	-	-	ISO 14001, ISO 50001, ISO 9001	
Material Ingredients: REACH Optimization / Ingrédients des matériaux : Optimisation REACH	-	-	100% REACH Compliant / Conforme	
Sourcing of Raw Material: Recycled Content / Approvisionnement en matières premières : contenu recyclé	Average Pre-Consumer Content / Contenu moyen pré-consommation	-	35%	19%
Indoor Air Quality / Qualité de l'air intérieur	California Standard 01350	-	FloorScore® Certified / Certifié Floorscore®	
Production Waste / Déchets de production	In-Plant Recycling / Recyclage à l'usine	-	100% Manufacturing Waste Recycled 100% des déchets de fabrication recyclés	
TVOC after 28 days / TVOC après 28 jours	ISO 16000-6	-	<100 µg / m <sup>3</sup>	
WARRANTY/GARANTIE	Creation 55: 12 year limited manufacturer warranty when installed in accordance with Gerflor's installation instructions Creation 30: 5-year limited manufacturer warranty for light commercial use when installed in accordance with Gerflor's installation instructions. Creation 55: Garantie limitée de 12 ans du fabricant lorsqu'installée conformément aux instructions d'installation de Gerflor. Creation 30: Garantie limitée du fabricant de 5 ans pour un usage commercial léger, lorsque le produit est installé conformément aux instructions d'installation de Gerflor.			

\* Rubber may cause permanent staining on resilient floor coverings. Do not use mats with rubber backing, and replace tubular furniture glides with PVC or polyamide types. Install entrance mats of adequate length to limit ingress of dirt. / Le caoutchouc risque de causer des taches indélébiles sur les revêtements de sol résilients. Éviter l'emploi de tapis à endos de caoutchouc et remplacer les embouts tubulaires de mobilier par des embouts en PVC ou en polyamide. Prévoir des tapis d'entrée de longueur suffisante afin de réduire l'apport de saletés provenant de l'extérieur.

\*\* The best defense against the spread of infections is the implementation of an effective cleaning method. / La meilleure protection contre la propagation des infections est l'application d'un protocole de nettoyage efficace.